

ORDER INFORMATION

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE

ALL orders are subject to acceptance at our office and orders so accepted are not subject to cancellation. Claims for damage and shortage, or other causes must be made within 10 days of receipt of goods. Modifications and/or changes from standard specifications and design are available; prices on request.

1. ORDER INFORMATION

TERMS: Net 30 days.

CREDIT INFORMATION REQUIRED ON FIRST ORDER.

2. SHIPPING INFORMATION

Prices are F.O.B. Miami, FL - Prices for export packing and crating on request.

3. DAMAGED GOODS (THIS IS IMPORTANT)

DO NOT ACCEPT these goods from the transportation company unless they are in perfect condition.

IF CRATE IS DAMAGED - refuse the shipment or have the carrier make a proper notation on your bill of lading. Make the same notation on the copy of bill of lading that you sign. Call the transportation company at once for inspection.

IF CONCEALED DAMAGE is discovered, call the carrier at once. **DO NOT** remove or destroy packaging in either case until agent makes an inspection and writes a report. **UNLESS** these precautions are taken, all goods repaired or replaced because of damage will be at **YOUR EXPENSE**. We cannot be held liable for carelessness or negligence of transporting agency employees - these goods left our possession accepted and signed for by the agent, **IN PERFECT CONDITION**.

All goods shipped will be at the risk of loss to the buyer and title thereto will pass to the buyer at time of delivery to common carrier.

4. RETURN OF MERCHANDISE

There will be a 15% minimum restocking charge on all standard drop-ins, and a 25% minimum on all standard carts, only after written authorization has been obtained from our main office.

Due to Atlas Metal Industries policy of continually improving its products, the models and specifications shown in this catalog are subject to change without notice.

LIMITED WARRANTY EFFECTIVE 05/01/17

For the period of one year from the date of installation, but not to exceed eighteen (18) months, all Atlas Metal Industries, Inc. products are guaranteed to the original purchaser to be free from defects in material and construction, under normal use and care. During this one year warranty period Atlas will repair or replace any defective parts or portion thereof returned to Atlas by the original purchaser which Atlas determines was defective due to faulty material or workmanship. All warranty labor must be approved with a written authorization number being issued by the factory prior to the actual work being done. (NO EXCEPTIONS) The factory has the right to refuse any labor related charges, even though authorization was given, that are not covered under warranty. In that case the customer is responsible for payment. For a period of (1) year from the date of installation Atlas will pay labor, crating and reasonable related cost incurred in the removal of the defective unit shipped to Atlas. Freight costs for defective unit will be covered by Atlas Metal, Inc. and all defective parts must be returned to the factory prepaid for evaluation. The warranty includes travel time to portal, not to exceed 100 miles round trip, or two hours total travel time. All warranty labor must be performed during regular work hours. Overtime premiums will be charged to the owner. The warranty does not cover routine maintenance activities, any failure that results from lack of, or improper equipment maintenance.

The refrigeration warranty is for a twenty (20) month time period and includes replacing the compressor and any necessary parts at a no charge basis provided the damage to the compressor and parts was not caused by the customer or end user. This warranty does not apply to any equipment or any part thereof, which has been subjected to shipping damage, improper voltage, alteration, abuse or misuses, and does not cover loss of food, other products, or damage to property due to mechanical or electrical malfunction.

THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF. SELLER DISCLAIMS ANY IMPLIED WARRANTY OF MERCHANTABILITY OF THE GOODS OR THE FITNESS OF THE GOODS FOR ANY PURPOSE AND BUYER AGREES THAT THE GOODS ARE SOLD "AS IS."



www.partstown.com • customerservice@partstown.com • (P)1-800-438-8898

Table of Contents

| | |
|--|--------------------|
| ORDERING, SHIPPING AND WARRANTY | Inside Front Cover |
| DROP-IN SERVING EQUIPMENT | 3 |
| Heated, iced, and refrigerated pans; frost top pass-through display case, and dual temp units, ice cream freezer, urn tops, and carving stations | |
| ADAPTER PLATES AND MISCELLANEOUS ACCESSORIES | 10-12 |
| SLIM LINE DROP-INS | 13 |
| Heated, iced, and refrigerated pans; deep freeze unit | |
| SPECIAL APPLICATION DROP-INS | 15 |
| Water stations and ice chest | |
| UNDER COUNTER SLIDE-IN UNITS | 16 |
| Undercounter refrigerated bases and heated bases | |
| MOBILE MODULAR FOOD SERVING SYSTEMS | |
| Designer Series - DS | 17 |
| Aluminum – CA | 26 |
| Aluminum – BL | 34 |
| STAINLESS-CW (AVAILABLE UPON SPECIAL REQUEST) | |
| Auto-Lift Table (for mixers, slicers, etc.) | 41 |
| ELECTRICAL POWER REQUIREMENTS | 42-45 |
| FOOD GUARDS & ACCESSORIES | |
| Tray Slides, Work Shelves, Protector Cases, Custom Sneeze Guards - CSG Series, Double Deck Displays, Buffet Canopies, AT - Series (Versa Guard), Europa Food Guards, ATL - Series (Z Guard), ATL - AWN Custom Awnings. | |
| FOOD GUARDS & ACCESSORIES END VIEW DRAWINGS | 50 |
| SELF-LEVELING DISPENSERS | |
| Drop-In Dish Dispensers | |
| Standard Plates | 49 |
| Oval Plates, Platters | 50 |
| Mobile Dish Dispensers, Non-Heated & Heated | |
| Enclosed - 2, 3 & 4 tube | 51 |
| Open – 2, 3 & 4 tube | 52 |

continued next page

Table of Contents *continued*

Mobile Tray & Rack Dispensers

| | |
|--|----|
| Enclosed | 53 |
| Open | 54 |
| Open, Multi-Stack | 54 |
| Open, Tubular Frame | 54 |
| Cantilever, Field Adjustable | 55 |

Wall Mounted Tray & Rack Dispensers

| | |
|---------------------------------------|----|
| Wall Mounted, Tubular Frame | 55 |
| Wall Mounted, Cantilever | 56 |

Drop-In Tray & Rack Dispensers 56

Built-In Dispensers

| | |
|---------------------------|----|
| Tray Dispensers | 57 |
|---------------------------|----|

Miscellaneous Products

| | |
|------------------------------------|----|
| Drop-in Napkin Dispenser | 57 |
|------------------------------------|----|

Accessories 59


Modification Price List For:

| | |
|--|-------|
| Modular Units, Drop-ins, Tray Slides, Corian Tops, Powder Coating Finish, High Shelf, Sneeze Guards, ETC. | 60-61 |
|--|-------|

MANUFACTURERS REPRESENTATIVE LOCATOR Inside Back Cover

DROP-IN SERVING EQUIPMENT

HOT PAN Electrically Heated – Single Control



WH-4

| MODEL | DESCRIPTION | FLANGE W x L | OPENING W x L | ELECTRICAL CHARACTERISTICS | SHIP WT. (LBS.) | LIST PRICE |
|-------|-------------------------------|-----------------|------------------|-------------------------------|--------------------|---------------|
| WH-2 | 19-7/8 x 25-1/2 x 6" deep pan | 24 x 29-3/4 | 22-1/4 x 28 | 14.2 amps - 1.7KW* 120V | 94 | 2314.00 |
| WH-3 | 19-7/8 x 39-1/4 x 6" deep pan | 24 x 43-1/2 | 22-1/4 x 41-3/4 | 12.3 amps - 2.55KW** 208V | 120 | 2672.00 |
| WH-4 | 19-7/8 x 53 x 6" deep pan | 24 x 57-1/4 | 22-1/4 x 55-1/2 | 16.4 amps - 3.4 KW** 208V | 148 | 3294.00 |
| WH-5 | 19-7/8 x 66-3/4 x 6" deep pan | 24 x 71 | 22-1/4 x 69-1/4 | 20.4 amps - 4.25 KW** 208V | 178 | 3810.00 |
| WH-6 | 19-7/8 x 80-1/2 x 6" deep pan | 24 x 84-3/4 | 22-1/4 x 83 | 24.5 amps - 5.1 KW** 208V | 196 | 4632.00 |

NOTE: Electrical information is based on 850 watt elements. 1000 watt elements are available. **Specify.**
A 3/4" dia. drain and valve is included. Separator channels are provided.
*Unit is available for 208 or 240 volts. **Units are available for 240 volts.
FREIGHT CLASS-85.

HOT PAN Electrically Heated – Individual Control Optional Drain & Manifold



WIH-3

| MODEL | DESCRIPTION | FLANGE W x L | OPENING W x L | ELECTRICAL CHARACTERISTICS | SHIP WT. (LBS.) | LIST PRICE |
|-------|-------------------------------|-----------------|------------------|-------------------------------|--------------------|---------------|
| WIH-1 | (1) 12" x 20" x 6" deep well | 24 x 16 | 22-1/4 x 14-1/4 | 8.3 amps - 1.0 KW* 120V | 38 | 1520.00 |
| WIH-2 | (2) 12" x 20" x 6" deep wells | 24 x 29-3/4 | 22-1/4 x 28 | 14.2 amp. - 1.7 KW* 120V | 100 | 2530.00 |
| WIH-3 | (3) 12" x 20" x 6" deep wells | 24 x 43-1/2 | 22-1/4 x 41-3/4 | 12.3 amps - 2.55 KW* 208V | 130 | 3424.00 |
| WIH-4 | (4) 12" x 20" x 6" deep wells | 24 x 57-1/4 | 22-1/4 x 55-1/2 | 16.4 amps - 3.4 KW** 208V | 164 | 4352.00 |
| WIH-5 | (5) 12" x 20" x 6" deep wells | 24 x 71 | 22-1/4 x 69-1/4 | 20.4 amps - 4.25 KW** 208V | 195 | 5294.00 |
| WIH-6 | (6) 12" x 20" x 6" deep wells | 24 x 84-3/4 | 22-1/4 x 83 | 24.5 amps - 5.1 KW** 208V | 238 | 5954.00 |

NOTE: Electrical information is based on 850 watt elements (1000 watt on WIH-1). 1000 watt elements are available for units WIH-2 through WIH-6. **Specify.**
*Unit is available for 208 or 240 volts. **Units are available for 240 volts.
FREIGHT CLASS-100

SOUP WELL, (ROUND)

Built in with drain, 12" overall diameter, Junction Box with die stamped remote control panel Provided with Knob, Infinite control with red signal Light, 24" lead wires from control to unit. 11 quart Capacity.

| MODEL | DESCRIPTION | VOLTS | WATTS | AMPS | PHASE | SHIP WT (LBS) | LIST PRICE |
|-------|--------------------------------|-------|-------|--------|--------|------------------|---------------|
| SWD | S/S Built in round food warmer | 120 | 825 | 6.9 | SINGLE | 12 | 1518.00 |
| | 208 | 620 | 3.0 | SINGLE | | | |
| | 240 | 825 | 3.4 | SINGLE | | | |

DROP-IN SERVING EQUIPMENT

HOT PAN Electrically Heated – Individual Control Optional Drain & Manifold



WIH-37

| MODEL | DESCRIPTION | FLANGE W x L | OPENING W x L | ELECTRICAL CHARACTERISTICS | SHIP WT. (LBS.) | LIST PRICE |
|--------|-------------------------------|-----------------|------------------|-------------------------------|--------------------|---------------|
| WIH-17 | (1) 12" x 27" x 6" deep well | 31-1/8 x 16 | 29-3/8 x 14-1/4 | 8.3 amps - 1.0 KW* 120V | 65 | 1784.00 |
| WIH-27 | (2) 12" x 27" x 6" deep wells | 31-1/8 x 29-3/4 | 29-3/8 x 28 | 14.2 amp. - 1.7 KW* 120V | 130 | 2900.00 |
| WIH-37 | (3) 12" x 27" x 6" deep wells | 31-1/8 x 43-1/2 | 29-3/8 x 41-3/4 | 12.3 amps - 2.55 KW* 208V | 156 | 3962.00 |
| WIH-47 | (4) 12" x 27" x 6" deep wells | 31-1/8 x 57-1/4 | 29-3/8 x 55-1/2 | 16.4 amps - 3.4 KW** 208V | 200 | 4834.00 |
| WIH-57 | (5) 12" x 27" x 6" deep wells | 31-1/8 x 71 | 29-3/8 x 69-1/4 | 20.4 amps - 4.25 KW** 208V | 218 | 5780.00 |
| WIH-67 | (6) 12" x 27" x 6" deep wells | 31-1/8 x 84-3/4 | 29-3/8 x 83 | 24.5 amps - 5.1 KW** 208V | 340 | 6672.00 |

NOTE: Electrical information is based on 850 watt elements (1000 watt on WIH-17). 1000 watt elements are available for units WIH-27 through WIH-67. **Specify.**

*Unit is available for 208 or 240 volts. **Units are available for 240 volts.

FREIGHT CLASS-100

| ACCESSORIES | -1 | | -2 | | -3 | | -4 | | -5 | | -6 | |
|---|-----|---------|-----|---------|-----|---------|-----|---------|-----|---------|-----|---------|
| | WT. | PRICE | WT. | PRICE | WT. | PRICE | WT. | PRICE | WT. | PRICE | WT. | PRICE |
| RT – Remote thermostats for counter installation with 36" long lead. | - | 360.00 | - | 404.00 | - | 442.00 | - | 496.00 | - | 534.00 | - | 606.00 |
| RTL – Remote thermostats for counter installation with 72" long lead. | - | 444.00 | - | 532.00 | - | 690.00 | - | 818.00 | - | 1020.00 | - | 1086.00 |
| D – Individual drain and valve for each well (WIH series only, add -D to model no.) | 4 | 154.00 | 8 | 298.00 | 12 | 436.00 | 16 | 580.00 | 20 | 714.00 | 24 | 858.00 |
| DM – Individual drain for each well with manifold to single valve (WIH series only, add -DM to model no.) | | | 15 | 434.00 | 20 | 644.00 | 25 | 846.00 | 30 | 1044.00 | 35 | 1264.00 |
| DMV – Individual drain with valve for each well with manifold to single valve. | - | - | 16 | 546.00 | 21 | 812.00 | 26 | 1088.00 | 31 | 1344.00 | 36 | 1610.00 |
| DME – Individual drain for each well with manifold to single valve w/ rear ext. | - | - | 15 | 714.00 | 20 | 920.00 | 25 | 1124.00 | 30 | 1334.00 | 35 | 1550.00 |
| *AF – Automatic water fill. | 5 | 2410.00 | 5 | 2410.00 | 5 | 2410.00 | 5 | 2410.00 | 5 | 2410.00 | 5 | 2410.00 |
| *NOTE: Drain & manifold required for AF-water fill | | | | | | | | | | | | |
| RDVE –Rear extension for D, DM, DMV. (1) required | - | 288.00 | 5 | 288.00 | 5 | 288.00 | 5 | 288.00 | 5 | 288.00 | 5 | 288.00 |
| MS – Master on/off switch. | 2 | 370.00 | 2 | 370.00 | 2 | 370.00 | 2 | 370.00 | 2 | 370.00 | 2 | 370.00 |

NOTE: Adapter plate and adapter bar pricing on pages 10-12.

WIH-UNITS WITH REMOTE THERMOSTATS APRON CUT-OUT DIMENSIONS

| | |
|-------|------------------|
| WIH-1 | 4-1/2" x 6-1/4" |
| WIH-2 | 4-1/2" x 12-1/4" |
| WIH-3 | 4-1/2" x 26" |
| WIH-4 | 4-1/2" x 39-3/4" |
| WIH-5 | 4-1/2" x 53-1/2" |
| WIH-6 | 4-1/2" x 67-1/4" |

NOTE: Flange Dimension for installation increases both the height & length of the control box by 1-1/4".

DROP-IN SERVING EQUIPMENT

COLD PANS Iced Cold Pan – Standard Depth



WIC-3

| MODEL | DESCRIPTION | FLANGE W x L | OPENING W x L | SHIP WT. (LBS.) | LIST PRICE |
|-------|--------------------------------------|-----------------|------------------|--------------------|---------------|
| WIC-1 | 19-7/8 x 11-3/4 x 4-5/8" deep pan | 24 x 16 | 22-1/4 x 14-1/4 | 26 | 1236.00 |
| WIC-2 | 19-7/8 x 25-1/2 x 4-5/8" deep pan | 24 x 29-3/4 | 22-1/4 x 28 | 38 | 1468.00 |
| WIC-3 | 19-7/8 x 39-1/4 x 4-5/8" deep pan | 24 x 43-1/2 | 22-1/4 x 41-3/4 | 66 | 1736.00 |
| WIC-4 | 19-7/8 x 53 x 4-5/8" deep pan | 24 x 57-1/4 | 22-1/4 x 55-1/2 | 100 | 2282.00 |
| WIC-5 | 19-7/8 x 66-3/4 x 4-5/8" deep pan | 24 x 71 | 22-1/4 x 69-1/4 | 128 | 2656.00 |
| WIC-6 | 19-7/8 x 80-1/2 x 4-5/8" deep pan | 24 x 84-3/4 | 22-1/4 x 83 | 145 | 2956.00 |

NOTE: A 3/4" dia. drain and valve, and separator channels are provided.
FREIGHT CLASS – 100

Iced Cold Pan – Full Depth



WICD-3

| MODEL | DESCRIPTION | FLANGE W x L | OPENING W x L | SHIP WT. (LBS.) | LIST PRICE |
|--------|--------------------------------------|-----------------|------------------|--------------------|---------------|
| WICD-1 | 19-7/8 x 11-3/4 x 9-3/4" deep pan | 24 x 16 | 22-1/4 x 14-1/4 | 34 | 1416.00 |
| WICD-2 | 19-7/8 x 25-1/2 x 9-3/4" deep pan | 24 x 29-3/4 | 22-1/4 x 28 | 50 | 1682.00 |
| WICD-3 | 19-7/8 x 39-1/4 x 9-3/4" deep pan | 24 x 43-1/2 | 22-1/4 x 41-3/4 | 70 | 1894.00 |
| WICD-4 | 19-7/8 x 53 x 9-3/4" deep pan | 24 x 57-1/4 | 22-1/4 x 55-1/2 | 126 | 2508.00 |
| WICD-5 | 19-7/8 x 66-3/4 x 9-3/4" deep pan | 24 x 71 | 22-1/4 x 69-1/4 | 164 | 2886.00 |
| WICD-6 | 19-7/8 x 80-1/2 x 9-3/4" deep pan | 24 x 84-3/4 | 22-1/4 x 83 | 178 | 3288.00 |

NOTE: A 3/4" dia. drain and valve, and separator channels are provided.
FREIGHT CLASS – 100

Refrigerated Cold Pan – Standard Depth Non NSF-7



WCM-2

| MODEL | DESCRIPTION | FLANGE W x L | OPENING W x L | ELECTRICAL CHARACTERISTICS | SHIP WT. (LBS.) | LIST PRICE |
|-------|--------------------------------------|-----------------|------------------|-------------------------------|--------------------|---------------|
| WCM-1 | 19-7/8 x 11-3/4 x 4-5/8" deep pan | 24 x 16 | 22-1/4 x 14-1/4 | 2.4 amps - 120V 1/5 HP | 110 | 3152.00 |
| WCM-2 | 19-7/8 x 25-1/2 x 4-5/8" deep pan | 24 x 29-3/4 | 22-1/4 x 28 | 3.9 amps - 120V 1/5 HP | 140 | 3528.00 |
| WCM-3 | 19-7/8 x 39-1/4 x 4-5/8" deep pan | 24 x 43-1/2 | 22-1/4 x 41-3/4 | 3.9 amps - 120V 1/5 HP | 165 | 3848.00 |
| WCM-4 | 19-7/8 x 53 x 4-5/8" deep pan | 24 x 57-1/4 | 22-1/4 x 55-1/2 | 6.8 amps - 120V 1/4 HP | 194 | 4304.00 |
| WCM-5 | 19-7/8 x 66-3/4 x 4-5/8" deep pan | 24 x 71 | 22-1/4 x 69-1/4 | 9.8 amps - 120V 1/3 HP | 230 | 4828.00 |
| WCM-6 | 19-7/8 x 80-1/2 x 4-5/8" deep pan | 24 x 84-3/4 | 22-1/4 x 83 | 9.8 amps - 120V 1/3 HP | 258 | 5436.00 |

NOTE: A 3/4" dia. drain and valve, and separator channels are provided. For 5-year compressor warranty add \$ 112.00 NET.
FREIGHT CLASS – 150

NOTE: Adapter plate and adapter bar pricing on pages 10-12.
Compressor pricing may be found on page 6.

DROP-IN SERVING EQUIPMENT

COLD PANS Refrigerated Cold Pan – Full Depth Non NSF-7



WCMD-3

| MODEL | DESCRIPTION | FLANGE W x L | OPENING W x L | ELECTRICAL CHARACTERISTICS | SHIP WT. (LBS.) | LIST PRICE |
|--------|-----------------------------------|-----------------|------------------|-------------------------------|--------------------|---------------|
| WCMD-1 | 19-7/8 x 11-3/4 x 9-3/4" deep pan | 24 x 16 | 22-1/4 x 14-1/4 | 2.4 amps - 120V 1/5 HP | 130 | 3490.00 |
| WCMD-2 | 19-7/8 x 25-1/2 x 9-3/4" deep pan | 24 x 29-3/4 | 22-1/4 x 28 | 3.9 amps - 120V 1/5 HP | 152 | 3822.00 |
| WCMD-3 | 19-7/8 x 39-1/4 x 9-3/4" deep pan | 24 x 43-1/2 | 22-1/4 x 41-3/4 | 3.9 amps - 120V 1/5 HP | 180 | 4248.00 |
| WCMD-4 | 19-7/8 x 53 x 9-3/4" deep pan | 24 x 57-1/4 | 22-1/4 x 55-1/2 | 6.8 amps - 120V 1/4 HP | 225 | 4746.00 |
| WCMD-5 | 19-7/8 x 66-3/4 x 9-3/4" deep pan | 24 x 71 | 22-1/4 x 69-1/4 | 9.8 amps - 120V 1/3 HP | 250 | 5346.00 |
| WCMD-6 | 19-7/8 x 80-1/2 x 9-3/4" deep pan | 24 x 84-3/4 | 22-1/4 x 83 | 9.8 amps - 120V 1/3 HP | 284 | 5830.00 |

NOTE: A 3/4" dia. drain and valve, and separator channels are provided. For 5-year compressor warranty add \$112.00 NET.
FREIGHT CLASS – 150

Refrigerated Cold Pan – Full Depth with Side Coils Non NSF-7



WCMD-C-3

| MODEL | DESCRIPTION | FLANGE W x L | OPENING W x L | ELECTRICAL CHARACTERISTICS | SHIP WT. (LBS.) | LIST PRICE |
|----------|-----------------------------------|-----------------|------------------|-------------------------------|--------------------|---------------|
| WCMD-C-1 | 19-7/8 x 11-3/4 x 9-3/4" deep pan | 24 x 16 | 22-1/4 x 14-1/4 | 2.4 amps - 120V 1/5 HP | 130 | 3624.00 |
| WCMD-C-2 | 19-7/8 x 25-1/2 x 9-3/4" deep pan | 24 x 29-3/4 | 22-1/4 x 28 | 3.9 amps - 120V 1/5 HP | 148 | 3900.00 |
| WCMD-C-3 | 19-7/8 x 39-1/4 x 9-3/4" deep pan | 24 x 43-1/2 | 22-1/4 x 41-3/4 | 3.9 amps - 120V 1/5 HP | 190 | 4324.00 |
| WCMD-C-4 | 19-7/8 x 53 x 9-3/4" deep pan | 24 x 57-1/4 | 22-1/4 x 55-1/2 | 6.8 amps - 120V 1/4 HP | 260 | 4928.00 |
| WCMD-C-5 | 19-7/8 x 66-3/4 x 9-3/4" deep pan | 24 x 71 | 22-1/4 x 69-1/4 | 9.8 amps - 120V 1/3 HP | 270 | 5670.00 |
| WCMD-C-6 | 19-7/8 x 80-1/2 x 9-3/4" deep pan | 24 x 84-3/4 | 22-1/4 x 83 | 9.8 amps - 120V 1/3 HP | 302 | 6040.00 |

NOTE: A 3/4" dia. drain and valve, and separator channels are provided. For 5-year compressor warranty add \$112.00 NET.
FREIGHT CLASS – 150

| ACCESSORIES | -1 | | -2 | | -3 | | -4 | | -5 | | -6 | |
|--|-----|---------|-----|---------|-----|---------|-----|---------|-----|---------|-----|---------|
| | WT. | PRICE | WT. | PRICE | WT. | PRICE | WT. | PRICE | WT. | PRICE | WT. | PRICE |
| • RS – Remote on/off switch for counter mounting | 7 | 252.00 | 7 | 252.00 | 7 | 252.00 | 7 | 252.00 | 7 | 252.00 | 7 | 252.00 |
| • Remote refrigeration option (less compressor*): | | | | | | | | | | | | |
| WCM series units become WCMX | 57 | 1466.00 | 92 | 1894.00 | 117 | 2228.00 | 152 | 2686.00 | 172 | 2982.00 | 252 | 3648.00 |
| WCMD series units become WCMDX | 62 | 1966.00 | 97 | 2264.00 | 122 | 2430.00 | 157 | 3130.00 | 182 | 3470.00 | 282 | 3848.00 |
| WCMD-C series become WCMD-C-X | 67 | 2040.00 | 107 | 2424.00 | 132 | 2598.00 | 167 | 3380.00 | 202 | 3672.00 | 292 | 4324.00 |
| • WFB – Stainless steel perforated false bottom. . . | 8 | 208.00 | 10 | 260.00 | 12 | 336.00 | 21 | 440.00 | 31 | 512.00 | 35 | 626.00 |

NOTE:

For 220 volt - 50 cycle compressor, add. 344.00
For #2060-1 - condensate evaporator, add. 320.00

NOTE: Adapter plate and adapter bar pricing on pages 10-12.

WCM/WF COMPRESSOR FOR REMOTE INSTALLATION

| | WT | PRICE |
|---------------|----|---------|
| 2029 1/5 HP | 35 | 650.00 |
| 2029-1 1/4 HP | 35 | 820.00 |
| 2029-2 1/3 HP | 35 | 1034.00 |
| 2001-4 1/2 HP | 40 | 1090.00 |

DROP-IN SERVING EQUIPMENT

REFRIGERATED COLD PAN with 3" Recessed Top (NSF-7)



RM-3

| MODEL | DESCRIPTION | FLANGE W x L | OPENING W x L | ELECTRICAL CHARACTERISTICS | SHIP WT. (LBS.) | LIST PRICE |
|-------|--------------------------------|-----------------|------------------|-------------------------------|--------------------|---------------|
| RM-1 | 19-7/8 x 11-7/8 9" deep pan | 26 x 18-1/8 | 24-1/2 x 16-1/2 | 3.0 amps - 120V 1/5 HP | 130 | 3788.00 |
| RM-2 | 19-7/8 x 25-5/8 9" deep pan | 26 x 31-3/4 | 24-1/2 x 30-1/4 | 6.0 amps - 120V 1/4 HP | 170 | 4428.00 |
| RM-3 | 19-7/8 x 39-3/8 9" deep pan | 26 x 45-1/2 | 24-1/2 x 44 | 6.0 amps - 120V 1/4 HP | 202 | 4876.00 |
| RM-4 | 19-7/8 x 53-1/8 9" deep pan | 26 x 59-1/4 | 24-1/2 x 57-3/4 | 7.8 amps - 120V 1/3 HP | 240 | 5384.00 |
| RM-5 | 19-7/8 x 66-7/8 9" deep pan | 26 x 73 | 24-1/2 x 71-1/2 | 10.7 amps - 120V 1/2 HP | 300 | 6238.00 |
| RM-6 | 19-7/8 x 80-5/8 9" deep pan | 26 x 86-3/4 | 24-1/2 x 85-1/4 | 10.7 amps - 120V 1/2 HP | 304 | 6800.00 |

NOTE: A 3/4" dia. drain and valve, and separator channels are provided. For 5-year compressor warranty add \$112.00 NET.
FREIGHT CLASS - 150

FROST TOP Refrigerated Frost Top



WF-3

| MODEL | DESCRIPTION | FLANGE W x L | OPENING W x L | ELECTRICAL CHARACTERISTICS | SHIP WT. (LBS.) | LIST PRICE |
|-------|--|-----------------|------------------|-------------------------------|--------------------|---------------|
| WF-2 | 19-1/2 x 25-1/4 Frost top - 1" high | 24 x 29-3/4 | 22-1/4 x 28 | 3.9 amps - 120V 1/5 HP | 145 | 3942.00 |
| WF-3 | 19-1/2 x 39 Frost top - 1" high | 24 x 43-1/2 | 22-1/4 x 41-3/4 | 6.8 amps - 120V 1/4 HP | 176 | 4416.00 |
| WF-4 | 19-1/2 x 52-3/4 Frost top - 1" high | 24 x 57-1/4 | 22-1/4 x 55-1/2 | 9.8 amps - 120V 1/3 HP | 210 | 4852.00 |
| WF-5 | 19-1/2 x 66-1/2 Frost top - 1" high | 24 x 71 | 22-1/4 x 69-1/4 | 9.8 amps - 120V 1/3 HP | 245 | 5346.00 |
| WF-6 | 19-1/2 x 80-1/4 Frost top - 1" high | 24 x 84-3/4 | 22-1/4 x 83 | 10.7 amps - 120V 1/2 HP | 274 | 6078.00 |

NOTE: A 1" IPS drain and valve is provided. For 5-year compressor warranty add \$ 112.00 NET.
FREIGHT CLASS - 150

| ACCESSORIES | -1 | | -2 | | -3 | | -4 | | -5 | | -6 | |
|---|-----|---------|-----|---------|-----|---------|-----|---------|-----|---------|-----|---------|
| | WT. | PRICE | WT. | PRICE | WT. | PRICE | WT. | PRICE | WT. | PRICE | WT. | PRICE |
| • RS - Remote on/off switch for counter mounting. | 7 | 252.00 | 7 | 252.00 | 7 | 252.00 | 7 | 252.00 | 7 | 252.00 | 7 | 252.00 |
| • Remote refrigeration option (less compressor*) | | | | | | | | | | | | |
| RM series units become RMX | 74 | 1964.00 | 140 | 2360.00 | 154 | 2780.00 | 186 | 3188.00 | 222 | 3740.00 | 280 | 4228.00 |
| WF series units become WFX | | | 106 | 1964.00 | 139 | 2736.00 | 171 | 3132.00 | 186 | 3696.00 | 261 | 3974.00 |
| • Flush top for frost top units (add to WF series). | | | - | 458.00 | - | 576.00 | - | 634.00 | - | 740.00 | - | 830.00 |
| • WFB - Stainless steel perforated false bottom. | 8 | 208.00 | 10 | 260.00 | 12 | 336.00 | 21 | 440.00 | 31 | 512.00 | 35 | 626.00 |

NOTE:

For 220 volt - 50 cycle compressor, add 344.00
For #2060-1 - condensate evaporator, add 320.00

RM COMPRESSOR FOR REMOTE INSTALLATION

| | WT | PRICE |
|---------------|----|---------|
| 2029 1/5 HP | 35 | 650.00 |
| 2029-5 1/4 HP | 35 | 874.00 |
| 2029-6 1/3 HP | 35 | 970.00 |
| 2029-7 1/2 HP | 40 | 1096.00 |

NOTE: Adapter plate and adapter bar pricing on pages 10-12.

DROP-IN SERVING EQUIPMENT

COLD PAN

Refrigerated – Air Flow System, with Evaporator
Non NSF-7



WCM-BT-3


| MODEL | DESCRIPTION | FLANGE W X L | OPENING W X L | ELECTRICAL CHARACTERISTICS | SHIP WT. (LBS.) | LIST PRICE |
|----------|---------------------------------|-----------------|------------------|-------------------------------|--------------------|---------------|
| WCM-BT-3 | 19-7/8 x 39-1/4 14" deep pan | 24 x 43-1/2 | 22-1/4 x 41-3/4 | 6.8 amps - 120V 1/4 HP | 204 | 6920.00 |
| WCM-BT-4 | 19-7/8 x 53 14" deep pan | 24 x 57-1/4 | 22-1/4 x 55-1/2 | 9.2 amps - 120V 1/3 HP | 255 | 7194.00 |
| WCM-BT-5 | 19-7/8 x 66-3/4 14" deep pan | 24 x 71 | 22-1/4 x 69-1/4 | 9.2 amps - 120V 1/3 HP | 270 | 7556.00 |
| WCM-BT-6 | 19-7/8 x 80-1/2 14" deep pan | 24 x 84-3/4 | 22-1/4 x 83 | 9.2 amps - 120V 1/3 HP | 300 | 8000.00 |

NOTE: A 3/4" dia. drain and valve, and separator channels are provided. For 5-year compressor warranty add \$112.00 NET. FREIGHT CLASS – 150

NOTE: For 220 volt – 50 cycle compressor, add \$344.00

DISPLAY CASE

Refrigerated, Pass-Through



WCPT-3
Shown

| MODEL | DESCRIPTION | FLANGE W X L | OPENING W X L | ELECTRICAL CHARACTERISTICS | SHIP WT. (LBS.) | LIST PRICE |
|--------|--|-----------------|------------------|-------------------------------|--------------------|---------------|
| WCPT-3 | Sliding doors on both sides, with (2) adj. shelves | 24 x 43-1/2 | 22-1/4 x 41-3/4 | 11.0 amps - 120V 1/2 HP | 450 | 12048.00 |
| WCPT-4 | Sliding doors on both sides, with (2) adj. shelves | 24 x 57-1/4 | 22-1/4 x 55-1/2 | 11.0 amps - 120V 1/2 HP | 480 | 12610.00 |

NOTE: Unit is provided with a condensate evaporator. For 5-year compressor warranty add \$112.00 NET

NOTE: For 220 volt – 50 cycle compressor, add \$344.00. FREIGHT CLASS – 100

ACCESSORIES

| | | | | |
|---|--------|---|--------|---------|
| Door locking device, installed. | 288.00 | Solid (1) piece tempered reflective vision panel, bronze or gray | WCPT-3 | 704.00 |
| Extra shelf-3. | 122.00 | Solid Stainless Steel Back (both units) | WCPT-4 | 810.00 |
| Extra shelf-4. | 148.00 | Sliding doors with reflective tempered vision panel, bronze or gray | WCPT-3 | 922.00 |
| Plastic laminate trim-3. | 406.00 | | WCPT-4 | 1472.00 |
| Plastic laminate trim-4. | 456.00 | | | 1668.00 |

HOT/COLD PAN

Dual Temp. – Hot or Cold Service
For Hot Mode Operation Water Must Be Used



WCM-HP-3

| MODEL | DESCRIPTION | FLANGE W X L | OPENING W X L | ELECTRICAL CHARACTERISTICS | SHIP WT. (LBS.) | LIST PRICE |
|----------|---|-----------------|--|-------------------------------|--------------------|---------------|
| *RMHP-1 | 19-7/8 x 11-7/8" 9-1/2" deep pan (1) 12 x 20" pan | 26 x 18-1/8 | 24-1/2 x 16-1/2 9-1/2" deep pan (1) 12 x 20" pan | See Page 43 | 145 | 7532.00 |
| WCM-HP-2 | 19-7/8 x 25-1/2 x 9-1/2" deep pan (2) 12 x 20" pans | 24 x 29-3/4 | 23-1/4 x 28-3/4 | See Page 43 | 160 | 7216.00 |
| *RMHP-2 | | 26 x 31-3/4 | 24-1/2 x 30-1/4 | See Page 43 | 194 | 7898.00 |
| WCM-HP-3 | 19-7/8 x 39-1/4 x 9-1/2" deep pan (3) 12 x 20" pans | 24 x 43-1/2 | 23-1/4 x 42-1/2 | See Page 43 | 190 | 7724.00 |
| *RMHP-3 | | 26 x 45-1/2 | 24-1/2 x 44 | See Page 43 | 225 | 8566.00 |
| WCM-HP-4 | 19-7/8 x 53 x 9-1/2" deep pan (4) 12 x 20" pans | 24 x 57-1/4 | 23-1/4 x 56-1/4 | See Page 43 | 250 | 8564.00 |
| *RMHP-4 | | 26 x 59-1/8 | 24-1/2 x 57-3/4 | See Page 43 | 260 | 9422.00 |
| WCM-HP-5 | 19-7/8 x 66-3/4 x 9-1/2" deep pan (5) 12 x 20" pans | 24 x 71 | 23-1/4 x 70 | See Page 43 | 254 | 9414.00 |
| *RMHP-5 | | 26 x 73 | 24-1/2 x 71-1/2 | See Page 43 | 305 | 10286.00 |
| WCM-HP-6 | 19-7/8 x 80-1/2 x 9-1/2" deep pan (6) 12 x 20" pans | 24 x 84-3/4 | 23-1/4 x 83-3/4 | See Page 43 | 286 | 10230.00 |
| *RMHP-6 | | 26 x 86-3/4 | 24-1/2 x 85-1/4 | See Page 43 | 345 | 11392.00 |

NOTE: A 3/4" dia. drain and valve, and separator channels are provided. Units are wired to prevent simultaneous operation. 240 volt units are available in 208 volts. For 5-year compressor warranty add \$112.00 NET.

FREIGHT CLASS – 150

NOTE: Adapter plate and adapter bar pricing on pages 10-12.

RSHP- Remote switch for counter installation. \$644.00



*RMHP-2
NSF-LISTED

DROP-IN SERVING EQUIPMENT

ICE CREAM FREEZER Refrigerated, Self-Contained



WDF-2

| MODEL | DESCRIPTION | FLANGE W X L | OPENING W X L | ELECTRICAL CHARACTERISTICS | SHIP WT. (LBS.) | LIST PRICE |
|-------|---|-----------------|------------------|-------------------------------|--------------------|---------------|
| WDF-2 | 16-1/2 x 22-1/2 x 13-1/2" deep 2.6 cu. ft. capacity | 24 x 29-3/4 | 22-1/4 x 28 | 6.8 amps - 120V 1/4 HP | 168 | 5300.00 |
| WDF-3 | 16-1/2 x 36-1/2 x 13-1/2" deep 4.2 cu. ft. capacity | 24 x 43-1/2 | 22-1/4 x 41-3/4 | 6.8 amps - 120V 1/4 HP | 212 | 6268.00 |

NOTE: For 5-year compressor warranty add \$112.00 NET.

FREIGHT CLASS – 92.5

ACCESSORIES

- Hinged Plexiglas lid, WDF-2. 464.00 **LLD-** Lid locking device. 480.00
- Hinged Plexiglas lid, WDF-3. 594.00

Stainless steel replacement lids are available at the same price.

URN DRAIN Beverage Station with Drain Trough



WUD-35


| MODEL | DESCRIPTION | FLANGE W X L | OPENING W X L | SHIP WT. (LBS.) | LIST PRICE |
|--------|--|-----------------|------------------|--------------------|---------------|
| WU-24 | 4-1/2 x 20" trough with anti-splash grate | 24 x 24 | 5 x 20-1/2 | 30 | 672.00 |
| WUD-24 | (2) 4-1/2 x 20" trough with anti-splash grate | 29-1/2 x 24 | (2) 5 x 20-1/2 | 30 | 1212.00 |
| WU-30 | 4-1/2 x 25-5/8" trough with anti-splash grate | 24 x 30 | 5 x 26-1/4 | 30 | 766.00 |
| WUD-30 | (2) 4-1/2 x 25-5/8" trough with anti-splash grate | 29-1/2 x 30 | (2) 5 x 26-1/4 | 30 | 1426.00 |
| WU-35 | 4-1/2 x 31" trough with anti-splash grate | 24 x 35 | 5 x 31-1/2 | 30 | 916.00 |
| WUD-35 | (2) 4-1/2 x 31" trough with anti-splash grate | 29-1/2 x 35 | (2) 5 x 31-1/2 | 50 | 1588.00 |
| WU-44 | 4-1/2 x 39-1/2" trough with anti-splash grate | 24 x 44 | 5 x 40 | 94 | 1060.00 |
| WUD-44 | (2) 4-1/2 x 39-1/2" trough with anti-splash grate | 29-1/2 x 44 | (2) 5 x 40 | 100 | 2050.00 |

NOTE: Trough(s) is/are provided with a 3/4" dia. drain on operator's left.

FREIGHT CLASS – UPS

ADAPTER PLATES & COUNTER TOP ICE PAN

ADAPTER PLATES



AD-GPD



AD-35

AD-35

| | SHIP WT. (LBS.) | LIST PRICE |
|--|--------------------|---------------|
| AD-PLAIN – Solid stainless steel, 21" x 13" | 7 | 248.00 |
| AD-PERFORATED – Stainless steel, 21" x 13," perforated | 7 | 410.00 |
| AD-GP – Carving station with sloped gravy pan | 12 | 704.00 |
| AD-GPD – Carving station with sloped gravy pan, double-width | 16 | 986.00 |
| AD-2610 – Stainless steel, 21" x 13" with (1) 10-1/2" dia. & (1) 6-1/2" dia. opening | 7 | 314.00 |
| AD-28 – Stainless steel, 21" x 13" with (2) 8-1/2" dia. openings | 7 | 340.00 |
| AD-36 – Stainless steel, 21" x 13" with (3) 6-1/2" dia. opening | 7 | 340.00 |
| AD-365 –Stainless steel, 21" x 13" with (2) 6-1/2" dia. & (1) 5" dia. opening | 7 | 328.00 |
| AD-35 – Stainless steel, 21" x 13" with (3 ea.) 5" dia. openings | 7 | 328.00 |
| AD-65* – Stainless steel, 21" x 13" with (6 ea.) 5-1/8" dia. openings | 7 | 344.00 |
| AD-18B* – Stainless steel, 26-1/2" x 21" with (1 ea.) 16-1/2" dia. opening | 10 | 382.00 |
| AD-21B* – Stainless steel, 26-1/2" x 21" with (1 ea.) 18-1/2" dia. opening | 10 | 382.00 |
| AD-X – Extension to raise adapters 2-1/4" | 5 | 314.00 |
| S80103 –Separator channel 20" | 1 | 70.00 |
| S80108 – Adapter bar for 1/4 size pans | 1/2 | 50.00 |
| S80109 – Adapter bar for 1/6 size pans | 1/2 | 50.00 |

*NOTE: For use in cold serving units with salad bowls and dressing crocks.

COUNTER TOP ICE PAN: MARCHE STYLE



CTIP-2436
shown

| MODEL | DESCRIPTION | SHIP WT. (LBS.) | LIST PRICE |
|-----------|---|--------------------|---------------|
| CTIP-2424 | 24"L x 24"W Outer Case 3" Front to 6" Rear Depth | 66 | 2504.00 |
| CTIP-2430 | 30"L x 24"W Outer Case 3" Front to 6" Rear Depth | 80 | 2756.00 |
| CTIP-2436 | 36"L x 24"W Outer Case 3" Front to 6" Rear Depth | 88 | 3280.00 |
| CTIP-2442 | 42"L x 24"W Outer Case 3" Front to 6" Rear Depth | 95 | 3632.00 |
| CTIP-2448 | 48"L x 24"W Outer Case 3" Front to 6" Rear Depth | 110 | 3764.00 |
| CTIP-2454 | 54"L x 24"W OuterCase 3" Front to 6" Rear Depth | 130 | 4168.00 |
| CTIP-2460 | 60"L x 24"W Outer Case 3" Front to 6" Rear Depth | 145 | 4438.00 |


NOTE: 1/2" Drain with Ball Valve and 60" PVC Drain Tube
FREIGHT CLASS – 100

SPECIAL STAINLESS STEEL ADAPTER PLATES


These adapter plates will fit any standard size refrigerated pan,
including the RM-series with 3" recessed top.

| MODEL | DESCRIPTION | (LBS.) | PRICE |
|-------|-------------|--------|-------|
|-------|-------------|--------|-------|


| | | | |
|------|---|---|--------|
| AD-3 | Stainless Steel Adapter Plate (8) 6-1/4" Cut-Outs (1) 16" Cut-Out 41" X 21-11/16" Overall Dimensions | 7 | 932.00 |
|------|---|---|--------|




| | | | |
|------|--|---|---------|
| AD-4 | Stainless Steel Adapter Plate (14) 6-1/4" Cut-Outs (1) 16" Cut-Out 54-3/4" X 21-11/16" Overall Dimensions | 7 | 1160.00 |
|------|--|---|---------|




| | | | |
|------|--|---|---------|
| AD-5 | Stainless Steel Adapter Plate (17) 6-1/4" Cut-Outs (1) 16" Cut-Out 68-1/2" X 21-11/16" Overall Dimensions | 7 | 1422.00 |
|------|--|---|---------|



| | | | |
|------|--|---|---------|
| AD-6 | Stainless Steel Adapter Plate (23) 6-1/4" Cut-Outs (1) 16" Cut-Out 82-1/4" X 21-11/16" Overall Dimensions | 7 | 1600.00 |
|------|--|---|---------|




SPECIAL STAINLESS STEEL ADAPTER PLATES



POLYETHYLENE TOP For Crock Inserts


| MODEL | CROCK CAPACITY | (LBS.) | PRICE |
|-------|----------------|--------|---------|
| CT-3 | 6/1 | 5 | 1220.00 |
| CT-4 | 11/1 | 10 | 1502.00 |
| CT-5 | 14/1 | 15 | 1816.00 |
| CT-6 | 17/1 | 20 | 2132.00 |

(USED WITH SF FRAME)



SPECIAL STAINLESS STEEL ADAPTER FRAME Used with CT-Corian Tops

| MODEL | (LBS.) | PRICE |
|-------|--------|--------|
| SF-3 | 5 | 536.00 |
| SF-4 | 5 | 644.00 |
| SF-5 | 10 | 828.00 |
| SF-6 | 10 | 986.00 |




| MODEL | DESCRIPTION | (LBS.) | PRICE |
|-------|---|--------|--------|
| CTS | Polyethylene Top for 16" Salad Bowl 1/2" Thick, Cameo White Used with SF-22 Frame | 10 | 648.00 |

| | | | |
|-------|---|---|--------|
| SF-22 | Special Stainless Steel Adapter Frame 22" x 27-5/8" Used with CTS | 8 | 424.00 |
|-------|---|---|--------|

ACCESSORIES

| | |
|--|--------|
| SALAD CROCK 2.7 Quart Capacity | 62.00 |
| SALAD BOWL 16" Diameter | 126.00 |
| 1/2" POLYETHYLENE 8" Cutting Board... .. | 182.00 |
| Mounted on SH Workshelf | 208.00 |
| | 240.00 |
| | 268.00 |
| | 328.00 |

SA = Stainless Steel Sloped Adapter for RM - RML Units



| model | SAL - Slim Line | Price |
|-----------|-----------------|---------|
| Sal - 2 - | | 1504.00 |
| Sal - 3 - | | 1656.00 |
| Sal - 4 - | | 1798.00 |

NOTE: To relocate the RM-Drain and modify the compressor housing for USE with the SA-Sloped adapter add **\$438.00** list

| MODEL | "A" DIMENSION | COUNTER CUT-OUT REQUIRED | (LBS.) | PRICE |
|-------|---------------|--------------------------|--------|---------|
| SA-1 | 18-3/4" | 25-3/4" x 17-3/4" | 30 | 1312.00 |
| SA-2 | 32-1/2" | 25-3/4" x 31-1/2" | 45 | 1384.00 |
| SA-3 | 46-1/4" | 25-3/4" x 45-1/4" | 60 | 1458.00 |
| SA-4 | 60" | 25-3/4" x 59" | 75 | 1532.00 |
| SA-5 | 73-3/4" | 25-3/4" x 72-3/4" | 90 | 1610.00 |
| SA-6 | 87-1/2" | 25-3/4" x 86-1/2" | 125 | 1700.00 |

SLIM-LINE DROP-INS

SLIM-LINE HOT PAN Electrically Heated – Individual Control Optional Drain & Manifold



WIHL-2

| MODEL | DESCRIPTION | FLANGE W x L | OPENING W x L | ELECTRICAL CHARACTERISTICS | SHIP WT. (LBS.) | LIST PRICE |
|--------|-------------------------------|-----------------|------------------|-------------------------------|--------------------|---------------|
| WIHL-2 | (2) 12" X 20" 6" deep well | 16 x 46 | 14-1/4 x 44-1/4 | 14.2 amps - 1.7 KW* 120V | 104 | 2508.00 |
| WIHL-3 | (3) 12" x 20" 6" deep well | 16 x 67-3/4 | 14-1/4 x 66 | 12.3 amps - 2.55 KW** 208V | 145 | 3416.00 |
| WIHL-4 | (4) 12" x 20" 6" deep well | 16 x 89-1/2 | 14-1/4 x 87-3/4 | 16.3 amps - 3.4 KW** 208V | 214 | 4316.00 |

NOTE: Electrical information is based on 850 watt elements – 1000 watt elements are available. Units are available with single controls (WHL Series). **Contact Factory.**

*Units are available for 208 or 240 volts. **Units are available for 240 volts. **Specify.**
FREIGHT CLASS –150

SLIM-LINE ICED COLD PAN Standard Depth



WICL-2

| MODEL | DESCRIPTION | FLANGE W x L | OPENING W x L | SHIP WT. (LBS.) | LIST PRICE |
|--------|--------------------------------------|-----------------|------------------|--------------------|---------------|
| WICL-2 | 11-7/8 x 41-3/4 x 4-5/8" deep pan | 16 x 46 | 14-1/4 x 44-1/4 | 78 | 1772.00 |
| WICL-3 | 11-7/8 x 63-1/2 x 4-5/8" deep pan | 16 x 67-3/4 | 14-1/4 x 66 | 102 | 2188.00 |
| WICL-4 | 11-7/8 x 85-1/4 x 4-5/8" deep pan | 16 x 89-1/2 | 14-1/4 x 87-3/4 | 130 | 2506.00 |

NOTE: A 3/4" drain and valve, and separator channels are provided. FREIGHT CLASS – 100

SLIM-LINE ICED COLD PAN Full Depth



WICDL-2

| MODEL | DESCRIPTION | FLANGE W x L | OPENING W x L | SHIP WT. (LBS.) | LIST PRICE |
|---------|--------------------------------------|-----------------|------------------|--------------------|---------------|
| WICDL-2 | 11-7/8 x 41-3/4 x 9-3/4" deep pan | 16 x 46 | 14-1/4 x 44-1/4 | 98 | 1988.00 |
| WICDL-3 | 11-7/8 x 63-1/2 x 9-3/4" deep pan | 16 x 67-3/4 | 14-1/4 x 66 | 120 | 2506.00 |
| WICDL-4 | 11-7/8 x 85-1/4 x 9-3/4" deep pan | 16 x 89-1/2 | 14-1/4 x 87-3/4 | 156 | 2880.00 |

NOTE: A 3/4" drain and valve, and separator channels are provided. FREIGHT CLASS – 100

| ACCESSORIES | -2 | | -3 | | -4 | |
|--|-----|---------|-----|---------|-----|---------|
| | WT. | PRICE | WT. | PRICE | WT. | PRICE |
| RT – Remote thermostats for counter mounting with 36" long lead. | - | 404.00 | - | 442.00 | - | 496.00 |
| RTL – Remote thermostats for counter mounting with 72" long lead. | - | 532.00 | - | 690.00 | - | 818.00 |
| D – Individual drain and valve for each well (Hot serving unit only). | 8 | 298.00 | 12 | 436.00 | 16 | 580.00 |
| DM – Individual drain for each well with manifold to single valve (Hot serving unit only). | 15 | 434.00 | 20 | 644.00 | 25 | 846.00 |
| DMV – Individual drain & valve for each well with manifold to single valve (Hot serving unit only). | 16 | 546.00 | 21 | 812.00 | 26 | 1088.00 |
| DME – Individual drain for each well with manifold to single valve w/ rear ext. | 15 | 714.00 | 20 | 920.00 | 25 | 1124.00 |
| RDVE – Rear extension for DM, DMV (1) Required. | 15 | 288.00 | 20 | 288.00 | 25 | 288.00 |
| WFBL – Stainless steel perforated false bottom (Cold serving units only). | 12 | 370.00 | 15 | 438.00 | 20 | 578.00 |
| AF – Automatic water fill. | 5 | 2410.00 | 5 | 2410.00 | 5 | 2410.00 |
| CPL – Cover plate with handles,s/s. | 30 | 316.00 | 35 | 398.00 | 40 | 550.00 |
| MS – Master on - off switch. | 2 | 370.00 | 2 | 370.00 | 2 | 370.00 |

NOTE: Adapter plate pricing on pages 10-12.

There is no charge to change voltages on the hot serving units.

SLIM-LINE DROP-INS

SLIM-LINE REFRIGERATED COLD PAN

Standard Depth Non
Non NSF-7




WCML-2

| MODEL | DESCRIPTION | FLANGE W x L | OPENING W x L | ELECTRICAL CHARACTERISTICS | SHIP WT. (LBS.) | LIST PRICE |
|--------|------------------------------------|-----------------|------------------|-------------------------------|--------------------|---------------|
| WCML-2 | 11-7/8 x 41-3/4 4-5/8" deep pan | 16 x 46 | 14-1/4 x 44-1/4 | 3.9 amps - 120V 1/5 HP | 140 | 3630.00 |
| WCML-3 | 11-7/8 x 63-1/2 4-5/8" deep pan | 16 x 67-3/4 | 14-1/4 x 66 | 3.9 amps - 120V 1/5 HP | 182 | 4276.00 |
| WCML-4 | 11-7/8 x 85-1/4 4-5/8" deep pan | 16 x 89-1/2 | 14-1/4 x 87-3/4 | 6.8 amps - 120V 1/4 HP | 214 | 4812.00 |

NOTE: A 3/4" drain and valve, and separator channels are provided. For 5-year compressor warranty add \$112.00 NET.
FREIGHT CLASS - 150

SLIM-LINE REFRIGERATED COLD PAN

Full Depth
Non NSF-7




WCMDL-2

| MODEL | DESCRIPTION | FLANGE W x L | OPENING W x L | ELECTRICAL CHARACTERISTICS | SHIP WT. (LBS.) | LIST PRICE |
|---------|------------------------------------|-----------------|------------------|-------------------------------|--------------------|---------------|
| WCMDL-2 | 11-7/8 x 41-3/4 9-3/4" deep pan | 16 x 46 | 14-1/4 x 44-1/4 | 3.9 amps - 120V 1/5 HP | 155 | 3962.00 |
| WCMDL-3 | 11-7/8 x 63-1/2 9-3/4" deep pan | 16 x 67-3/4 | 14-1/4 x 66 | 3.9 amps - 120V 1/5 HP | 205 | 4562.00 |
| WCMDL-4 | 11-7/8 x 85-1/4 9-3/4" deep pan | 16 x 89-1/2 | 14-1/4 x 87-3/4 | 6.8 amps - 120V 1/4 HP | 270 | 5160.00 |

NOTE: A 3/4" drain and valve, and separator channels are provided. For 5-year compressor warranty add \$112.00 NET.
FREIGHT CLASS - 150

SLIM-LINE REFRIGERATED COLD PAN

Full Depth with Side Coils
Non NSF-7



WCMDCL-2

| MODEL | DESCRIPTION | FLANGE W x L | OPENING W x L | ELECTRICAL CHARACTERISTICS | SHIP WT. (LBS.) | LIST PRICE |
|----------|------------------------------------|-----------------|------------------|-------------------------------|--------------------|---------------|
| WCMDCL-2 | 11-7/8 x 41-3/4 9-3/4" deep pan | 16 x 46 | 14-1/4 x 44-1/4 | 3.9 amps - 120V 1/5 HP | 160 | 4132.00 |
| WCMDCL-3 | 11-7/8 x 63-1/2 9-3/4" deep pan | 16 x 67-3/4 | 14-1/4 x 66 | 3.9 amps - 120V 1/5 HP | 220 | 4718.00 |
| WCMDCL-4 | 11-7/8 x 85-1/4 9-3/4" deep pan | 16 x 89-1/2 | 14-1/4 x 87-3/4 | 6.8 amps - 120V 1/4 HP | 285 | 5404.00 |

NOTE: A 3/4" drain and valve, and separator channels are provided. For 5-year compressor warranty add \$112.00 NET.
FREIGHT CLASS - 150

SLIM-LINE REFRIGERATED COLD PAN

3" Recessed Top - NSF-7



RML-2

| MODEL | DESCRIPTION | FLANGE W x L | OPENING W x L | ELECTRICAL CHARACTERISTICS | SHIP WT. (LBS.) | LIST PRICE |
|-------|--------------------------------|-----------------|------------------|-------------------------------|--------------------|---------------|
| RML-2 | 11-7/8 x 41-3/4 9" deep pan | 18-1/4 x 48-1/8 | 16-1/2 x 46-1/2 | 6.0 amps - 120 V 1/4 HP | 175 | 4870.00 |
| RML-3 | 11-7/8 x 63-1/2 9" deep pan | 18-1/4 x 69-7/8 | 16-1/2 x 68-1/4 | 6.0 amps - 120 V 1/4 HP | 225 | 5434.00 |
| RML-4 | 11-7/8 x 85-1/4 9" deep pan | 18-1/4 x 91-3/4 | 16-1/2 x 90 | 7.8 amps - 120 V 1/3 HP | 266 | 6298.00 |

NOTE: A 3/4" drain and valve, and separator channels are provided. For 5-year compressor warranty add \$112.00 NET.
FREIGHT CLASS - 150

| ACCESSORIES | -2 | | -3 | | -4 | |
|--|-----|---------|-----|---------|-----|---------|
| | WT. | PRICE | WT. | PRICE | WT. | PRICE |
| CPL - Cover plate w/handles, s/s. | 35 | 316.00 | 40 | 398.00 | 45 | 550.00 |
| RS - Remote on/off switch. | 7 | 252.00 | 7 | 252.00 | 7 | 252.00 |
| WFBL - Stainless steel perforated false bottom. | 12 | 370.00 | 15 | 438.00 | 20 | 578.00 |
| RMLX - Remote unit less compressor. | 155 | 2878.00 | 206 | 3240.00 | 240 | 3676.00 |

SPECIAL APPLICATION DROP-INS

SLIM -LINE ICE CREAM FREEZER Refrigerated, Self Contained



WDF-L

| MODEL | DESCRIPTION | FLANGE W x L | OPENING W x L | ELECTRICAL CHARACTERISTICS | SHIP WT. (LBS.) | LIST PRICE |
|-------|---|-----------------|------------------|-------------------------------|--------------------|---------------|
| WDF-L | 22-1/2 x 11-1/4 x 13" deep 1.8 cu. ft. capacity | 16-1/2 x 27-3/4 | 15 x 26 | 2.4 amps - 120V 1/5 HP | 138 | 4948.00 |

NOTE: For 5-year compressor warranty add \$112.00 NET. FREIGHT CLASS – 92.5

ACCESSORIES

- Hinged Plexiglas lid, WDF-L 464.00 LLD - Lid locking device. 480.00



WSB-15

WATER STATION with Ice Chest

| MODEL | DESCRIPTION | FLANGE W x L | OPENING W x L | SHIP WT. (LBS.) | LIST PRICE |
|--------|--------------------------------------|-----------------|------------------|--------------------|---------------|
| WSB-15 | 11 x 15" opening 40 lbs. capacity | 15-1/4 x 27 | 13-1/2 x 25-1/4 | 38 | 1986.00 |
| WSB-19 | 11 x 15" opening 60 lbs. capacity | 19 x 24 | 17-1/4 x 22-1/4 | 40 | 2076.00 |

NOTE: A 3/4" dia. threaded drain is provided for the ice chest; a 1/4" IPS drain is provided for the drain trough.
A 1/4" water inlet is required.

FREIGHT CLASS – 100



WB-19

ICE CHEST

| MODEL | DESCRIPTION | FLANGE W x L | OPENING W x L | SHIP WT. (LBS.) | LIST PRICE |
|-------|--------------------------------------|-----------------|------------------|--------------------|---------------|
| WB-15 | 11 x 15" opening 40 lbs. capacity | 15-1/4 x 19 | 13-1/2 x 17-1/4 | 34 | 1554.00 |
| WB-19 | 11 x 15" opening 60 lbs. capacity | 19 x 24 | 17-1/4 x 22-1/4 | 46 | 1786.00 |

NOTE: A 3/4" dia. threaded drain is provided.

FREIGHT CLASS – 100

SLIDE-IN UNITS

REFRIGERATED BASE Self-Contained, Solid Top, Under Counter



RB-4

| MODEL | DESCRIPTION | COUNTER CUT-OUT L x H x D | ELECTRICAL CHARACTERISTICS | SHIP WT. (LBS.) | LIST PRICE |
|-------|---|------------------------------|-------------------------------|--------------------|---------------|
| RB-4 | Single door, holds (10) 12 x 20 x 2-1/2" pans - 8 cu. ft. | 55-5/8 x 23-5/8 x 23-5/8 | 6.8 amps - 120V 1/4 HP | 300 | 7476.00 |
| RB-5 | Double door, holds (15) 12 x 20 x 2-1/2" pans - 10 cu. ft. | 69-1/2 x 23-5/8 x 23-5/8 | 6.8 amps - 120V 1/4 HP | 365 | 9698.00 |

NOTE: For 5-year compressor warranty add \$112.00 NET.

To connect to drop in unit add \$886.00 LIST

FREIGHT CLASS - 150

HEATED BASE Electrically Heated, Under Counter



HB-4

| MODEL | DESCRIPTION | COUNTER CUT-OUT L x H x D | ELECTRICAL CHARACTERISTICS | SHIP WT. (LBS.) | LIST PRICE |
|-------|--|------------------------------|-------------------------------|--------------------|---------------|
| HB-3 | Double door, holds (8) 12 x 20 x 2-1/2" pans | 41-7/8 x 15-3/4 x 23-5/8 | 850W - 7.1 amps 120V | 200 | 5758.00 |
| HB-4 | Double door, holds (12) 12 x 20 x 2-1/2" pans | 55-5/8 x 15-3/4 x 23-5/8 | 850W - 7.1 amps 120V | 264 | 6504.00 |
| HB-5 | Double door, holds (16) 12 x 20 x 2-1/2" pans | 69-3/8 x 15-3/4 x 23-5/8 | 850W - 7.1 amps 120V | 292 | 7370.00 |

FREIGHT CLASS - 100

MOBILE MODULAR SERVING UNITS

Designer Series (Cafeteria Style)

HOT FOOD UNITS Optional Drain & Manifold



DSH-3254
Shown with Accessories
See below.

| MODEL NUMBER | DESCRIPTION | DIMENSIONS (INCHES) | | | ELECTRICAL | SHIPPING WT. | LIST PRICE |
|--------------|--|---------------------|----|--------|---------------------------------|--------------|------------|
| | | L | W | H | | | |
| DSH-3240 | (2) 12x20x6" Hot Food Wells, has open rear with bottom shelf | 40 | 31 | 35-3/8 | 15 Amps 3-Wire 208V-1 Ph. | 300 | 9956.00 |
| DSH-3254 | (3) 12x20x6" Hot Food Wells, has open rear with bottom shelf | 54 | 31 | 35-3/8 | 15 Amps 3-Wire 208V-1 Ph. | 400 | 11446.00 |
| DSH-3268 | (4) 12x20x6" Hot Food Wells, has open rear with bottom shelf | 68 | 31 | 35-3/8 | 30Amps 3-Wire 208V-1 Ph. | 500 | 12936.00 |
| DSH-3285 | (5) 12x20x6" Hot Food Wells, has open rear with bottom shelf | 85 | 31 | 35-3/8 | 30 Amps 3-Wire 208V-1 Ph. | 600 | 14698.00 |

Units feature Atlas exclusive adjustable height, leveling, 5" dia. swivel casters, two with locking brakes.
FREIGHT CLASS – 250

| ACCESSORIES | 40 INCHES | | 54 INCHES | | 68 INCHES | | 85 INCHES | |
|---|-----------|--------|-----------|---------|-----------|---------|-----------|---------|
| | WT. | PRICE | WT. | PRICE | WT. | PRICE | WT. | PRICE |
| TS – 12" Folding tray slide, S/S. | 11 | 970.00 | 13 | 1320.00 | 15 | 1672.00 | 20 | 2090.00 |
| WS – 8" Folding stainless steel work shelf. | 8 | 698.00 | 10 | 914.00 | 12 | 1132.00 | 15 | 1424.00 |
| D – Individual drain and valve for each well | 8 | 298.00 | 12 | 436.00 | 16 | 580.00 | 20 | 714.00 |
| DM – Drain line manifold to single drain valve | 15 | 434.00 | 20 | 644.00 | 25 | 846.00 | 30 | 1044.00 |
| DMV – Individual drain with valve for each well with manifold to single valve | 16 | 546.00 | 21 | 812.00 | 26 | 1088.00 | 31 | 1344.00 |
| DME – Individual drain for each well with manifold to single valve w/rear extension | 15 | 714.00 | 20 | 920.00 | 25 | 1124.00 | 30 | 1334.00 |
| DMVE – Individual drain with valve for each well with manifold to single valve w/rear extension | 20 | 832.00 | 25 | 1104.00 | 30 | 1366.00 | 35 | 1624.00 |
| DMS – Stainless steel middle shelf. | 15 | 762.00 | 20 | 806.00 | 27 | 864.00 | 36 | 926.00 |
| SD – Stainless steel sliding doors. | 19 | 860.00 | 24 | 1138.00 | 30 | 1444.00 | 38 | 1866.00 |
| CO – Convenience outlet, apron mounted*. | 2 | 336.00 | 2 | 336.00 | 2 | 336.00 | 2 | 336.00 |
| SL – Stainless steel legs in lieu of casters. | | N/C | | N/C | | N/C | | N/C |
| RP – Reversa-Panel on front. | 15 | 314.00 | 20 | 390.00 | 30 | 458.00 | 40 | 500.00 |
| RPE – Reversa-Panel on ends (pair). | 16 | 510.00 | 16 | 510.00 | 16 | 510.00 | 16 | 510.00 |


NOTE: FOR ALL MODULAR UNIT FOOD GUARDS, GARDIAN, CSG, VERSA-GUARD, SEE PAGES 46-49

MOBILE MODULAR SERVING UNITS

Designer Series (Cafeteria Style)

NON-REFRIGERATED COLD PAN UNITS

| MODEL NUMBER | DESCRIPTION | DIMENSIONS (INCHES) | | | SHIPPING WT. | LIST PRICE |
|--------------|--|---------------------|----|--------|--------------|------------|
| | | L | W | H | | |
| DSCI-3240 | Insulated Ice Cold Pan 25-1/2 x 19-7/8 x 4-5/8" deep with 3/4" high perforated false bottom, holds (2) full size pans, has open rear with bottom shelf | 40 | 31 | 35-3/8 | 335 | 9288.00 |
| DSCI-3254 | Insulated Ice Cold Pan 39-1/4 x 19-7/8 x 4-5/8" deep with 3/4" high perforated false bottom, holds (3) full size pans, has open rear with bottom shelf | 54 | 31 | 35-3/8 | 445 | 9412.00 |
| DSCI-3268 | Insulated Ice Cold Pan 53 x 19-7/8 x 4-5/8" deep with 3/4" high perforated false bottom, holds (4) full size pans, has open rear with bottom shelf | 68 | 31 | 35-3/8 | 552 | 9866.00 |
| DSCI-3285 | Insulated Ice Cold Pan 66-3/4 x 19-7/8 x 4-5/8" deep with 3/4" high perforated false bottom, holds (5) full size pans, has open rear with bottom shelf | 85 | 31 | 35-3/8 | 690 | 10180.00 |



DSCI-3254
Shown with Accessories
See page 19.

NOTE: Units furnished with stainless steel adapter bars.
Units feature Atlas exclusive adjustable height, leveling, 5" dia. swivel casters, two with locking brakes.
FREIGHT CLASS - 250

REFRIGERATED COLD PAN UNITS WITH 3" RECESSED TOP

| MODEL NUMBER | DESCRIPTION | DIMENSIONS (INCHES) | | | ELECTRICAL | SHIPPING WT. | LIST PRICE |
|--------------|---|---------------------|----|--------|---|--------------|------------|
| | | L | W | H | | | |
| DSRM-3240 | Refrigerated Cold Pan 25-5/8 x 19-7/8 x 9" deep, holds (2) full size pans, has open rear with bottom shelf | 40 | 31 | 35-3/8 | 15 Amps 120V-1 Ph. 3-Wire 1/4 HP | 380 | 12062.00 |
| DSRM-3254 | Refrigerated Cold Pan 39-3/8 x 19-7/8 x 9" deep, holds (3) full size pans, has open rear with bottom shelf | 54 | 31 | 35-3/8 | 15 Amps 120V-1 Ph. 3-Wire 1/4 HP | 483 | 13294.00 |
| DSRM-3268 | Refrigerated Cold Pan 53 -1/8 x 19-7/8 x 9" deep, holds (4) full size pans, has open rear with bottom shelf | 68 | 31 | 35-3/8 | 15 Amps 120V-1 Ph. 3-Wire 1/3 HP | 600 | 15108.00 |
| DSRM-3285 | Refrigerated Cold Pan 66-7/8 x 19-7/8 x 9" deep, holds (5) full size pans, has open rear with bottom shelf | 85 | 31 | 35-3/8 | 15 Amps 120V-1 Ph. 3-Wire 1/2 HP | 735 | 16544.00 |



DSRM-3254
Shown with Accessories
See page 19.

NOTE: Units furnished with stainless steel adapter bars.
Units feature Atlas exclusive adjustable height, leveling, 5" dia. swivel casters, two with locking brakes.
FREIGHT CLASS - 250

*For extended five year
compressor warranty
add \$112.00 NET*

MOBILE MODULAR SERVING UNITS

Designer Series (Cafeteria Style)

SOLID TOP UTILITY UNITS

With Undershef



DSUT-3254
Shown with Accessories
See below

| MODEL NUMBER | DESCRIPTION | DIMENSIONS (INCHES) | | | SHIPPING WT. | LIST PRICE |
|--------------|--------------------|---------------------|----|--------|--------------|------------|
| | | L | W | H | | |
| DSUT-3230 | Basic Utility Unit | 30 | 31 | 35-3/8 | 210 | 6574.00 |
| DSUT-3240 | Basic Utility Unit | 40 | 31 | 35-3/8 | 275 | 6694.00 |
| DSUT-3254 | Basic Utility Unit | 54 | 31 | 35-3/8 | 365 | 6914.00 |
| DSUT-3268 | Basic Utility Unit | 68 | 31 | 35-3/8 | 450 | 7116.00 |
| DSUT-3285 | Basic Utility Unit | 85 | 31 | 35-3/8 | 565 | 7516.00 |

Units feature Atlas exclusive adjustable height, leveling, 5" dia. swivel casters, two with locking brakes.
FREIGHT CLASS – 250

| ACCESSORIES | 30 INCHES | | 40 INCHES | | 54 INCHES | | 68 INCHES | | 85 INCHES | |
|---|-----------|---------|-----------|---------|-----------|---------|-----------|---------|-----------|---------|
| | WT. | PRICE | WT. | PRICE | WT. | PRICE | WT. | PRICE | WT. | PRICE |
| TS – 12" Folding tray slide, S/S. | 9 | 778.00 | 11 | 970.00 | 13 | 1320.00 | 15 | 1672.00 | 20 | 2090.00 |
| WS – 8" Folding stainless steel work shelf. | 6 | 584.00 | 8 | 698.00 | 10 | 914.00 | 12 | 1132.00 | 15 | 1424.00 |
| ES-DS – S/S End Shelf. | 15 | 1090.00 | 15 | 1090.00 | 15 | 1090.00 | 15 | 1090.00 | 15 | 1090.00 |
| MS – Stainless steel middle shelf. | 12 | 722.00 | 15 | 762.00 | 20 | 806.00 | 27 | 864.00 | 36 | 926.00 |
| SD – Stainless steel sliding doors (hinged on DSUT-3230). | 16 | 624.00 | 19 | 860.00 | 24 | 1138.00 | 30 | 1444.00 | 38 | 1866.00 |
| CO – Convenience outlet, apron mounted*. | 2 | 336.00 | 2 | 336.00 | 2 | 336.00 | 2 | 336.00 | 2 | 336.00 |
| UT – Utility drawer, stainless steel, 20" x 20" x 5" deep. | 28 | 844.00 | 28 | 844.00 | 28 | 844.00 | 28 | 844.00 | 28 | 844.00 |
| UD – Urn drain, 4-1/2" wide, with anti-splash grate and shut off valve. | - | 762.00 | - | 918.00 | - | 1098.00 | - | 1166.00 | - | 1274.00 |
| SC – Square cutout in top. | - | 232.00 | - | 232.00 | - | 232.00 | - | 232.00 | - | 232.00 |
| RC – Round cutout in top. | - | 160.00 | - | 160.00 | - | 160.00 | - | 160.00 | - | 160.00 |
| SL – Stainless steel legs in lieu of casters. | - | N/C | - | N/C | - | N/C | - | N/C | - | N/C |
| RP – Reversa-Panel on front. | 12 | 278.00 | 15 | 314.00 | 20 | 390.00 | 30 | 458.00 | 40 | 500.00 |
| RPE – Reversa-Panel on ends (pair). | 16 | 510.00 | 16 | 510.00 | 16 | 510.00 | 16 | 510.00 | 16 | 510.00 |
| RST – Reinforced S/S top. | 15 | 566.00 | 20 | 654.00 | 25 | 746.00 | 30 | 858.00 | 35 | 990.00 |
| ECT – 40" wide extended cart top, 34" high. (Contact Factory) | | | | | | | | | | |

* Specify voltage

NOTE: FOR ALL MODULAR UNIT FOOD GUARDS, GARDIAN, CSG, VERSA-GUARD, SEE PAGES 46-49

MOBILE MODULAR SERVING UNITS

Designer Series (Cafeteria Style)

CORNER UNITS



DSCUO-3232

| MODEL NUMBER | DESCRIPTION | DIMENSIONS (INCHES) | | | SHIPPING WT. | LIST PRICE |
|--------------|-----------------------------|---------------------|----|--------|--------------|------------|
| | | L | W | H | | |
| DSCUI-3232 | Open Base with Bottom Shelf | 32 | 31 | 35-3/8 | 230 | 8978.00 |
| DSCUO-3232 | Enclosed Base | 43 | 43 | 35-3/8 | 285 | 10712.00 |

NOTE: 12" Tray slide, with non-folding brackets, included with model DSCUO-3232 only.
FREIGHT CLASS – 250



DSCU-3240
Shown with Accessories
See below

CASHIER STANDS

| MODEL NUMBER | DIMENSIONS (INCHES) | | | SHIPPING WT. | LIST PRICE |
|--------------|---------------------|----|--------|--------------|------------|
| | L | W | H | | |
| DSCU-3230 | 30 | 31 | 35-3/8 | 220 | 7134.00 |
| DSCU-3240 | 40 | 31 | 35-3/8 | 285 | 7342.00 |

NOTE: Unit has 14-3/4 x 16 x 3" cash drawer with keyed lock and removable change insert.
FREIGHT CLASS – 250

ACCESSORIES

| | 30 INCHES | | 40 INCHES | |
|--|-----------|--------|-----------|--------|
| | WT. | PRICE | WT. | PRICE |
| TS – 12" Folding tray slide, S/S | 9 | 778.00 | 11 | 970.00 |
| ETS – Extend tray slide - 14" (add to price of standard tray slide) | 7 | 762.00 | 7 | 964.00 |
| CO – Convenience outlet, apron mounted* | 2 | 336.00 | 2 | 336.00 |
| CO-DUP Duplex receptacle | 4 | 380.00 | 4 | 380.00 |
| FH – 3" Ferruled hole in top | | 160.00 | | 160.00 |
| SL – Stainless steel legs in lieu of casters | | N/C | | N/C |
| RP – Reversa-Panel on front | 12 | 278.00 | 15 | 314.00 |
| RPE – Reversa-Panel on ends (pair) | 16 | 510.00 | 16 | 510.00 |

*Specify voltage

MOBILE MODULAR SERVING UNITS

Designer Series (Buffet Style)

DOUBLE SIDED HOT SERVING UNITS

Optional Drain & Manifold



DSHBU-3254
Shown with Accessories
See below

| MODEL NUMBER | DESCRIPTION | DIMENSIONS (INCHES) | | | ELECTRICAL | SHIPPING WT. | LIST PRICE |
|--------------|--|---------------------|--------|--------|---------------------------------|--------------|------------|
| | | L | W | H | | | |
| DSHBU-3240 | (2) 12x20x6" Hot Food Wells with enclosed base | 40 | 31-3/8 | 35-3/8 | 15 Amps 3-Wire 208V-1 Ph. | 315 | 10714.00 |
| DSHBU-3254 | (3) 12x20x6" Hot Food Wells with enclosed base | 54 | 31-3/8 | 35-3/8 | 15 Amps 3-Wire 208V-1 Ph. | 415 | 12150.00 |
| DSHBU-3268 | (4) 12x20x6" Hot Food Wells with enclosed base | 68 | 31-3/8 | 35-3/8 | 30 Amps 3-Wire 208V-1 Ph. | 515 | 13774.00 |
| DSHBU-3285 | (5) 12x20x6" Hot Food Wells with enclosed base | 85 | 31-3/8 | 35-3/8 | 30 Amps 3-Wire 208V-1 Ph. | 616 | 15170.00 |

Units feature Atlas exclusive adjustable height, leveling, 5" dia. swivel casters, two with locking brakes.
FREIGHT CLASS – 250

| ACCESSORIES | 40 INCHES | | 54 INCHES | | 68 INCHES | | 85 INCHES | |
|--|-----------|--------|-----------|---------|-----------|---------|-----------|---------|
| | WT. | PRICE | WT. | PRICE | WT. | PRICE | WT. | PRICE |
| TS – 12" Folding tray slide, S/S. | 11 | 970.00 | 13 | 1320.00 | 15 | 1672.00 | 20 | 2090.00 |
| D – Individual drain and valve for each well..... | 8 | 298.00 | 12 | 436.00 | 16 | 580.00 | 20 | 714.00 |
| DM – Drain line manifold to single drain valve..... | 15 | 434.00 | 20 | 644.00 | 25 | 846.00 | 30 | 1044.00 |
| DMV – Individual drain with valve for each well with manifold to single valve..... | 16 | 546.00 | 21 | 812.00 | 26 | 1088.00 | 31 | 1344.00 |
| DME – Individual drain for each well with manifold to single valve w/rear extension..... | 15 | 714.00 | 20 | 920.00 | 25 | 1124.00 | 30 | 1334.00 |
| DMVE – Individual drain with valve for each well with manifold to single valve w/rear extension | 20 | 832.00 | 25 | 1104.00 | 30 | 1366.00 | 35 | 1624.00 |
| SL – Stainless steel legs in lieu of casters. | | N/C | | N/C | | N/C | | N/C |
| RPD – Reversa-Panel on fronts (pair). | 30 | 610.00 | 40 | 752.00 | 60 | 876.00 | 80 | 968.00 |
| RPE – Reversa-Panel on ends (pair). | 16 | 510.00 | 16 | 510.00 | 16 | 510.00 | 16 | 510.00 |

NOTE: FOR ALL MODULAR UNIT FOOD GUARDS, GARDIAN, CSG, VERSA-GUARD, SEE PAGES 46-49

MOBILE MODULAR SERVING UNITS

Designer Series (Buffet Style)

MOBILE-GRILL / GRIDDLE STAND



DSGS-3254
Shown with Accessories
See page 19.

| MODEL NUMBER | DESCRIPTION | DIMENSIONS (INCHES) | | | SHIPPING WT. | LIST PRICE |
|--------------|---|---------------------|--------|--------|--------------|------------|
| | | L | W | H | | |
| DSGS-3254 | Mobile - grill/griddle stand, open based on casters | 54 | 31-3/8 | 35-3/8 | 340 | 8120.00 |
| DSGS-3268 | Mobile - grill/griddle stand, open based on casters | 68 | 31-3/8 | 35-3/8 | 410 | 8474.00 |

Units feature Atlas exclusive adjustable height, leveling, 5" dia. swivel casters, two with locking brakes.
FREIGHT CLASS – 250

DOUBLE SIDED NON-REFRIGERATED COLD PAN UNITS



DSCIBU-3254
Shown with Accessories
See page 25.

| MODEL NUMBER | DESCRIPTION | DIMENSIONS (INCHES) | | | SHIPPING WT. | LIST PRICE |
|--------------|--|---------------------|--------|--------|--------------|------------|
| | | L | W | H | | |
| DSCIBU-3240 | Insulated Ice Cold Pan 25-1/2 x 19-7/8 x 4-5/8" deep with 3/4" high perforated false bottom, holds (2) full size pans, with Enclosed Base | 40 | 31-3/8 | 35-3/8 | 345 | 9268.00 |
| DSCIBU-3254 | Insulated Ice Cold Pan 39-1/4 x 19-7/8 x 4-5/8" deep with 3/4" high perforated false bottom, holds (3) full size pans, with Enclosed Base | 54 | 31-3/8 | 35-3/8 | 455 | 9812.00 |
| DSCIBU-3268 | Insulated Ice Cold Pan 53 x 19-7/8 x 4-5/8" deep with 3/4" high perforated false bottom, holds (4) full size pans, with Enclosed Base | 68 | 31-3/8 | 35-3/8 | 562 | 10490.00 |
| DSCIBU-3285 | Insulated Ice Cold Pan 66-3/4 x 19-7/8 x 4-5/8" deep with 3/4" high perforated false bottom, holds (5) full size pans, with Enclosed Base | 85 | 31-3/8 | 35-3/8 | 700 | 11036.00 |

NOTE: Units furnished with stainless steel adapter bars.
Units feature Atlas exclusive adjustable height, leveling, 5" dia. swivel casters, two with locking brakes.
FREIGHT CLASS – 250

MOBILE MODULAR SERVING UNITS

Designer Series (Buffet Style)

DOUBLE-SIDED REFRIGERATED COLD PAN UNITS WITH 3" RECESSED TOP



DSRMBU-3254
Shown with Accessories
See page 25.

For extended five year compressor
warranty add \$112.00 NET

| MODEL NUMBER | DESCRIPTION | DIMENSIONS (INCHES) | | | ELECTRICAL | SHIPPING WT. | LIST PRICE |
|--------------|---|---------------------|--------|--------|---|--------------|------------|
| | | L | W | H | | | |
| DSRMBU-3240 | Refrigerated Cold Pan 25-5/8 x 19-7/8 x 9" deep, holds (2) full size pans, with Enclosed Base | 40 | 31-3/8 | 35-3/8 | 15 Amps 120V-1 Ph. 3-Wire 1/4 HP | 390 | 12640.00 |
| DSRMBU-3254 | Refrigerated Cold Pan 39-3/8 x 19-7/8 x 9" deep, holds (3) full size pans, with Enclosed Base | 54 | 31-3/8 | 35-3/8 | 15 Amps 120V-1 Ph. 3-Wire 1/4 HP | 500 | 14210.00 |
| DSRMBU-3268 | Refrigerated Cold Pan 53-1/8 x 19-7/8 x 9" deep, holds (4) full size pans, with Enclosed Base | 68 | 31-3/8 | 35-3/8 | 15 Amps 120V-1 Ph. 3-Wire 1/3 HP | 625 | 15954.00 |
| DSRMBU-3285 | Refrigerated Cold Pan 66-7/8 x 19-7/8 x 9" deep, holds (5) full size pans, with Enclosed Base | 85 | 31-3/8 | 35-3/8 | 15 Amps 120V-1 Ph. 3-Wire 1/2 HP | 765 | 17406.00 |

NOTE: Units furnished with stainless steel adapter bars.
Units feature Atlas exclusive adjustable height, leveling, 5" dia. swivel casters, two with locking brakes.
FREIGHT CLASS – 250

MOBILE MODULAR SERVING UNITS

Designer Series (Buffet Style)

DOUBLE SIDED REFRIGERATED FROST TOP UNITS



DSFTBU-3254
Shown with Accessories
See below

| MODEL NUMBER | DESCRIPTION | DIMENSIONS (INCHES) | | | ELECTRICAL | SHIPPING WT. | LIST PRICE |
|--------------|---|---------------------|--------|--------|---|--------------|------------|
| | | L | W | H | | | |
| DSFTBU-3240 | Ref. Frost Top 19-1/2 x 25-1/4" with on/off switch and Enclosed Base | 40 | 31-3/8 | 35-3/8 | 15 Amps 120V-1 Ph. 3-Wire 1/4 HP | 425 | 10426.00 |
| DSFTBU-3254 | Ref. Frost Top 19-1/2 x 39" with on/off switch and Enclosed Base | 54 | 31-3/8 | 35-3/8 | 15 Amps 120V-1 Ph. 3-Wire 1/4 HP | 565 | 10614.00 |
| DSFTBU-3268 | Ref. Frost Top 19-1/2 x 52-3/4" with on/off switch and Enclosed Base | 68 | 31-3/8 | 35-3/8 | 15 Amps 120V-1 Ph. 3-Wire 1/4 HP | 705 | 13186.00 |
| DSFTBU-3285 | Ref. Frost Top 19-1/2 x 66-1/2" with on/off switch and Enclosed Base | 85 | 31-3/8 | 35-3/8 | 15 Amps 120V-1 Ph. 3-Wire 1/3 HP | 880 | 14898.00 |

For extended five year compressor warranty add \$112.00 NET

Frost tops are 1" high – counter height frost tops are available, CONTACT FACTORY.
Units feature Atlas exclusive adjustable height, leveling, 5" dia. swivel casters, two with locking brakes.
FREIGHT CLASS – 250.

| ACCESSORIES | 40 INCHES | | 54 INCHES | | 68 INCHES | | 85 INCHES | |
|---|-----------|--------|-----------|---------|-----------|---------|-----------|---------|
| | WT. | PRICE | WT. | PRICE | WT. | PRICE | WT. | PRICE |
| TS – 12" Folding tray slide, S/S. | 11 | 970.00 | 13 | 1320.00 | 15 | 1672.00 | 20 | 2090.00 |
| RPD – Reversa-Panel on fronts (pair). | 30 | 610.00 | 40 | 752.00 | 60 | 876.00 | 80 | 968.00 |
| RPE – Reversa-Panel on ends (pair). | 16 | 510.00 | 16 | 510.00 | 16 | 510.00 | 16 | 510.00 |

NOTE: FOR ALL MODULAR UNIT FOOD GUARDS, GARDIAN, CSG, VERSA-GUARD, SEE PAGES 46-49

MOBILE MODULAR SERVING UNITS

Designer Series (Buffet Style)

SOLID TOP UTILITY UNITS

With Undershelf



DSUTBU-3254
Shown with Accessories
See below

| MODEL NUMBER | DESCRIPTION | DIMENSIONS (INCHES) | | | SHIPPING WT. | LIST PRICE |
|--------------|--------------------|---------------------|--------|--------|--------------|------------|
| | | L | W | H | | |
| DSUTBU-3230 | Basic Utility Unit | 30 | 31-3/8 | 35-3/8 | 220 | 6854.00 |
| DSUTBU-3240 | Basic Utility Unit | 40 | 31-3/8 | 35-3/8 | 285 | 7018.00 |
| DSUTBU-3254 | Basic Utility Unit | 54 | 31-3/8 | 35-3/8 | 375 | 7394.00 |
| DSUTBU-3268 | Basic Utility Unit | 68 | 31-3/8 | 35-3/8 | 465 | 7734.00 |
| DSUTBU-3285 | Basic Utility Unit | 85 | 31-3/8 | 35-3/8 | 580 | 8166.00 |

NOTE: Units have enclosed base.

Units feature Atlas exclusive adjustable height, leveling 5" dia. swivel casters, two with locking brakes.

FREIGHT CLASS – 250

| ACCESSORIES | 30 INCHES | | 40 INCHES | | 54 INCHES | | 68 INCHES | | 85 INCHES | |
|---|-----------|--------|-----------|--------|-----------|---------|-----------|---------|-----------|---------|
| | WT. | PRICE | WT. | PRICE | WT. | PRICE | WT. | PRICE | WT. | PRICE |
| TS – 12" Folding tray slide, S/S. | 9 | 778.00 | 11 | 970.00 | 13 | 1320.00 | 15 | 1672.00 | 20 | 2090.00 |
| CO-DUP – Convenience outlet duplex. | 2 | 380.00 | 2 | 380.00 | 2 | 380.00 | 2 | 380.00 | 2 | 380.00 |
| SL – Stainless steel legs in lieu of casters | | N/C | | N/C | | N/C | | N/C | | N/C |
| RPD – Reversa-Panel on fronts (pair). | - | 536.00 | - | 610.00 | - | 752.00 | - | 876.00 | - | 968.00 |
| RPE – Reversa-Panel on ends (pair). | - | 510.00 | - | 510.00 | - | 510.00 | - | 510.00 | - | 510.00 |
| RST – Reinforced s/s top. | 15 | 566.00 | 20 | 654.00 | 25 | 746.00 | 30 | 858.00 | 35 | 990.00 |

NOTE: FOR ALL MODULAR UNIT FOOD GUARDS, GARDIAN, CSG, VERSA-GUARD, SEE PAGES 46-49

MOBILE MODULAR SERVING UNITS

ALUMINUM – CA

NOTE: STAINLESS-CW AVAILABLE UPON SPECIAL REQUEST

UTILITY UNITS Solid Top With Undershef



CAFT-4 shown with accessories, Tray Slide, End Panels

| MODEL | DESCRIPTION | DIMENSIONS W x L x H | SHIP WT. (LBS.) | LIST PRICE |
|--------|---------------------|-------------------------|--------------------|------------|
| CAFT-1 | Stainless Steel Top | 30-1/2 x 24 x 35" | 115 | 2524.00 |
| CAFT-2 | Stainless Steel Top | 30-1/2 x 36-1/4 x 35" | 130 | 2864.00 |
| CAFT-3 | Stainless Steel Top | 30-1/2 x 50 x 35" | 155 | 3232.00 |
| CAFT-4 | Stainless Steel Top | 30-1/2 x 63-3/4 x 35" | 180 | 3646.00 |
| CAFT-5 | Stainless Steel Top | 30-1/2 x 77-1/2 x 35" | 205 | 4090.00 |
| CAFT-6 | Stainless Steel Top | 30-1/2 x 91-1/4 x 35" | 245 | 4712.00 |

FREIGHT CLASS – 250

HOT FOOD UNITS Electrically Heated – Single Control



CAH-4 shown with accessories, Tray Slide, Undershef, End Panels, Protector Case

| MODEL | DESCRIPTION | DIMENSIONS W x L x H | ELECTRICAL CHARACTERISTICS | SHIP WT. (LBS.) | LIST PRICE |
|-------|---|-------------------------|-------------------------------|--------------------|------------|
| CAH-2 | Holds (2) 12" x 20" Pans 19-7/8 x 25-1/2 x 6" deep | 30-1/2 x 36-1/4 x 35" | 1.7 KW-14.2 amps 120V | 145 | 4396.00 |
| CAH-3 | Holds (3) 12" x 20" Pans 19-7/8 x 39-1/4 x 6" deep | 30-1/2 x 50 x 35" | 2.55 KW-12.3 amps 208V | 185 | 5086.00 |
| CAH-4 | Holds (4) 12" x 20" Pans 19-7/8 x 53 x 6" deep | 30-1/2 x 63-3/4 x 35" | 3.4 KW-16.3 amps 208V | 225 | 5832.00 |
| CAH-5 | Holds (5) 12" x 20" Pans 19-7/8 x 66-3/4 x 6" deep | 30-1/2 x 77-1/2 x 35" | 4.25 KW-20.4 amps 208V | 265 | 6726.00 |
| CAH-6 | Holds (6) 12" x 20" Pans 19-7/8 x 80-1/2 x 6" deep | 30-1/2 x 91-1/4 x 35" | 5.1 KW-24.5 amps 208V | 320 | 7566.00 |

1000 Watt heating elements are available: all 208 volt units are available in 240 volts; CAH-3 is also available in 120 volts – **contact factory for electrical specifications.** FREIGHT CLASS – 250

CAFT-1 ACCESSORIES

| | WT. | PRICE |
|--|-----|---------|
| S-1 – S/S front panel. | 25 | 128.00 |
| SL-1 – Tray slide 2 bar. | 25 | 544.00 |
| SLF-1 – Tray slide, Plastic laminate. | 25 | 864.00 |
| SLT-1 – Tray slide, 11-1/4" wide, S/S, 3-rail. | 25 | 578.00 |
| SLS-1 – Tray slide, 11-1/4" wide, S/S, solid, ribbed. | 25 | 732.00 |
| SH-1 – Work shelf, 8" wide, S/S. | 25 | 584.00 |
| EPA – End panel, standard (CA-units). | 5 | 314.00 |
| RP-1 – Fixed rear panel. | 8 | 410.00 |
| US-1 – Undershef, S/S, Removable. | 12 | 488.00 |
| BSF-1 – Front skirt w/recessed casters. | 13 | 712.00 |
| BSR-1 – Rear skirt. | 13 | 204.00 |
| BSE – End skirt. | 30 | 210.00 |
| CLF – Cart leg filler. | 8 | 188.00 |
| CD – Cash drawer-locking. | 25 | 1020.00 |
| PC – Plastic change insert for cashier drawer. | 5 | 96.00 |
| UT – Tool/utility drawer 20-1/2 x 20-1/2 x 5. | 20 | 844.00 |
| ECT - 40" wide extended cart top, 34" high. (Contact Factory) | | |
| MS - Master on/off Switch | .2 | 370.00 |

NOTE: FOR ALL MODULAR SERVING UNIT ACCESSORIES, SEE PAGES 46-49

MOBILE MODULAR SERVING UNITS

ALUMINUM – CA

HOT FOOD UNITS Electrically Heated – Individual Controls Optional Drain & Manifold

**NOTE: STAINLESS-CW AVAILABLE
UPON SPECIAL REQUEST**



CAIH-4 shown with accessories, Tray Slide, Work Shelf, Undershelf, End Panels, Protector Case

| MODEL | DESCRIPTION | DIMENSIONS W x L x H | ELECTRICAL CHARACTERISTICS | SHIP WT. (LBS.) | LIST PRICE |
|--------|--|-------------------------|-------------------------------|--------------------|---------------|
| CAIH-2 | (2) 12" x 20" x 6" deep Individual hot food wells | 30-1/2 x 36-1/4 x 35" | 1.7 KW - 14.2 amps 120V | 165 | 4696.00 |
| CAIH-3 | (3) 12" x 20" x 6" deep Individual hot food wells | 30-1/2 x 50 x 35" | 2.55 KW - 12.3 amps 208V | 200 | 5844.00 |
| CAIH-4 | (4) 12" x 20" x 6" deep Individual hot food wells | 30-1/2 x 63-3/4 x 35" | 3.4 KW - 16.3 amps 208V | 250 | 6840.00 |
| CAIH-5 | (5) 12" x 20" x 6" deep Individual hot food wells | 30-1/2 x 77-1/2 x 35" | 4.25 KW - 20.4 amps 208V | 305 | 7950.00 |
| CAIH-6 | (6) 12" x 20" x 6" deep Individual hot food wells | 30-1/2 x 91-1/4 x 35" | 5.1 KW - 24.5 amps 208V | 355 | 9374.00 |

1000 Watt heating elements are available. All 208 volt units are available in 240 volts; CAIH-2 is also available in 208 volts – **contact factory for electrical specifications.** FREIGHT CLASS – 250

| ACCESSORIES | -2 | | -3 | | -4 | | -5 | | -6 | |
|---|-----|--------|-----|---------|-----|---------|-----|---------|-----|---------|
| | WT. | PRICE | WT. | PRICE | WT. | PRICE | WT. | PRICE | WT. | PRICE |
| D – Individual drain and valve for each well. | 8 | 298.00 | 12 | 436.00 | 16 | 580.00 | 20 | 714.00 | 24 | 858.00 |
| DM – Individual drain for each well with manifold to single valve. | 15 | 434.00 | 20 | 644.00 | 25 | 846.00 | 30 | 1044.00 | 35 | 1264.00 |
| DMV – Individual drain with valve for each well with manifold to single valve. | 16 | 546.00 | 21 | 812.00 | 26 | 1088.00 | 31 | 1344.00 | 36 | 1610.00 |
| DME – Individual drain for each well with manifold to single valve w/ rear extension. | 15 | 714.00 | 20 | 920.00 | 25 | 1124.00 | 30 | 1334.00 | 35 | 1550.00 |
| DMVE – Individual drain with valve for each well with manifold to single valve w/ rear extension . | 20 | 832.00 | 25 | 1104.00 | 30 | 1366.00 | 35 | 1624.00 | 40 | 1890.00 |
| AMC – Apron mounted controls. | - | 636.00 | - | 770.00 | - | 908.00 | - | 1076.00 | - | 1184.00 |

Electrically Heated – Individual Wells with Heated Base* Optional Drain & Manifold



CAHB-4 shown with accessories, Tray Slide, Work Shelf, Protector Case

| MODEL | DESCRIPTION | DIMENSIONS W x L x H | ELECTRICAL CHARACTERISTICS | SHIP WT. (LBS.) | LIST PRICE |
|--------|--|-------------------------|-------------------------------|--------------------|---------------|
| CAHB-3 | (3) 12" x 20" Hot wells (1) Door Heated Base (8 ea.) 12" x 20" pans | 30-1/2 x 50 x 35" | 3.40 KW - 16.4 amps 208V | 385 | 12466.00 |
| CAHB-4 | (4) 12" x 20" Hot wells (2) Door Heated Base (12 ea.) 12" x 20" pans | 30-1/2 x 63-3/4 x 35" | 4.25 KW - 20.4 amps 208V | 480 | 14536.00 |
| CAHB-5 | (5) 12" x 20" Hot wells (2) Door Heated Base (16 ea.) 12" x 20" pans | 30-1/2 x 77-1/2 x 35" | 5.1 KW - 24.5 amps 208V | 570 | 16700.00 |

1000 Watt heating elements are available. All 208 volt units are available in 240 volts – **contact factory for electrical specifications.** This unit includes (2 ea.) end panels. FREIGHT CLASS – 250

| ACCESSORIES | -2 | | -3 | | -4 | | -5 | | -6 | |
|--|-----|-------|-----|--------|-----|---------|-----|---------|-----|-------|
| | WT. | PRICE | WT. | PRICE | WT. | PRICE | WT. | PRICE | WT. | PRICE |
| DME – Individual drain for each well with manifold to single valve w/ rear extension. | - | | 20 | 920.00 | 25 | 1124.00 | 30 | 1334.00 | - | |

NOTE: FOR ALL MODULAR SERVING UNIT ACCESSORIES, SEE PAGES 46-49

MOBILE MODULAR SERVING UNITS

ALUMINUM – CA

NOTE: STAINLESS-CW AVAILABLE UPON SPECIAL REQUEST

COLD FOOD UNITS Iced Cold Pan



CAIC-4 shown with accessories, Tray Slide, Double Deck Display, End Panels, Undershelf

| MODEL | DESCRIPTION | DIMENSIONS W x L x H | SHIP WT. (LBS.) | LIST PRICE |
|--------|--|-------------------------|--------------------|------------|
| CAIC-2 | Iced Cold Pan 19-7/8 x 25-1/2 x 4-5/8" deep | 30-1/2 x 36-1/4 x 35" | 130 | 3940.00 |
| CAIC-3 | Iced Cold Pan 19-7/8 x 39-1/4 x 4-5/8" deep | 30-1/2 x 50 x 35" | 160 | 4410.00 |
| CAIC-4 | Iced Cold Pan 19-7/8 x 53 x 4-5/8" deep | 30-1/2 x 63-3/4 x 35" | 190 | 4826.00 |
| CAIC-5 | Iced Cold Pan 19-7/8 x 66-3/4 x 4-5/8" deep | 30-1/2 x 77-1/2 x 35" | 235 | 5350.00 |
| CAIC-6 | Iced Cold Pan 19-7/8 x 80-1/2 x 4-5/8" deep | 30-1/2 x 91-1/4 x 35" | 270 | 5876.00 |

All units include a 3/4" dia. drain with valve. FREIGHT CLASS – 250

COLD FOOD UNITS Refrigerated Cold Pan with 3" Recessed Top (NSF-7)



CARM-4 shown with accessories, Tray Slide, Buffet Canopy, End Panels

| MODEL | DESCRIPTION | DIMENSIONS W x L x H | ELECTRICAL CHARACTERISTICS | SHIP WT. (LBS.) | LIST PRICE |
|--------|--|-------------------------|-------------------------------|--------------------|------------|
| CARM-2 | Refrigerated Cold Pan 19-7/8 x 25-5/8 x 9" deep | 30-1/2 x 36-1/4 x 35" | 6.0 amps - 120V 1/4 HP | 275 | 6912.00 |
| CARM-3 | Refrigerated Cold Pan 19-7/8 x 39-3/8 x 9" deep | 30-1/2 x 50 x 35" | 6.0 amps - 120V 1/4 HP | 325 | 7288.00 |
| CARM-4 | Refrigerated Cold Pan 19-7/8 x 53-1/8 x 9" deep | 30-1/2 x 63-3/4 x 35" | 7.8 amps - 120V 1/3 HP | 385 | 8224.00 |
| CARM-5 | Refrigerated Cold Pan 19-7/8 x 66-7/8 x 9" deep | 30-1/2 x 77-1/2 x 35" | 10.7 amps - 120V 1/2 HP | 435 | 8970.00 |
| CARM-6 | Refrigerated Cold Pan 19-7/8 x 80-5/8 x 9" deep | 30-1/2 x 91-1/4 x 35" | 10.7 amps - 120V 1/2 HP | 520 | 9832.00 |

All units include a 3/4" dia. drain with valve. For 5-year compressor warranty, add \$112.00 NET. FREIGHT CLASS – 250

| ACCESSORIES | -2 | | -3 | | -4 | | -5 | | -6 | |
|---|-----|---------|-----|---------|-----|---------|-----|---------|-----|---------|
| | WT. | PRICE | WT. | PRICE | WT. | PRICE | WT. | PRICE | WT. | PRICE |
| • Full depth iced cold pan, 9-3/4 deep, (add "D" to the model number) | 20 | 194.00 | 20 | 326.00 | 20 | 440.00 | 20 | 580.00 | 20 | 714.00 |
| • WCM – NON NSF-7 Refrigerated Cold Pan in place of RM unit | 20 | 3528.00 | 168 | 3848.00 | 204 | 4304.00 | 242 | 4828.00 | 295 | 5436.00 |

REM - Remote Compressor on base of unit, Louvered s/s compartment, Remote on/off switch in Apron \$1310.00

NOTE: Perforated false bottoms, adapter plates and adapter bars can be found on pages 10-12

NOTE: FOR ALL MODULAR SERVING UNIT ACCESSORIES, SEE PAGES 46-49

MOBILE MODULAR SERVING UNITS

ALUMINUM – CA

COLD FOOD UNITS

Refrigerated Frost Top

NOTE: STAINLESS-CW AVAILABLE UPON SPECIAL REQUEST



CARF-4 shown with accessories, Tray Slide, Buffet Canopy, End Panels, Undershaft

| MODEL | DESCRIPTION | DIMENSIONS W x L x H | ELECTRICAL CHARACTERISTICS | SHIP WT. (LBS.) | LIST PRICE |
|--------|----------------------------|-------------------------|-------------------------------|--------------------|---------------|
| CARF-2 | Frost Top 19-1/2 x 25-1/4" | 30-1/2 x 36-1/4 x 35" | 2.3 amps - 120V 1/5 HP | 220 | 6662.00 |
| CARF-3 | Frost Top 19-1/2 x 39" | 30-1/2 x 50 x 35" | 6.8 amps - 120V 1/4 HP | 275 | 7300.00 |
| CARF-4 | Frost Top 19-1/2 x 52-3/4" | 30-1/2 x 63-3/4 x 35" | 9.8 amps - 120V 1/3 HP | 325 | 8006.00 |
| CARF-5 | Frost Top 19-1/2 x 66-1/2" | 30-1/2 x 77-1/2 x 35" | 9.8 amps - 120V 1/3 HP | 365 | 8820.00 |
| CARF-6 | Frost Top 19-1/2 x 80-1/4" | 30-1/2 x 91-1/4 x 35" | 10.7 amps - 120V 1/2 HP | 470 | 9450.00 |

All units include a 1" IPS drain. For 5-year compressor warranty, add \$112.00 NET.
FREIGHT CLASS – 250

| ACCESSORIES | -2 | -3 | -4 | -5 | -6 |
|---|--------|--------|--------|--------|--------|
| WF-Flush top for frost top units. | 458.00 | 576.00 | 634.00 | 740.00 | 830.00 |

COLD FOOD UNITS

Refrigerated Frost Top with Refrigerated Base*



CAFB-4 shown with accessories, Tray Slide, Work Shelf, Buffet Canopy

| (2) COMPRESSORS | | DIMENSIONS | ELECTRICAL | SHIP WT. | LIST |
|-----------------|---|----------------------|----------------------------------|----------|----------|
| MODEL | DESCRIPTION | W x L x H | CHARACTERISTICS | (LBS.) | PRICE |
| CAFB-4 | Frost Top 19-1/2 x 52-3/4" (1) Door Ref. Base (10 ea.) 12" x 20" pan capacity | 30-1/2 x 63-3/4 x 35 | 16.6 amps - 120V 1/3 & 1/4 HP | 610 | 16478.00 |
| CAFB-5 | Frost Top 19-1/2 x 66-1/2" (2) Door Ref. Base (15 ea.) 12" x 20" pan capacity | 30-1/2 x 77-1/2 x 35 | 16.6 amps - 120V 1/3 & 1/4 HP | 705 | 19504.00 |

All units include a 1" IPS drain and condensate evaporator. For 5-year compressor warranty, add \$112.00 NET ea., two (2 ea.) are required. *This unit includes (2 ea.) end panels. FREIGHT CLASS – 250

COLD FOOD UNITS

Solid Top with Refrigerated Base



CATR-4 shown with accessories, Tray Slide, Double Deck Display

| MODEL | DESCRIPTION | DIMENSIONS W x L x H | ELECTRICAL CHARACTERISTICS | SHIP WT. (LBS.) | LIST PRICE |
|--------|--|-------------------------|-------------------------------|--------------------|---------------|
| CATR-4 | Solid Top (1) Door Ref. Base (10 ea.) 12" x 20" pan capacity | 30-1/2 x 63-3/4 x 35 | 6.8 amps - 120V 1/4 HP | 420 | 10910.00 |
| CATR-5 | Solid Top (2) Door Ref. Base (15 ea.) 12" x 20" pan capacity | 30-1/2 x 77-1/2 x 35 | 6.8 amps - 120V 1/4 HP | 500 | 13474.00 |

All units include a condensate evaporator. For 5-year compressor warranty, add \$112.00 NET.
*This unit includes (2 ea.) end panels. FREIGHT CLASS – 250.

NOTE: FOR ALL MODULAR SERVING UNIT ACCESSORIES, SEE PAGES 46-49

MOBILE MODULAR SERVING UNITS

ALUMINUM – CA

NOTE: STAINLESS-CW AVAILABLE
UPON SPECIAL REQUEST

REFRIGERATED COLD PAN UNIT Self-Contained with Defrost System Non NSF-7




CABT-4 shown
with accessories,
Tray Slide, Buffet Canopy,
End Panels, Work Shelf

| MODEL | DESCRIPTION | DIMENSIONS W x L x H | ELECTRICAL CHARACTERISTICS | SHIP WT. (LBS.) | LIST PRICE |
|--------|---|-------------------------|-------------------------------|--------------------|---------------|
| CABT-3 | Refrigerated Cold Pan with evaporator system 19-7/8 x 39-1/4 x 14" deep | 30-1/2 x 50 x 35 | 6.8 amps - 120V 1/4 HP | 350 | 9044.00 |
| CABT-4 | Refrigerated Cold Pan with evaporator system 19-7/8 x 53 x 14" deep | 30-1/2 x 63-3/4 x 35 | 9.2 amps - 120V 1/3 HP | 400 | 9814.00 |
| CABT-5 | Refrigerated Cold Pan with evaporator system 19-7/8 x 66-3/4 x 14" deep | 30-1/2 x 77-1/2 x 35 | 9.2 amps - 120V 1/3 HP | 470 | 10616.00 |
| CABT-6 | Refrigerated Cold Pan with evaporator system 19-7/8 x 80-1/2 x 14" deep | 30-1/2 x 91-1/4 x 35 | 9.2 amps - 120V 1/3 HP | 550 | 11372.00 |

All units include a 3/4" dia. drain with valve and a condensate evaporator. For 5-year compressor warranty, add \$112.00 NET. FREIGHT CLASS – 250.

NOTE: For 220 volt - 50 cycle compressor, add \$344.00

COLD FOOD UNITS Refrigerated Pass-Through Display Case



CAPT-4 shown
with accessories,
Tray Slide, End Panels

| MODEL | DESCRIPTION | DIMENSIONS W x L x H | ELECTRICAL CHARACTERISTICS | SHIP WT. (LBS.) | LIST PRICE |
|--------|---|-------------------------|-------------------------------|--------------------|---------------|
| CAPT-3 | Sliding doors on both sides, with (2) adj. shelves | 30-1/2 x 50 x 35 | 11.0 amps - 120V 1/2 HP | 590 | 14280.00 |
| CAPT-4 | Sliding doors on both sides, with (2) adj. shelves | 30 x 63-3/4 x 35 | 11.0 amps - 120V 1/2 HP | 680 | 15276.00 |

All units include a condensate drain evaporator. For 5-year compressor warranty, add \$112.00 NET. FREIGHT CLASS – 250

NOTE: For 220 volt - 50 cycle compressor, add \$344.00

ACCESSORIES

| | | |
|--|--------------------------------|--------------------|
| Door locking device, installed..... | | 288.00 |
| Extra shelf-3..... | | 122.00 |
| Extra shelf-4..... | | 148.00 |
| Plastic laminate trim-3..... | | 406.00 |
| Plastic laminate trim-4..... | | 456.00 |
| Solid (1) piece tempered reflective vision panel, bronze or gray | WCPT-3 WCPT-4 | 704.00 810.00 |
| Sliding doors with reflective tempered vision panel, bronze or gray | WCPT-3 WCPT-4 | 1472.00 1668.00 |

NOTE: FOR ALL MODULAR SERVING UNIT ACCESSORIES, SEE PAGES 46-49

MOBILE MODULAR SERVING UNITS

ALUMINUM – CA

**NOTE: STAINLESS-CW AVAILABLE
UPON SPECIAL REQUEST**



CAHC-4 shown with accessories, Tray Slide, Buffet Canopy, Undershelf, End Panels Hot/Cold unit, also available with RMHP-NSF-LISTED

HOT/COLD PAN UNIT Dual Temp. – Hot or Cold Service (For Hot Mode Water Must Be Used)

| MODEL | DESCRIPTION | DIMENSIONS W x L x H | ELECTRICAL CHARACTERISTICS | SHIP WT. (LBS.) | LIST PRICE |
|--------|--|-------------------------|---|--------------------|---------------|
| CAHC-2 | Dual Temp. Pan 19-7/8 x 25-1/2 x 9-1/2" deep (2) 12 x 20" pan capacity | 30-1/2 x 36-1/4 x 35 | 2.4 amps - 1/5 HP 120V | 300 | 9962.00 |
| CAHC-3 | Dual Temp. Pan 19-7/8 x 39-1/4 x 9-1/2" deep (3) 12 x 20" pan capacity | 30-1/2 x 50 x 35 | 2.4 amps - 1/5 HP 120V | 370 | 10544.00 |
| CAHC-4 | Dual Temp. Pan 19-7/8 x 53 x 9-1/2" deep (4) 12 x 20" pan capacity | 30-1/2 x 63-3/4 x 35 | 9.8 amps - 1/3 HP 12.5 amps - 3.0 KW 120 / 240V | 430 | 11306.00 |
| CAHC-5 | Dual Temp. Pan 19-7/8 x 66-3/4 x 9-1/2" deep (5) 12 x 20" pan capacity | 30-1/2 x 77-1/2 x 35 | 9.8 amps - 1/3 HP 120 / 240V | 475 | 12936.00 |
| CAHC-6 | Dual Temp. Pan 19-7/8 x 80-1/2 x 9-1/2" deep (6) 12 x 20" pan capacity | 30-1/2 x 91-1/4 x 35 | 9.8 amps - 1/3 HP 120 / 240V | 565 | 13976.00 |

All units include a 3/4" dia. drain with valve. For 5-year compressor warranty, add \$112.00 NET. 240 volt units are available in 208 volt; the unit is wired to prevent simultaneous operation. FREIGHT CLASS – 250.

BEVERAGE UNITS Single or Dual Urn Drain

| MODEL | DESCRIPTION | DIMENSIONS W x L x H | SHIP WT. (LBS.) | LIST PRICE |
|-------|---------------------------------|-------------------------|--------------------|---------------|
| CAU-2 | Urn trough 4-1/2 x 25-11/16" | 30-1/2 x 36-1/4 x 35 | 150 | 2956.00 |
| CAU-3 | Urn trough 4-1/2 x 39-7/16" | 30-1/2 x 50 x 35 | 180 | 3354.00 |
| CAU-4 | Urn trough 4-1/2 x 53-3/16" | 30-1/2 x 63-3/4 x 35 | 220 | 3754.00 |
| CAU-5 | Urn trough 4-1/2 x 66-15/16" | 30-1/2 x 77-1/2 x 35 | 270 | 4322.00 |

All urn troughs are 1-3/4" deep with a 3/4" dia. drain fitting welded on operator's left.
FREIGHT CLASS – 250.

ACCESSORIES

| | -2 | -3 | -4 | -5 | -6 |
|---|--------|--------|--------|--------|---------|
| • For dual service (2 ea.) troughs, add a "D" to model number. | 651.00 | 782.00 | 936.00 | 994.00 | 1080.00 |



CAU-4 shown with accessories, Tray Slide, Undershelf, End Panels

NOTE: FOR ALL MODULAR SERVING UNIT ACCESSORIES, SEE PAGES 46-49

MOBILE MODULAR SERVING UNITS

ALUMINUM – CA

NOTE: STAINLESS-CW AVAILABLE
UPON SPECIAL REQUEST



CADF-3 shown
with accessories,
End Panels

ICE CREAM UNITS

Reach-in

| MODEL | DESCRIPTION | DIMENSIONS W x L x H | ELECTRICAL CHARACTERISTICS | SHIP WT. (LBS.) | LIST PRICE |
|--------|---|-------------------------|-------------------------------|--------------------|---------------|
| CADF-2 | Deep freeze capacity - 100 lbs. 2.6 cu. ft. | 30-1/2 x 36-1/4 x 35 | 6.8 amps - 120V 1/4 HP | 250 | 7270.00 |
| CADF-3 | Deep freeze capacity - 150 lbs. 4.2 cu. ft. | 30-1/2 x 50 x 35 | 6.8 amps - 120V 1/4 HP | 285 | 8464.00 |

For 5-year compressor warranty, add \$112.00 NET. FREIGHT CLASS – 250

NOTE: For 220 volt - 50 cycle compressor, add \$344.00

ACCESSORIES

- LLD - Lid locking device. 480.00

CASHIER UNIT

| MODEL | DESCRIPTION | DIMENSIONS W x L x H | SHIP WT. (LBS.) | LIST PRICE |
|-------|---|-------------------------|--------------------|---------------|
| CACS | Includes foot rest & locking cash drawer | 30-1/2 x 24 x 35 | 235 | 3184.00 |

FREIGHT CLASS – 250

ACCESSORIES

| | | WT. | PRICE |
|--------|---|-----|--------|
| SLT | Tray slide, 11-1/4" wide, S/S, 3-rail. | 25 | 578.00 |
| SLS | Tray slide, 11-1/4" wide, S/S, solid, ribbed. | 25 | 732.00 |
| SH | Work shelf, 8" wide, S/S. | 25 | 584.00 |
| EPA | End panel, standard (CA-units). | 5 | 314.00 |
| RP | Fixed rear panel. | 8 | 410.00 |
| PC | Plastic change insert for cashier drawer. | 5 | 96.00 |
| CO | Convenience outlet with cord. | 2 | 336.00 |
| CO-DUP | Duplex Receptacle. | 4 | 380.00 |
| FH | 3" Ferruled hole in top. | - | 160.00 |



CACS (Right Hand Drawer)
shown with accessories,
Tray Slide, End Panel

NOTE: FOR ALL MODULAR SERVING UNIT ACCESSORIES, SEE PAGES 46-49

MOBILE MODULAR SERVING UNITS

ALUMINUM – CA

NOTE: STAINLESS-CW AVAILABLE
UPON SPECIAL REQUEST

TRAY AND SILVER UNIT Self-Elevating



CASB shown
with accessories,
Tray Slide, End Panels

| MODEL | DESCRIPTION | DIMENSIONS W x L x H | SHIP WT. (LBS.) | LIST PRICE |
|-------|---|-------------------------|--------------------|---------------|
| CASB | DIT-1418 tray dispenser, silver bin and (8 ea.) nylon cylinders | 30-1/2 x 36-1/4 x 35 | 270 | 5024.00 |

Capacity is 100 standard trays; customer to specify tray size. FREIGHT CLASS – 250.

CORNER UNIT



CACC shown
with accessories,
End Panels

| MODEL | DESCRIPTION | DIMENSIONS W x L x H | SHIP WT. (LBS.) | LIST PRICE |
|-------|------------------------------------|-------------------------|--------------------|---------------|
| CACC | Stainless steel top without panels | 30-1/2 x 30-1/2 x 35 | 165 | 2106.00 |

FREIGHT CLASS – 250.

TRAY AND SILVER UNIT High Capacity



CWTS shown
with accessories,
Plastic Cylinders

| MODEL | DESCRIPTION | DIMENSIONS W x L x H | SHIP WT. (LBS.) | LIST PRICE |
|-------|--|-------------------------|--------------------|---------------|
| CWTS | Stainless steel platform with raised silver bin, (10 ea.) openings | 24 x 35 x 45 | 250 | 2662.00 |

FREIGHT CLASS – 250.

• PCYL - Plastic cylinders, each. 16.00

NOTE: FOR ALL MODULAR SERVING UNIT ACCESSORIES, SEE PAGES 46-49

MOBILE MODULAR SERVING UNITS

BL Series - Cafeteria Style with Open Base

HOT SERVING UNITS

Optional Drain & Manifold



BLH-4
Shown with Accessories,
Tray Slide, Work Shelf,
Protector Case, Undershelf
Drain & manifold

| MODEL NUMBER | DESCRIPTION | DIMENSIONS (INCHES) | | | ELECTRICAL | SHIPPING WT. | LIST PRICE |
|--------------|--|---------------------|--------|----|------------------------------------|--------------|------------|
| | | L | W | H | | | |
| BLH-2 | (2) 12x20x6" Hot Food Wells with Open Base | 36-1/4 | 30-1/2 | 35 | 1.7 kw 14.2 Amps 120V-1 Ph. | 200 | 5770.00 |
| BLH-3 | (3) 12x20x6" Hot Food Wells with Open Base | 50 | 30-1/2 | 35 | 2.55 kw 12.3 Amps 208V-1 Ph. | 225 | 6990.00 |
| BLH-4 | (4) 12x20x6" Hot Food Wells with Open Base | 63-3/4 | 30-1/2 | 35 | 3.4 kw 16.3 Amps 208V-1 Ph. | 265 | 8200.00 |
| BLH-5 | (5) 12x20x6" Hot Food Wells with Open Base | 77-1/2 | 30-1/2 | 35 | 4.25 kw 20.4 Amps 208V-1 Ph. | 310 | 9554.00 |
| BLH-6 | (6) 12x20x6" Hot Food Wells with Open Base | 91-1/4 | 30-1/2 | 35 | 5.1 kw 24.5 Amps 208V-1 Ph. | 370 | 10926.00 |

NOTE: Unit has 5" dia. swivel casters, two with locking brakes. FREIGHT CLASS – 250

HOT SERVING UNITS WITH OFFSET TOP

Optional Drain & Manifold



BLH-4-OT
Shown with Accessories, Tray Slide,
Work Shelf,
Protector Case, Undershelf
Drain & manifold

| MODEL NUMBER | DESCRIPTION | DIMENSIONS (INCHES) | | | ELECTRICAL | SHIPPING WT. | LIST PRICE |
|--------------|--|---------------------|--------|----|------------------------------------|--------------|------------|
| | | L | W | H | | | |
| BLH-2-OT | (2) 12x20x6" Hot Food Wells with Open Base (1) 18x26 Pan | 36-1/4 | 30-1/2 | 35 | 1.7 kw 14.2 Amps 120V-1 Ph. | 245 | 6520.00 |
| BLH-3-OT | (3) 12x20x6" Hot Food Wells with Open Base (2) 18x26 Pans | 50 | 30-1/2 | 35 | 2.55 kw 12.3 Amps 208V-1 Ph. | 245 | 7714.00 |
| BLH-4-OT | (4) 12x20x6" Hot Food Wells with Open Base (3) 18x26 Pans | 63-3/4 | 30-1/2 | 35 | 3.4 kw 16.3 Amps 208V-1 Ph. | 285 | 8894.00 |
| BLH-5-OT | (5) 12x20x6" Hot Food Wells with Open Base (4) 18x26 Pans | 77-1/2 | 30-1/2 | 35 | 4.25 kw 20.4 Amps 208V-1 Ph. | 330 | 10154.00 |
| BLH-6-OT | (6) 12x20x6" Hot Food Wells with Open Base (5) 18x26 Pan | 91-1/4 | 30-1/2 | 35 | 5.1 kw 24.5 Amps 208V-1 Ph. | 370 | 11526.00 |

NOTE: Unit has 5" dia. swivel casters, two with locking brakes. FREIGHT CLASS – 250

| ACCESSORIES | -2 | | -3 | | -4 | | -5 | | -6 | |
|--|-----|--------|-----|---------|-----|---------|-----|---------|-----|---------|
| | WT. | PRICE | WT. | PRICE | WT. | PRICE | WT. | PRICE | WT. | PRICE |
| D – Individual drain and valve for each well. | 8 | 298.00 | 12 | 434.00 | 16 | 580.00 | 20 | 714.00 | 24 | 858.00 |
| DM – Individual drain for each well with manifold to single valve | 15 | 434.00 | 20 | 644.00 | 25 | 846.00 | 30 | 1044.00 | 35 | 1264.00 |
| DME – Individual drain for each well with manifold to single valve w/ rear extension | 15 | 714.00 | 20 | 920.00 | 25 | 1124.00 | 30 | 1334.00 | 35 | 1550.00 |
| DMVE – Individual drain with valve for each well with manifold to single valve w/ rear extension | 20 | 832.00 | 25 | 1104.00 | 30 | 1366.00 | 35 | 1624.00 | 40 | 1890.00 |
| AMC – Apron mounted controls. | - | 636.00 | - | 770.00 | - | 908.00 | - | 1076.00 | - | 1184.00 |

NOTE: FOR ALL MODULAR SERVING UNIT ACCESSORIES, SEE PAGES 46-49

MOBILE MODULAR SERVING UNITS

BL Series - Cafeteria Style with Open Base

SOLID TOP UTILITY UNITS

With Undershelf



BLU-4
Shown with Accessories,
Tray Slide, Undershelf,
Double Deck Display

| MODEL NUMBER | DESCRIPTION | DIMENSIONS (INCHES) | | | SHIPPING WT. | LIST PRICE |
|--------------|--------------------|---------------------|--------|----|--------------|------------|
| | | L | W | H | | |
| BLU-1 | Basic Utility Unit | 24 | 30-1/2 | 35 | 140 | 3418.00 |
| BLU-2 | Basic Utility Unit | 36-1/4 | 30-1/2 | 35 | 170 | 3784.00 |
| BLU-3 | Basic Utility Unit | 50 | 30-1/2 | 35 | 190 | 4306.00 |
| BLU-4 | Basic Utility Unit | 63-3/4 | 30-1/2 | 35 | 220 | 4640.00 |
| BLU-5 | Basic Utility Unit | 77-1/2 | 30-1/2 | 35 | 255 | 5186.00 |
| BLU-6 | Basic Utility Unit | 91-1/4 | 30-1/2 | 35 | 300 | 6166.00 |

NOTE: Unit has 5" Dia. Swivel Casters, two with Locking Brakes.
FREIGHT CLASS – 250

BLU-1 ACCESSORIES

| | WT. | PRICE |
|--|-----|---------|
| TS – Tray slide, 12" wide, S/S, solid, ribbed. | 25 | 832.00 |
| SH – Work shelf, 8" wide, S/S, flat. | 25 | 584.00 |
| USB – Bottom shelf, S/S. | 12 | 644.00 |
| USM – Middle shelf, S/S. | 26 | 644.00 |
| HD – Hinged door, S/S. | 10 | 962.00 |
| REVERSA PANEL – (Front). | 10 | 540.00 |
| REVERSA PANEL – (Ends) Per Set. | 8 | 558.00 |
| CD – Cash Drawer, locking s/s. | 25 | 1020.00 |
| UT – Tool / Utility drawer 20-1/2 x 20- 1/2 x 5. | 20 | 844.00 |
| ECT – 40" wide extended cart top, 34" high. (Contact Factory) | | |

| ACCESSORIES | -2 | | -3 | | -4 | | -5 | | -6 | |
|--|-----|---------|-----|---------|-----|---------|-----|---------|-----|---------|
| | WT. | PRICE | WT. | PRICE | WT. | PRICE | WT. | PRICE | WT. | PRICE |
| BLSF – S/S Front panel. | 30 | 152.00 | 40 | 188.00 | 50 | 224.00 | 60 | 260.00 | 70 | 296.00 |
| BLSE – S/S End panel (each). | 10 | 152.00 | 10 | 152.00 | 10 | 152.00 | 10 | 152.00 | 10 | 152.00 |
| SL-BL – S/S Legs in lieu of casters. | - | 550.00 | - | 550.00 | - | 550.00 | - | 550.00 | - | 550.00 |
| CD – Cash drawer locking. | 25 | 1020.00 | 25 | 1020.00 | 25 | 1020.00 | 25 | 1020.00 | 25 | 1020.00 |
| UT – Tool / Utility drawer. | 20 | 844.00 | 20 | 844.00 | 20 | 844.00 | 20 | 844.00 | 20 | 844.00 |
| FH – 3" Ferruled hole in top. | - | 160.00 | - | 160.00 | - | 160.00 | - | 160.00 | - | 160.00 |
| CO – Convenience Outlet with cord. | 2 | 336.00 | 2 | 336.00 | 2 | 336.00 | 2 | 336.00 | 2 | 336.00 |
| CO-DUP – Duplex Receptacle. | 4 | 380.00 | 4 | 380.00 | 4 | 380.00 | 4 | 380.00 | 4 | 380.00 |
| BIUD – Built -in Urn Drain in solid top. | 30 | 794.00 | 40 | 956.00 | 45 | 1284.00 | 50 | 1426.00 | 60 | 1908.00 |
| HD-1 – Hinged Door, S/S (Specify Qty). | 10 | 962.00 | - | - | - | - | - | - | - | - |
| P-CAST – 5" Polyurethane casters 2 -w/brakes. | - | 306.00 | - | 306.00 | - | 306.00 | - | 306.00 | - | 306.00 |
| RST – Reinforced S/S top. | - | 566.00 | - | 654.00 | - | 746.00 | - | 858.00 | - | 990.00 |
| ECT – 40" wide extended cart top, 34" high. (Contact Factory) | | | | | | | | | | |
| MS - Master on/off Switch | 2 | 370.00 | 2 | 370.00 | 2 | 370.00 | 2 | 370.00 | 2 | 370.00 |

NOTE: FOR ALL MODULAR SERVING UNIT ACCESSORIES, SEE PAGES 46-49

MOBILE MODULAR SERVING UNITS

BL Series - Cafeteria Style with Open Base

HOT SERVING UNITS WITH HEATED BASE

Optional Drain & Manifold

| MODEL NUMBER | DESCRIPTION | DIMENSIONS (INCHES) | | | ELECTRICAL | SHIPPING WT. | LIST PRICE |
|--------------|--|---------------------|--------|----|-----------------------------------|--------------|------------|
| | | L | W | H | | | |
| BLH-3-H | (3) 12x20x6" Hot Food Wells, 850-Watt Heated Base with 2 Slide Assemblies for 12x20 Pans, 2-1/2" OC and 2 Hinged Doors | 50 | 30-1/2 | 35 | 16.3 Amps 3-Wire 208V-1 Ph. | 330 | 13336.00 |
| BLH-4-H | (4) 12x20x6" Hot Food Wells, 850-Watt Heated Base with 3 Slide Assemblies for 12x20 Pans, 2-1/2" OC and 2 Hinged Doors | 63-3/4 | 30-1/2 | 35 | 20.4 Amps 3-Wire 208V-1 Ph. | 420 | 15356.00 |
| BLH-5-H | (5) 12x20x6" Hot Food Wells, 850-Watt Heated Base with 4 Slide Assemblies for 12x20 Pans, 2-1/2" OC and 2 Hinged Doors | 77-1/2 | 30-1/2 | 35 | 24.5 Amps 3-Wire 208V-1 Ph. | 525 | 17680.00 |



BLH-4-H
Shown with Accessories,
Tray Slide, Work Shelf,
Protector Case

NOTE: Unit has 5" dia. swivel casters, two with locking brakes. FREIGHT CLASS – 250

ACCESSORIES

DME - Individual drain for each well w/ manifold
to single valve w/ rear extension

| | -2 WT. PRICE | -3 WT. PRICE | -4 WT. PRICE | -5 WT. PRICE | -6 WT. PRICE |
|--|-----------------|-----------------|-----------------|-----------------|-----------------|
| | - | 20 920.00 | 25 1124.00 | 30 1334.00 | 35 1550.00 |

ICE PAN COLD SERVING UNITS

| MODEL NUMBER | DESCRIPTION | DIMENSIONS (INCHES) | | | SHIPPING WT. | LIST PRICE |
|--------------|---|---------------------|--------|----|--------------|------------|
| | | L | W | H | | |
| BLC-2 | Insulated Ice Cold Pan 25-1/2 x 19-7/8 x 4-5/8" deep with Open Base | 36-1/4 | 30-1/2 | 35 | 165 | 4864.00 |
| BLC-3 | Insulated Ice Cold Pan 39-1/4 x 19-7/8 x 4-5/8" deep with Open Base | 50 | 30-1/2 | 35 | 210 | 5514.00 |
| BLC-4 | Insulated Ice Cold Pan 53 x 19-7/8 x 4-5/8" deep with Open Base | 63-3/4 | 30-1/2 | 35 | 275 | 6160.00 |
| BLC-5 | Insulated Ice Cold Pan 66-3/4 x 19-7/8 x 4-5/8" deep with Open Base | 77-1/2 | 30-1/2 | 35 | 330 | 6946.00 |
| BLC-6 | Insulated Ice Cold Pan 80-1/2 x 19-7/8 x 4-5/8" deep with Open Base | 91-1/4 | 30-1/2 | 35 | 385 | 8110.00 |



BLC-4
Shown with Accessories,
Tray Slide, Double Deck Display,
Undershelf

NOTE: Unit has 5" dia. swivel casters, two with locking brakes. Units furnished with stainless steel adapter bars. FREIGHT CLASS – 250

NOTE: FOR ALL MODULAR SERVING UNIT ACCESSORIES, SEE PAGES 46-49

MOBILE MODULAR SERVING UNITS

BL Series - Cafeteria Style with Open Base (no bottom shelf)

REFRIGERATED COLD PAN UNITS WITH 3" RECESSED TOP (NSF-7)



BLC-4-RM, (NSF-7)
Shown with Accessories,
Tray Slide, Double
Deck Display, Undershelf,
Compressor on base of unit

| MODEL NUMBER | DESCRIPTION | DIMENSIONS (INCHES) | | | ELECTRICAL | SHIPPING WT. | LIST PRICE |
|--------------|---|---------------------|--------|----|-----------------------------|--------------|------------|
| | | L | W | H | | | |
| BLC-2-RM | Refrigerated Cold Pan 25-5/8 x 19-7/8 x 9" deep | 36-1/4 | 30-1/2 | 35 | 6.0 Amps 120V 1/4 HP | 275 | 9826.00 |
| BLC-3-RM | Refrigerated Cold Pan 39-3/8 x 19-7/8 x 9" deep | 50 | 30-1/2 | 35 | 6.0 Amps 120V 1/4 HP | 325 | 10390.00 |
| BLC-4-RM | Refrigerated Cold Pan 53-1/8 x 19-7/8 x 9" deep | 63-3/4 | 30-1/2 | 35 | 7.8 Amps 120V 1/3 HP | 385 | 10940.00 |
| BLC-5-RM | Refrigerated Cold Pan 66-7/8 x 19-7/8 x 9" deep | 77-1/2 | 30-1/2 | 35 | 10.7 Amps 120V 1/2 HP | 435 | 11826.00 |
| BLC-6-RM | Refrigerated Cold Pan 80-5/8 x 19-7/8 x 9" deep | 91-1/4 | 30-1/2 | 35 | 10.7 Amps 120V 1/2 HP | 560 | 12748.00 |

NOTE: Unit has 5" dia. swivel casters, two with locking brakes. Units furnished with stainless steel adapter bars.

FREIGHT CLASS – 250

NOTE: For 220 volt - 50 cycle compressor, add \$344.00

REM - Remote Compressor on base of unit, Louvered s/s compartment, Remote on/off switch in Apron \$1310.00 - 5 lbs.

For extended five year compressor warranty add \$112.00 NET

BUFFET HOT SERVING UNITS

Optional Drain & Manifold



BLH-4-BU
Shown with Accessories
Stainless Steel Canopy

| MODEL NUMBER | DESCRIPTION | DIMENSIONS (INCHES) | | | ELECTRICAL | SHIPPING WT. | LIST PRICE |
|--------------|--------------------------------|---------------------|--------|----|-----------------------------------|--------------|------------|
| | | L | W | H | | | |
| BLH-2-BU | (2) 12x20x6" Hot Food Wells | 36-1/4 | 30-3/4 | 35 | 1.7 kw 14.2 Amps 120V-1Ph. | 200 | 7456.00 |
| BLH-3-BU | (3) 12x20x6" Hot Food Wells | 50 | 30-3/4 | 35 | 2.55 kw 12.3 Amps 208V-1Ph. | 235 | 8822.00 |
| BLH-4-BU | (4) 12x20x6" Hot Food Wells | 63-3/4 | 30-3/4 | 35 | 3.4 kw 16.3 Amps 208V-1Ph | 275 | 10184.00 |
| BLH-5-BU | (5) 12x20x6" Hot Food Wells | 77-1/2 | 30-3/4 | 35 | 4.25 kw 20.4 Amps 208V-1Ph | 355 | 11466.00 |
| BLH-6-BU | (6) 12x20x6" Hot Food Wells | 91-1/4 | 30-3/4 | 35 | 5.1 kw 24.5 Amps 208V-1Ph | 395 | 12812.00 |

NOTE: Unit has 5" Dia. Swivel Casters, two with Locking Brakes. FREIGHT CLASS – 250

For common drain & manifold see page 34 for pricing.

NOTE: FOR ALL MODULAR SERVING UNIT ACCESSORIES, SEE PAGES 46-49

MOBILE MODULAR SERVING UNITS

BL Series - Buffet Style with Enclosed Base (no bottom shelf)

BUFFET COLD SERVING UNITS



BLC-4-BU
Shown with Accessories
Stainless Steel Canopy

| MODEL NUMBER | DESCRIPTION | DIMENSIONS (INCHES) | | | SHIPPING WT. | LIST PRICE |
|--------------|---|---------------------|--------|----|--------------|------------|
| | | L | W | H | | |
| BLC-2-BU | Insulated Ice Cold Pan 25-1/2x19-7/8x4-5/8" Deep | 36-1/4 | 30-3/4 | 35 | 175 | 6628.00 |
| BLC-3-BU | Insulated Ice Cold Pan 39-1/4x19-7/8x4-5/8" Deep | 50 | 30-3/4 | 35 | 220 | 7408.00 |
| BLC-4-BU | Insulated Ice Cold Pan 53x19-7/8x4-5/8" Deep | 63-3/4 | 30-3/4 | 35 | 285 | 8148.00 |
| BLC-5-BU | Insulated Ice Cold Pan 66-3/4x19-7/8x4-5/8" Deep | 77-1/2 | 30-3/4 | 35 | 340 | 8512.00 |
| BLC-6-BU | Insulated Ice Cold Pan 80-1/2x19-7/8x4-5/8" Deep | 91-1/4 | 30-3/4 | 35 | 385 | 10138.00 |

NOTE: Unit has 5" Dia. Swivel Casters, two with Locking Brakes. Unit furnished with Stainless Steel Adapter Bars.
FREIGHT CLASS - 250

REFRIGERATED COLD PAN UNITS WITH 3" RECESSED TOP (NSF-7)



BLC-4-RM-BU, (NSF-7)
Shown with Accessories,
Tray Slide, Double
Deck Display, Undershelf,
Compressor on base of unit,
Sliding rear door included but not
shown.

| MODEL NUMBER | DESCRIPTION | DIMENSIONS (INCHES) | | | ELECTRICAL | SHIPPING WT. | LIST PRICE |
|--------------|---|---------------------|--------|----|-----------------------------|--------------|------------|
| | | L | W | H | | | |
| BLC-2-RM-BU | Refrigerated Cold Pan 25-5/8 x 19-7/8 x 9" deep | 36-1/4 | 30-3/4 | 35 | 6.0 Amps 120V 1/4 HP | 275 | 11142.00 |
| BLC-3-RM-BU | Refrigerated Cold Pan 39-3/8 x 19-7/8 x 9" deep | 50 | 30-3/4 | 35 | 6.0 Amps 120V 1/4 HP | 325 | 11824.00 |
| BLC-4-RM-BU | Refrigerated Cold Pan 53-1/8 x 19-7/8 x 9" deep | 63-3/4 | 30-3/4 | 35 | 7.8 Amps 120V 1/3 HP | 385 | 12522.00 |
| BLC-5-RM-BU | Refrigerated Cold Pan 66-7/8 x 19-7/8 x 9" deep | 77-1/2 | 30-3/4 | 35 | 10.7 Amps 120V 1/2 HP | 435 | 13040.00 |
| BLC-6-RM-BU | Refrigerated Cold Pan 80-5/8 x 19-7/8 x 9" deep | 91-1/4 | 30-3/4 | 35 | 10.7 Amps 120V 1/2 HP | 560 | 13894.00 |

NOTE: Unit has 5" dia. swivel casters, two with locking brakes. Units furnished with stainless steel adapter bars.
FREIGHT CLASS - 250

NOTE: For 220 volt - 50 cycle compressor, add \$344.00

REM - Remote Compressor on base of unit, Louvered s/s compartment, Remote on/off switch in Apron \$1310.00 - 5 lbs.

For extended five year compressor warranty add \$112.00 NET

NOTE: FOR ALL MODULAR SERVING UNIT ACCESSORIES, SEE PAGES 46-49

MOBILE MODULAR SERVING UNITS

BUFFET UTILITY SERVING UNITS With Undershaft



BLU-4-BU
Shown with Accessories
Stainless Steel Canopy

| MODEL NUMBER | DESCRIPTION | DIMENSIONS (INCHES) | | | SHIPPING WT. | LIST PRICE |
|--------------|--------------------------|---------------------|--------|----|--------------|------------|
| | | L | W | H | | |
| BLU-2-BU | Flat Stainless Steel Top | 36-1/4 | 30-3/4 | 35 | 180 | 5476.00 |
| BLU-3-BU | Flat Stainless Steel Top | 50 | 30-3/4 | 35 | 200 | 5930.00 |
| BLU-4-BU | Flat Stainless Steel Top | 63-3/4 | 30-3/4 | 35 | 230 | 6578.00 |
| BLU-5-BU | Flat Stainless Steel Top | 77-1/2 | 30-3/4 | 35 | 265 | 7136.00 |
| BLU-6-BU | Flat Stainless Steel Top | 91-1/4 | 30-3/4 | 35 | 315 | 8166.00 |

NOTE: Unit has 5" Dia. Swivel Casters, two with Locking Brakes. FREIGHT CLASS – 250

NOTE: FOR ALL MODULAR SERVING UNIT ACCESSORIES, SEE PAGES 46-49

MOBILE MODULAR SERVING UNITS

BL Series



TC-2-S
Shown with Accessories,
Plastic Cylinders,
See Below

TRAY AND SILVER CART

| MODEL NUMBER | DESCRIPTION | DIMENSIONS (INCHES) | | | CAPACITY Type Container | SHIPPING WT. | LIST PRICE |
|--------------|--|---------------------|--------|----|--|--------------|------------|
| | | L | W | H | | | |
| TC-2-S | Stainless Steel Silverware and Tray Cart | 33 | 22-1/2 | 42 | 190 14x18 Trays 10 Silverware Cylinder Cutouts | 100 | 3182.00 |

NOTE: Unit has (4) Corner Bumpers and 5" Dia. Swivel Casters, two with Locking Brakes.
FREIGHT CLASS – 250

| ACCESSORIES | BMM-1000 | | BLM-1 | | TC-2-S | |
|---|----------|---------|-------|---------|--------|--------|
| | WT. | PRICE | WT. | PRICE | WT. | PRICE |
| TS – Tray Slide, 12" wide, S/S Solid Ribbed. | 30 | 1368.00 | 25 | 832.00 | - | - |
| SH – Work Shelf, 8" wide, S/S Flat. | - | - | 25 | 584.00 | - | - |
| RFD – Rear Fold-Down Door (BMM-1000). | 15 | 1482.00 | - | - | - | - |
| • External thermometer. | - | 352.00 | - | - | - | - |
| CO – Convenience Outlet, with 6 ft. cord & plug 120V wired direct- | - | - | 2 | 336.00 | - | - |
| CO-DUP – Duplex Receptacle. | - | - | 4 | 380.00 | - | - |
| EFP – 24" Extended front panel and tray slide (BLM-1-L or R). . . . | - | - | 20 | 1528.00 | - | - |
| PP – Urethane painted panels. | - | 402.00 | - | 402.00 | - | - |
| • Plastic Silverware Cylinders ea. (TC-2-S) (10 Req'd). | - | - | - | - | 1 | 16.00 |
| • Stainless Steel, Napkin Overshelf (TC-2-S). | - | - | - | - | 40 | 492.00 |
| TCRP – S/S Rear panel | - | - | - | - | - | 534.00 |
| TCPL – Plastic laminate exterior | - | - | - | - | - | 354.00 |
| FH – Ferruled hole in top. | - | - | - | 160.00 | - | - |

CORNER UNITS



BL-CU-O
Customer Side

| MODEL NUMBER | DESCRIPTION | DIMENSIONS (INCHES) | | | SHIPPING WT. | LIST PRICE |
|--------------|---|---------------------|--------|----|--------------|------------|
| | | L | W | H | | |
| BL-CU-O | Outside Corner Unit with Fixed Tray Slide included | 42* | 42* | 35 | 255 | 4590.00 |
| BL-CU-I | Inside Corner Unit no Tray Slide Open in Rear with S/S Bottom Shelf | 30-1/2 | 30-1/2 | 35 | 154 | 3422.00 |

NOTE: Unit has 5" Dia. Swivel Casters, two with Locking Brakes. *Includes Tray Slide.
FREIGHT CLASS – 250

NOTE: FOR ALL MODULAR SERVING UNIT ACCESSORIES, SEE PAGES 46-49

MOBILE MODULAR SERVING UNITS

BL Series



CASHIER UNITS

| MODEL NUMBER | DESCRIPTION | DIMENSIONS (INCHES) | | | SHIPPING WT. | LIST PRICE |
|--------------|--|---------------------|---------------|----|--------------|------------|
| | | L | W | H | | |
| BLM-1-R | Unit comes with tray slide on cashier's left | 24 | 30-1/2 +12 | 35 | 150 | 4640.00 |
| BLM-1-L | Unit comes with tray slide on cashier's right | 24 | 30-1/2 +12 | 35 | 150 | 4640.00 |
| BLM-1 | Cashier unit without tray slide | 24 | 30-1/2 | 35 | 135 | 3980.00 |
| BLM-1-BU | Cashier unit, dual service, without tray slide | 24 | 30-3/4 | 35 | 140 | 4628.00 |

NOTE: S/S drawer, 14-3/4"x16"x3" deep and 5" Dia. Swivel Casters, two with Locking Brakes. FREIGHT CLASS – 250

EFP - 24" Extended Front Panel & Tray Slide \$1528.00



LTM-2736-ME
shown

STAINLESS STEEL AUTO-LIFT TABLE

| MODEL NUMBER | DIMENSIONS (INCHES) | | | CASTER SIZE (Inches) | STAINLESS STEEL TOP | SHIPPING WT. | LIST PRICE |
|--------------|---------------------|--------|----|----------------------|---------------------|--------------|------------|
| | L | W | H | | | | |
| LTM-2736-ME | 36-3/4 | 31-1/4 | 35 | 5 | 5/8" Marine Edge | 254 | 8634.00 |

NOTE: Sizes other than standard are available. Prices on request. Minimum length of width is 30-1/2.
FREIGHT CLASS – 250

ACCESSORIES

| | WT. | PRICE | | WT. | PRICE |
|--|-----|---------|--|-----|--------|
| • Locking brakes (set of 2). | 2 | 42.00 | • Utensil Rack. | 25 | 756.00 |
| • Slides for 18x26 trays (4 sets, 4-1/8" spacing), stainless steel enclosure on two sides. . . | 50 | 1914.00 | • 3" high roll rim top with drain. . . | 10 | 870.00 |

NOTE: FOR ALL MODULAR SERVING UNIT ACCESSORIES, SEE PAGES 46-49

DROP IN UNITS






Electrical Power Requirements

ELECTRICAL CHARACTERISTICS

| MODEL | VOLTAGE / KW / AMPS. | NEMA# PLUG |
|------------------|-----------------------|------------|
| WH-2 850 Watt | 120V - 1.7 KW - 14.2 | 5-20P |
| | 208V - 1.7 KW - 8.2 | 6-15P |
| | 240V - 1.7 KW - 7.1 | 6-15P |
| 1000 Watt | 120V - 2.0 KW - 16.7 | L5-30P |
| | 208V - 2.0 KW - 9.6 | 6-15P |
| | 240V - 2.0 KW - 8.3 | 6-15P |
| WH-3 850 Watt | 120V - 2.55 KW - 21.3 | L5-30P |
| | 208V - 2.55 KW - 12.3 | L6-20P |
| | 240V - 2.55 KW - 10.6 | 6-15P |
| 1000 Watt | 120V - 3.0 KW - 25.0 | 5-50P |
| | 208V - 3.0 KW - 14.4 | L6-20P |
| | 240V - 3.0 KW - 12.5 | L6-20P |
| WH-4 850 Watt | 208V - 3.4 KW - 16.4 | L6-30P |
| | 240V - 3.4 KW - 14.2 | L6-20P |
| 1000 Watt | 208V - 4.0 KW - 19.2 | L6-30P |
| | 240V - 4.0 KW - 16.7 | L6-30P |
| WH-5 850 Watt | 208V - 4.25 KW - 20.4 | L6-30P |
| | 240V - 4.25 KW - 17.7 | L6-30P |
| 1000 Watt | 208V - 5.0 KW - 24.0 | L6-30P |
| | 240V - 5.0 KW - 20.8 | L6-30P |
| WH-6 850 Watt | 208V - 5.1 KW - 24.5 | 6-50P |
| | 240V - 5.1 KW - 21.3 | L6-30P |
| 1000 Watt | 208V - 6.0 KW - 28.8 | 6-50P |
| | 240V - 6.0 KW - 25.0 | 6-50P |

ELECTRICAL CHARACTERISTICS

| MODEL | VOLTAGE / KW / AMPS. | NEMA# PLUG |
|--------------------|-----------------------|------------|
| WIHL-2 850 Watt | 120V - 1.7 KW - 14.2 | 5-20P |
| | 208V - 1.7 KW - 8.2 | 6-15P |
| | 240V - 1.7 KW - 7.1 | 6-15P |
| 1000 Watt | 120V - 2.0 KW - 16.7 | L5-30P |
| | 208V - 2.0 KW - 9.6 | 6-15P |
| | 240V - 2.0 KW - 8.3 | 6-15P |
| WIHL-3 850 Watt | 120V - 2.55 KW - 21.3 | L5-30P |
| | 208V - 2.55 KW - 12.3 | L6-20P |
| | 240V - 2.55 KW - 10.6 | 6-15P |
| 1000 Watt | 120V - 3.0 KW - 25.0 | 5-50P |
| | 208V - 3.0 KW - 14.4 | L6-20P |
| | 240V - 3.0 KW - 12.5 | L6-20P |
| WIHL-4 850 Watt | 208V - 3.4 KW - 16.4 | L6-30P |
| | 240V - 3.4 KW - 14.2 | L6-20P |
| 1000 Watt | 208V - 4.0 KW - 19.2 | L6-30P |
| | 240V - 4.0 KW - 16.7 | L6-30P |

| PLUG CONFIGURATION |
|--|
|  5-15P |
|  6-15P |
|  L6-20P |
|  L6-30P |
|  6-50P |

ELECTRICAL CHARACTERISTICS

| MODEL | VOLTAGE / KW / AMPS. | NEMA# PLUG |
|--------------------|-----------------------|------------|
| WIH-1 1000 Watt | 120V - 1.0 KW - 8.3 | 5-15P |
| | 208V - 1.0 KW - 4.8 | 6-15P |
| | 240V - 1.0 KW - 4.2 | 6-15P |
| WIH-2 850 Watt | 120V - 1.7 KW - 14.2 | 5-20P |
| | 208V - 1.7 KW - 8.2 | 6-15P |
| | 240V - 1.7 KW - 7.1 | 6-15P |
| 1000 Watt | 120V - 2.0 KW - 16.7 | L5-30P |
| | 208V - 2.0 KW - 9.6 | 6-15P |
| | 240V - 2.0 KW - 8.3 | 6-15P |
| WIH-3 850 Watt | 120V - 2.55 KW - 21.3 | L5-30P |
| | 208V - 2.55 KW - 12.3 | L6-20P |
| | 240V - 2.55 KW - 10.6 | 6-15P |
| 1000 Watt | 120V - 3.0 KW - 25.0 | 5-50P |
| | 208V - 3.0 KW - 14.4 | L6-20P |
| | 240V - 3.0 KW - 12.5 | L6-20P |
| WIH-4 850 Watt | 208V - 3.4 KW - 16.4 | L6-30P |
| | 240V - 3.4 KW - 14.2 | L6-20P |
| 1000 Watt | 208V - 4.0 KW - 19.2 | L6-30P |
| | 240V - 4.0 KW - 16.7 | L6-30P |
| WIH-5 850 Watt | 208V - 4.25 KW - 20.4 | L6-30P |
| | 240V - 4.25 KW - 17.7 | L6-30P |
| 1000 Watt | 208V - 5.0 KW - 24.0 | L6-30P |
| | 240V - 5.0 KW - 20.8 | L6-30P |
| WIH-6 850 Watt | 208V - 5.1 KW - 24.5 | 6-50P |
| | 240V - 5.1 KW - 21.3 | L6-30P |
| 1000 Watt | 208V - 6.0 KW - 28.8 | 6-50P |
| | 240V - 6.0 KW - 25.0 | 6-50P |

| MODEL | ELECTRICAL CHARACTERISTICS | NEMA # PLUG |
|-------|----------------------------|-------------|
| RML-2 | 6.0 AMPS - 120V 1/4 HP | 5-15P |
| RML-3 | 6.0 AMPS - 120 V 1/4 HP | |
| RML-4 | 7.8 AMPS - 120V 1/3HP | |

| MODEL | ELECTRICAL CHARACTERISTICS | NEMA # PLUG |
|-------|----------------------------|-------------|
| RM-1 | 3.0 AMPS - 120V 1/5 HP | 5-15P |
| RM-2 | 6.0 AMPS - 120V 1/4 HP | |
| RM-3 | 6.0 AMPS - 120V 1/4 HP | |
| RM-4 | 7.8 AMPS - 120V 1/3 HP | |
| RM-5 | 10.7 AMPS - 120V 1/2 HP | |
| RM-6 | 10.7 AMPS - 120V 1/2 HP | |

DROP IN / SLIDE IN UNITS

Electrical Power Requirements

| MODEL | MODEL | MODEL | ELECTRICAL CHARACTERISTICS | NEMA # PLUG |
|-------|--------|----------|----------------------------|-------------|
| WCM-1 | WCMD-1 | WCMD-C-1 | 2.4 amps - 120V 1/5 HP | 5-15P |
| WCM-2 | WCMD-2 | WCMD-C-2 | 3.9 amps - 120V 1/5 HP | 5-15P |
| WCM-3 | WCMD-3 | WCMD-C-3 | 3.9 amps - 120V 1/5 HP | 5-15P |
| WCM-4 | WCMD-4 | WCMD-C-4 | 6.8 amps 120V 1/4 HP | 5-15P |
| WCM-5 | WCMD-5 | WCMD-C-5 | 9.8 amps - 120V 1/3 HP | 5-15P |
| WCM-6 | WCMD-6 | WCMD-C-6 | 9.8 AMPS - 120V 1/3 HP | 5-15P |

| MODEL | ELECTRICAL CHARACTERISTICS | NEMA # PLUG |
|-------------------|----------------------------|-------------|
| WCML-2 WCMDL-2 | 3.9 amps - 120V - 1/5 HP | 5-15P |
| WCML-3 WCMDL-3 | 3.9 amps - 120V - 1/5 HP | 5-15P |
| WCML-4 WCMDL-4 | 6.8 amps 120V - 1/4 HP | 5-15P |

| MODEL | ELECTRICAL CHARACTERISTICS | NEMA # PLUG |
|-------|----------------------------|-------------|
| WF-2 | 3.9 amps - 120V 1/5 HP | 5-15P |
| WF-3 | 6.8 amps - 120V 1/4 HP | 5-15P |
| WF-4 | 9.8 amps - 120V 1/3 HP | 5-15P |
| WF-5 | 9.8 amps - 120V 1/3 HP | 5-15P |
| WF-6 | 10.7 amps - 120V 1/2 HP | 5-15P |

| | | |
|------|--------------------------|-------|
| RB-4 | 6.8 amps - 120V - 1/4 HP | 5-15P |
| RB-5 | 6.8 amps - 120V - 1/4 HP | 5-15P |
| HB-3 | 850 W - 7.1 amps - 120V | 5-15P |
| HB-4 | 850 W - 7.1 amps - 120V | 5-15P |
| HB-5 | 850 W - 7.1 amps - 120V | 5-15P |






| | | |
|-------|---------------------------|-------|
| WDF-L | 2.4 amps - 120V 1/5 HP | 5-15P |
| WDF-2 | 6.8 amps - 120V 1/4 HP | 5-15P |
| WDF-3 | 6.8 amps - 120V 1/4 HP | 5-15P |

| | | |
|----------|---|---------|
| WCM-HP-2 | 2.4 amps - 1/5 HP 16.7 amps - 2.0 KW - 120 V | L5-30P |
| WCM-HP-3 | 2.4 amps - 1/5 HP 16.7 amps - 2.0 KW - 120V | L5-30P |
| WCM-HP-4 | 9.8 amps - 1/4 HP 12.5 amps - 3.0 KW 120 / 240V | L14-30P |
| WCM-HP-5 | 9.8 amps - 1/3 HP 16.7 amps - 4.0 KW 120 / 240V | L14-30P |
| WCM-HP-6 | 9.8 amps - 1/3 HP 16.7 amps - 4.0 KW 120 / 240V | L14-30P |

| | | |
|----------|---------------------------|-------|
| WCM-BT-3 | 6.8 amps - 120V 1/4 HP | 5-15P |
| WCM-BT-4 | 9.2 amps - 120V 1/3 HP | 5-15P |
| WCM-BT-5 | 9.2 amps - 120V 1/3 HP | 5-15P |
| WCM-BT-6 | 9.2 amps - 120V 1/3 HP | 5-15P |

| | | |
|--------|----------------------------|-------|
| WCPT-3 | 11.0 amps - 120V 1/2 HP | 5-15P |
| WCPT-4 | 11.0 amps - 120V 1/2 HP | 5-15P |

| MODEL | VOLT | AMPS HOT | WATTS | HP | AMPS COLD | NEMA PLUG |
|---------|------|----------|-------|-----|-----------|-----------|
| RM-HP-1 | 120 | 16.7 | 2.0KW | 1/5 | 3.0 | L5-30P |
| RM-HP-2 | 120 | 16.7 | 2.0KW | 1/4 | 6.0 | L5-30P |
| RM-HP-3 | 120 | 16.7 | 2.0KW | 1/4 | 6.0 | L5-30P |
| RM-HP-4 | 208 | 14.5 | 3.0KW | 1/3 | 7.8 | L14-30P |
| | 240 | 12.5 | 3.0KW | 1/3 | 7.8 | L14-30P |
| RM-HP-5 | 208 | 19.3 | 4.0KW | 1/2 | 10.7 | L14-30 |
| | 240 | 16.7 | 4.0KW | 1/2 | 10.7 | L14-30 |
| RM-HP-6 | 208 | 19.3 | 4.0KW | 1/2 | 10.7 | L14-30 |
| | 240 | 16.7 | 4.0KW | 1/2 | 10.7 | L14-30 |

| PLUG CONFIGURATION |
|--|
|  5-15P |
|  5-20P |
|  L5-30P |
|  L14-20P |
|  L14-30P |

MOBILE MODULAR SERVING UNITS

Electrical Power Requirements

BL SERIES

| MODEL | WATTS | AMPS/VOLTS | NEMA # PLUG | FOOD WARMER | TOTAL AMPS/VOLTS | NEMA # PLUG |
|---------|-------|------------|----------------|----------------|---------------------|----------------|
| BLH-3 | 2550 | 12.3/208 | L6-20 P | 575/208/2.8 | 15.1/208 | L6-20 P |
| BLH-3-H | 3400 | 16.3/208 | L6-30 P | 575/208/2.8 | 19.1/208 | L6-30 P |
| BLH-4 | 3400 | 16.3/208 | L6-30 P | 925/208/4.4 | 20.1/208 | L6-30 P |
| BLH-4-H | 4250 | 20.4/208 | L6-30 P | 925/208/4.4 | 24.8/208 | 6-50 P |
| BLH-5 | 4250 | 20.4/208 | L6-30 P | 1275/208/6.1 | 26.5/208 | 6-50 P |
| BLH-5-H | 5100 | 24.5/208 | 6-50 P | 1275/208/6.1 | 30.6/208 | 6-50 P |

DESIGNER SERIES

| | | | | | | |
|-------------|------|-------------|---------|--------------|----------|---------|
| DSH-3240/BU | 1800 | 15/208/8.7 | 6-15 P | 450/208/2.2 | 10.9/208 | 6-15 P |
| DSH-3254/BU | 2700 | 15/208/13 | 6-15 P | 575/208/2.8 | 15.8/208 | L6-20 P |
| DSH-3268/BU | 3600 | 30/208/17.3 | L6-30 P | 925/208/4.4 | 21.7/208 | L6-30 P |
| DSH-3285/BU | 4500 | 30/208/21.7 | L6-30 P | 1275/208/6.1 | 27.8/208 | 6-50 P |
| DSH-3254-HB | 3450 | 30/208/16.6 | L6-30 P | 575/208/2.8 | 19.4/208 | L6-30 P |
| DSH-3268-HB | 4600 | 30/208/22.1 | L6-30 P | 925/208/4.4 | 26.5/208 | L6-30 P |
| DSH-3285-HB | 6000 | 50/208/28.8 | 6-50 P | 1275/208/6.1 | 34.9/208 | 6-50 P |

If a Fluorescent Light is to be added to above DSH units, the power supply will have to be either of the following:

A – 20 amps, 120/208v, 1 Ph., 4-wire – NEMA #L14-20 P

B – 30 amps, 120/208v, 1 Ph., 4-wire – NEMA #L14-30 P

C – 50 amps, 120/208v, 1 Ph., 4-wire – NEMA #14-50 P

All Refrigerated Units have a 15 amp, 120 volt plug – NEMA #5-15 P

MOBILE MODULAR SERVING UNITS

Electrical Power Requirements

ALUMINUM – CA

| MODEL | ELECTRICAL CHARACTERISTICS | NEMA # PLUG |
|-------|-----------------------------|-------------|
| CAH-2 | 1.7 KW - 14.2 amps 120V | 5-20P |
| CAH-3 | 2.55 KW - 12.3 amps 208V | L6-20P |
| CAH-4 | 3.4KW - 16.4 amps 208V | L6-30P |
| CAH-5 | 4.25 KW - 20.5 amps 208V | L6-30P |
| CAH-6 | 5.1 KW - 24.5 amps 208V | 6-50P |

| | | |
|--------|-----------------------------|--------|
| CAIH-2 | 1.7 KW - 14.2 amps 120V | 5-20P |
| CAIH-3 | 2.55 KW - 12.3 amps 208V | L6-20P |
| CAIH-4 | 3.4KW - 16.4 amps 208V | L6-30P |
| CAIH-5 | 4.25 KW - 20.4 amps 208V | L6-30P |
| CAIH-6 | 5.1 KW - 24.5 amps 208V | 6-50P |

| | | |
|--------|-----------------------------|--------|
| CAHB-3 | 3.40 KW - 16.4 amps 208V | L6-30P |
| CAHB-4 | 4.25 KW - 20.4 amps 208V | L6-30P |
| CAHB-5 | 5.1 KW - 24.5 amps 208V | 6-50P |

| | | |
|--------|----------------------------|-------|
| CARM-2 | 6.0 amps - 120V 1/4 HP | 5-15P |
| CARM-3 | 6.0 amps - 120V 1/4 HP | 5-15P |
| CARM-4 | 7.8 amps - 120V 1/3 HP | 5-15P |
| CARM-5 | 10.7 amps - 120V 1/2 HP | 5-15P |
| CARM-6 | 10.7 amps - 120V 1/2 HP | 5-15P |

| | | |
|--------|----------------------------------|-------|
| CAFB-4 | 16.6 amps - 120V 1/3 & 1/4 HP | 5-20P |
| CAFB-5 | 16.6 amps - 120V 1/3 & 1/4 HP | 5-20P |










| MODEL | ELECTRICAL CHARACTERISTICS | NEMA # PLUG |
|--------|---|-------------|
| CAHC-2 | 2.4 amps - 1/5 HP 16.7 amps 2.0 KW 120V | L5-30P |
| CAHC-3 | 2.4 amps - 1/5 HP 16.7 amps - 2.0 KW 120V | L5-30P |
| CAHC-4 | 9.8 amps - 1/3 HP 12.5 amps - 3.0 KW 120/240V | L14-20P |
| CAHC-5 | 9.8 amps - 1/3 HP 16.7 amps - 4.0 KW 120/240V | L14-30P |
| CAHC-6 | 9.8 amps - 1/3 HP 16.7 amps 4.0 KW 120/240V | L14-30P |

| | | |
|--------|---------------------------|-------|
| CABT-3 | 6.8 amps - 120V 1/4HP | 5-15P |
| CABT-4 | 9.2 amps - 120V 1/3 HP | 5-15P |
| CABT-5 | 9.2 amps - 120V 1/3 HP | 5-15P |
| CABT-6 | 9.2 amps - 120V 1/3 HP | 5-15P |

| | | |
|--------|----------------------------|-------|
| CARF-2 | 2.3 amps - 120V 1/5 HP | 5-15P |
| CARF-3 | 6.8 amps - 120V 1/4 HP | 5-15P |
| CARF-4 | 9.8 amps - 120V 1/3 HP | 5-15P |
| CARF5 | 9.8 amps - 120V 1/3 HP | 5-15P |
| CARF-6 | 10.7 amps - 120V 1/2 HP | 5-15P |

| | | |
|--------|----------------------------|-------|
| CAPT-3 | 11.0 amps - 120V 1/2 HP | 5-15P |
| CAPT-4 | 11.0 amps - 120V 1/2 HP | 5-15P |

| | | |
|--------|---------------------------------------|-------|
| CAGP-2 | HOT WELL 14.2 amps - 1.7 KW - 120V | 5-20P |
|--------|---------------------------------------|-------|

| PLUG CONFIGURATION |
|--|
|  5-15P |
|  6-15P |
|  L6-20P |
|  L6-30P |
|  6-50P |
|  L5-30P |
|  L14-20P |
|  L14-30P |
|  5-20P |

Important: When adding Food Warmers and Fluorescent Lights the Amperage will change.

MOBILE MODULAR SERVING UNITS

Optional Accessories

| | -2 | | -3 | | -4 | | -5 | | -6 | |
|---|-----|---------|-----|---------|-----|---------|-----|---------|-----|----------|
| | WT. | PRICE | WT. | PRICE | WT. | PRICE | WT. | PRICE | WT. | PRICE |
| TRAY SLIDES: | | | | | | | | | | |
| SL – Tray slide, 11-1/4" wide, S/S, 2-rail. | 30 | 562.00 | 30 | 602.00 | 36 | 648.00 | 48 | 704.00 | 70 | 936.00 |
| SLT – Tray slide, 11-1/4" wide, S/S, 3-rail. | 30 | 710.00 | 30 | 760.00 | 40 | 818.00 | 52 | 900.00 | 75 | 1100.00 |
| SLS – Tray slide, 11-1/4" wide, S/S, solid, ribbed. | 30 | 1078.00 | 30 | 1152.00 | 40 | 1244.00 | 52 | 1358.00 | 75 | 1644.00 |
| TS – Tray slide, 12" wide, S/S, solid, ribbed, rolled edge. | 30 | 1306.00 | 30 | 1380.00 | 40 | 1472.00 | 52 | 1602.00 | 64 | 1932.00 |
| SLF – Tray slide, plastic laminate with S/S runners. | 30 | 970.00 | 30 | 1080.00 | 40 | 1200.00 | 52 | 1368.00 | 75 | 1610.00 |
| WORK SHELVES & END SHELVES: | | | | | | | | | | |
| SH – Work shelf, 8" wide, S/S. | 30 | 718.00 | 30 | 812.00 | 32 | 906.00 | 38 | 990.00 | 65 | 1218.00 |
| CB – Work shelf, 8" wide, hardwood maple. | 30 | 550.00 | 30 | 670.00 | 34 | 718.00 | 38 | 1030.00 | 65 | 1072.00 |
| CR – Work shelf, 8" wide, Richlite. | 30 | 710.00 | 30 | 862.00 | 35 | 1054.00 | 40 | 1304.00 | 65 | 1476.00 |
| ES – End shelf, S/S. | 14 | 812.00 | 14 | 812.00 | 14 | 812.00 | 14 | 812.00 | 14 | 812.00 |
| CBE – End shelf, hardwood maple. | 20 | 796.00 | 20 | 796.00 | 20 | 796.00 | 20 | 796.00 | 20 | 796.00 |
| FOOD GUARDS | | | | | | | | | | |
| PROTECTOR CASES & ACCESSORIES: | | | | | | | | | | |
| PRC – Protector case, w/ (2) Glass End Panels. | 43 | 1184.00 | 78 | 1372.00 | 65 | 1620.00 | 80 | 2038.00 | 170 | 2510.00 |
| PRCL – Protector case with lights, w/ (2) Glass End Panels. | 48 | 1836.00 | 62 | 2188.00 | 74 | 2452.00 | 92 | 3098.00 | 185 | 3548.00 |
| PRHC – Protector case with food warmer, w/ (2) Glass End Pnl. | 50 | 2232.00 | 63 | 2388.00 | 76 | 2894.00 | 94 | 3478.00 | 190 | 3888.00 |
| PRHCL – Protector case, 18" high, with heat lamps, (2) End Pnl. | 50 | 2012.00 | 66 | 2224.00 | 80 | 2650.00 | 100 | 3278.00 | 195 | 3766.00 |
| PRVC – Protector case, sneeze guard only. | 35 | 778.00 | 60 | 882.00 | 45 | 1028.00 | 55 | 1202.00 | 110 | 1316.00 |
| PRGT – Protector case with glass top. | 53 | 1266.00 | 65 | 1454.00 | 75 | 1686.00 | 90 | 1876.00 | 185 | 2084.00 |
| #8011 – Plexiglas end enclosures for PR series (per set). | 6 | 264.00 | 6 | 264.00 | 6 | 264.00 | 6 | 264.00 | 6 | 264.00 |
| LF – Fluorescent light fixture. | 8 | 512.00 | 10 | 588.00 | 12 | 630.00 | 15 | 828.00 | 20 | 920.00 |
| FW – Food warmer installed. | 8 | 1176.00 | 10 | 1224.00 | 13 | 1282.00 | 17 | 1474.00 | 20 | 1570.00 |
| FW L – Food warmer with lights. | 8 | 1416.00 | 10 | 1860.00 | 13 | 2012.00 | 17 | 2390.00 | 20 | 2708.00 |
| ADJ – Adjustable front sneeze guard. | 8 | 366.00 | 8 | 382.00 | 8 | 740.00 | 8 | 774.00 | 8 | 844.00 |
| SG – Plexiglas sneeze guard. | 30 | 894.00 | 30 | 914.00 | 38 | 950.00 | 60 | 1002.00 | 110 | 1088.00 |
| CPS – Curved Plexiglas sneeze guard. | 15 | 1318.00 | 17 | 1490.00 | 22 | 1760.00 | 27 | 2024.00 | 32 | 2574.00 |
| PR-OVSH – 12" Flat Overshelf, S/S, 14" High 1x1" Legs. | 40 | 1084.00 | 50 | 1358.00 | 60 | 1626.00 | 70 | 1896.00 | 80 | 2168.00 |
| CUSTOM SNEEZE GUARDS-CSG SERIES: W/ (2) TEMPERED GLASS END PANELS EACH | | | | | | | | | | |
| CSG-A – Protector case glass top & front. | 60 | 3084.00 | 72 | 3246.00 | 82 | 4004.00 | 98 | 4916.00 | 112 | 5566.00 |
| CSG-B – Protector case glass top middle & front. | 70 | 3606.00 | 88 | 3782.00 | 102 | 4788.00 | 122 | 5794.00 | 140 | 6764.00 |
| CSG-D – Protector case glass top & front. | 65 | 3332.00 | 80 | 3634.00 | 90 | 4662.00 | 110 | 5690.00 | 130 | 6660.00 |
| CSG-F – Front vertical glass only. | 32 | 1794.00 | 40 | 2004.00 | 48 | 2456.00 | 56 | 3028.00 | 64 | 3670.00 |
| CSG-I – Single post self service. | 25 | 1504.00 | 30 | 1600.00 | 34 | 1996.00 | 40 | 2324.00 | 42 | 2660.00 |
| CSG-J – Double post buffet canopy. | 42 | 2174.00 | 50 | 2500.00 | 60 | 3098.00 | 74 | 3836.00 | 82 | 4304.00 |
| CSG-L – Display case self service. | 70 | 3124.00 | 90 | 3564.00 | 110 | 4346.00 | 140 | 5502.00 | 170 | 6486.00 |
| CSG-M – Buffet canopy dual service. | 85 | 3770.00 | 110 | 4192.00 | 134 | 4922.00 | 166 | 6554.00 | 202 | 7564.00 |
| CSG-N – Double deck display. | 112 | 4508.00 | 140 | 5010.00 | 168 | 5822.00 | 206 | 8812.00 | 234 | 10394.00 |
| OPTIONAL CSG ACCESSORIES: | | | | | | | | | | |
| CSG-FL – Fluorescent lights. | 6 | 1100.00 | 8 | 1176.00 | 10 | 1638.00 | 12 | 1656.00 | 14 | 1728.00 |
| CSG-FW – Food warmer. | 16 | 1068.00 | 22 | 1128.00 | 30 | 1200.00 | 35 | 1432.00 | 42 | 1540.00 |
| CSG-FWL – Food warmer with lights. | 20 | 1472.00 | 25 | 1656.00 | 30 | 1870.00 | 35 | 2684.00 | 45 | 2938.00 |
| CSG-ASG – Adjustable front sneeze guard. | 16 | 844.00 | 22 | 862.00 | 30 | 1682.00 | 35 | 1824.00 | 42 | 1958.00 |
| CSG-EG – End glass (sets). | 10 | 674.00 | 10 | 674.00 | 10 | 674.00 | 10 | 674.00 | 10 | 674.00 |
| CSG-PC – Powder coating. | - | 444.00 | - | 590.00 | - | 664.00 | - | 796.00 | - | 882.00 |

MOBILE MODULAR UNITS

Optional Accessories continued

| | -2 | | -3 | | -4 | | -5 | | -6 | |
|---|-----|---------|-----|---------|-----|---------|-----|---------|-----|---------|
| | WT. | PRICE | WT. | PRICE | WT. | PRICE | WT. | PRICE | WT. | PRICE |
| DOUBLE DECK DISPLAY CASES & ACCESSORIES: | | | | | | | | | | |
| DDC – Double deck display case. | 80 | 2790.00 | 118 | 3072.00 | 155 | 3868.00 | 185 | 4156.00 | 270 | 4750.00 |
| DDLDC – Double deck display case with fluorescent lights. | 100 | 4048.00 | 140 | 4426.00 | 175 | 5128.00 | 205 | 5820.00 | 290 | 6452.00 |
| DDDC – Double deck display case, dual service. | 150 | 3374.00 | 185 | 3730.00 | 220 | 5018.00 | 245 | 5500.00 | 290 | 6066.00 |
| DTC – Triple deck display case. | 160 | 3478.00 | 195 | 3822.00 | 250 | 5160.00 | 310 | 5756.00 | 370 | 6068.00 |
| DTLC – Triple deck display case with fluorescent lights. | 165 | 5118.00 | 215 | 5756.00 | 255 | 6934.00 | 315 | 8202.00 | 375 | 8642.00 |
| #8012 – Plexiglas end enclosures for DDC series (per set). | 12 | 308.00 | 12 | 308.00 | 12 | 308.00 | 12 | 308.00 | 12 | 308.00 |
| BUFFET CANOPIES & ACCESSORIES: OS - CANOPIES INCLUDE (2) PLEXIGLAS END ENCLOSURES EACH | | | | | | | | | | |
| OSC-X – Buffet style canopy, single service, less lights. | 43 | 1446.00 | 56 | 1626.00 | 68 | 1906.00 | 80 | 2282.00 | 150 | 2424.00 |
| OSC – Buffet canopy, single service, with fluorescent lights. | 52 | 1840.00 | 64 | 2072.00 | 80 | 2244.00 | 92 | 2682.00 | 175 | 3032.00 |
| OSHC – Buffet style canopy, single service, with heat lamps. | 62 | 2178.00 | 70 | 2502.00 | 82 | 2886.00 | 96 | 3198.00 | 188 | 3590.00 |
| OSDC-X – Buffet style canopy, dual service, less lights. | 55 | 1758.00 | 66 | 1960.00 | 78 | 2224.00 | 92 | 2624.00 | 178 | 2928.00 |
| OSDC – Buffet canopy, dual service, with fluorescent lights. | 57 | 2196.00 | 110 | 2470.00 | 90 | 2736.00 | 103 | 3282.00 | 196 | 3388.00 |
| OSDHC – Buffet style canopy service, with heat lamps. | 65 | 2232.00 | 73 | 2662.00 | 85 | 3072.00 | 99 | 3464.00 | 195 | 3770.00 |
| OSLC – Slim-Line buffet overshef, single service, with lights. | 64 | 2100.00 | 80 | 2618.00 | 92 | 2920.00 | – | – | – | – |
| #8000-1 – Plexiglas end enclosures for OSD series (per set). | 6 | 366.00 | 6 | 366.00 | 6 | 366.00 | 6 | 366.00 | 6 | 366.00 |
| BC – Canopy, S/S, with sneeze guard, single service. | 30 | 2012.00 | 35 | 2284.00 | 50 | 2630.00 | 72 | 3574.00 | 90 | 4220.00 |
| BCD – Canopy, S/S, with sneeze guards, dual service. | 45 | 2440.00 | 50 | 2584.00 | 65 | 2948.00 | 85 | 3888.00 | 115 | 4628.00 |
| BCFT – Canopy, S/S, flip-top sneeze guard, single service. | 40 | 2674.00 | 45 | 2808.00 | 60 | 3180.00 | 82 | 3716.00 | 100 | 4540.00 |
| BCDFT – Canopy, S/S, flip-top sneeze guards, dual service. | 55 | 3216.00 | 60 | 3330.00 | 75 | 3660.00 | 98 | 4628.00 | 125 | 5364.00 |
| FL – Fluorescent lights for S/S Canopy. | 8 | 404.00 | 10 | 486.00 | 12 | 540.00 | 15 | 612.00 | 18 | 630.00 |
| LTC – Laminate trim. | 6 | 354.00 | 6 | 354.00 | 7 | 354.00 | 8 | 354.00 | 8 | 354.00 |
| MISCELLANEOUS ACCESSORIES: | | | | | | | | | | |
| S – Stainless steel front panel in lieu of standard finish. | 30 | 144.00 | 30 | 152.00 | 30 | 168.00 | 45 | 200.00 | 110 | 224.00 |
| EPA - End panel, standard (CA-units). | 5 | 314.00 | 5 | 314.00 | 5 | 314.00 | 5 | 314.00 | 5 | 314.00 |
| EPS – End panel, stainless steel. | 10 | 386.00 | 10 | 386.00 | 10 | 386.00 | 10 | 386.00 | 10 | 386.00 |
| RP – Fixed rear panel. | 8 | 446.00 | 12 | 512.00 | 15 | 606.00 | 20 | 670.00 | 30 | 1020.00 |
| RPS – Removable sliding doors. | 5 | 972.00 | 8 | 1118.00 | 10 | 1358.00 | 12 | 1452.00 | 14 | 1626.00 |
| REVERSA PANEL – (Front) (BL). | 12 | 704.00 | 15 | 812.00 | 18 | 978.00 | 25 | 1286.00 | 30 | 1402.00 |
| REVERSA PANEL – (End) (BL) Per Set. | 10 | 558.00 | 10 | 558.00 | 10 | 558.00 | 10 | 558.00 | 10 | 558.00 |
| DL – Door locks (set). | 1 | 212.00 | 1 | 212.00 | 1 | 212.00 | 1 | 212.00 | 1 | 212.00 |
| US – Undershelf, S/S, removable. | 16 | 560.00 | 20 | 630.00 | 26 | 752.00 | 32 | 908.00 | 40 | 1072.00 |
| USB – Bottom shelf, S/S (BL-units). | 14 | 654.00 | 17 | 706.00 | 28 | 760.00 | 37 | 844.00 | 42 | 1006.00 |
| USM - Middle shelf, S/S (BL-units) | 14 | 654.00 | 17 | 706.00 | 28 | 760.00 | 37 | 844.00 | 42 | 1006.00 |
| USMB – Undershelves, S/S, middle & bottom (BL-units). | 28 | 1052.00 | 34 | 1308.00 | 56 | 1472.00 | 74 | 1674.00 | – | 1908.00 |
| GP – Vinyl graphic package, front panel. | – | 730.00 | – | 884.00 | – | 1070.00 | – | 1234.00 | – | 1454.00 |
| GPE – Vinyl graphic package, end panel. | – | 564.00 | – | 564.00 | – | 564.00 | – | 564.00 | – | 564.00 |
| PP – Painted panels on (3) sides | – | 402.00 | – | 402.00 | – | 402.00 | – | 402.00 | – | 402.00 |
| WFB – Perforated false bottom, S/S. | 10 | 260.00 | 12 | 336.00 | 21 | 440.00 | 31 | 512.00 | 35 | 626.00 |
| CO – Convenience outlet with cord. | 2 | 336.00 | 2 | 336.00 | 2 | 336.00 | 2 | 336.00 | 2 | 336.00 |
| CO-DUP – Duplex receptacle. | – | 380.00 | – | 380.00 | – | 380.00 | – | 380.00 | – | 380.00 |
| CP – Cover plate with handle, S/S. | 30 | 250.00 | 35 | 318.00 | 40 | 400.00 | 45 | 558.00 | 80 | 690.00 |
| SC – Square cutout. | – | 232.00 | – | 232.00 | – | 232.00 | – | 232.00 | – | 232.00 |
| RC – Round cutout. | – | 160.00 | – | 160.00 | – | 160.00 | – | 160.00 | – | 160.00 |
| RST – Reinforced s/s top. | 15 | 566.00 | 20 | 654.00 | 25 | 746.00 | 30 | 858.00 | 35 | 990.00 |
| P-CAST – Polyurethane casters, 2-W/Brakes. | – | 306.00 | – | 306.00 | – | 306.00 | – | 306.00 | – | 306.00 |
| BSF – Front skirt with recessed casters (CA units only). | 15 | 752.00 | 18 | 784.00 | 24 | 800.00 | 30 | 866.00 | 35 | 988.00 |
| BSE – End skirt (CA units only). | 30 | 210.00 | 30 | 210.00 | 30 | 210.00 | 30 | 210.00 | 30 | 210.00 |
| BSR – Rear skirt (CA units only). | 15 | 212.00 | 18 | 238.00 | 24 | 264.00 | 30 | 318.00 | 35 | 446.00 |
| MS - Master on/off switch | 2 | 370.00 | 2 | 370.00 | 2 | 370.00 | 2 | 370.00 | 2 | 370.00 |

MOBILE MODULAR UNITS

Accessories (End Views)




SL - Tray slide 2 bar



SLT - Tray slide 3 bar



PRC - Protector case




BC - Buffet canopy (single)



SLF - Tray slide solid



OSDC - Buffet canopy (dual)




BCDFT - Buffet canopy (dual)




BCFT - Buffet canopy single flip top




TS - Tray slide solid



OSC - Buffet canopy (single)



DDC - Double deck display



BCDFT - Buffet canopy dual flip top



CB - 1-1/2 x 8 Maple shelf



SH - 8" wide, Stainless steel shelf



SG - Sneeze guard



CSG-A



CSG-B



CSG-D



CSG-F



CSG-I



CSG-J



CSG-L



CSG-M



CSG-N

DISH DISPENSERS

Drop-in – Self-Leveling



PD Series

UNHEATED OPEN TUBE – Field Adjustable

| MODEL | DIMENSIONS (DIA.) | | NOMINAL CHINA RANGE | SHIP WT. (LBS.) | LIST PRICE |
|-----------|-------------------|---------|---------------------|-----------------|------------|
| | FLANGE | OPENING | | | |
| PD-5 | 8-3/8" | 7-3/4" | 3-1/2 - 5" | 12 | 670.00 |
| PD-5 3/4 | 9-1/8" | 8-1/2" | 5-1/8 - 5-3/4" | 13 | 678.00 |
| PD-6 1/2 | 9-7/8" | 9-1/4" | 5-5/8 - 6-1/2" | 14 | 696.00 |
| PD-7 1/4 | 10-5/8" | 10" | 6-7/8 - 7-1/4" | 16 | 760.00 |
| PD-8 1/8 | 11-1/2" | 10-7/8" | 7-3/8 - 8-1/8" | 18 | 790.00 |
| PD-9 1/8 | 12-1/2" | 11-7/8" | 8-1/4 - 9-1/8" | 20 | 826.00 |
| PD-10 1/8 | 13-1/2" | 12-7/8" | 9-1/4 - 10-1/8" | 23 | 886.00 |
| PD-12 | 15-3/8" | 14-3/4" | 10-3/4 - 12" | 25 | 974.00 |
| PD-14-1/2 | 17-7/8" | 17-1/4" | 13 - 14-1/2" | 37 | 1324.00 |


UNHEATED SHIELDED TUBE – Field Adjustable



PDS Series

| MODEL | DIMENSIONS (DIA.) | | NOMINAL CHINA RANGE | SHIP WT. (LBS.) | LIST PRICE |
|------------|-------------------|---------|---------------------|-----------------|------------|
| | FLANGE | OPENING | | | |
| PDS-5 | 8-3/8" | 7-3/4" | 3-1/2 - 5" | 17 | 790.00 |
| PDS-5 3/4 | 9-1/8" | 8-1/2" | 5-1/8 - 5-3/4" | 19 | 816.00 |
| PDS-6 1/2 | 9-7/8" | 9-1/4" | 5-5/8 - 6-1/2" | 21 | 840.00 |
| PDS-7 1/4 | 10-5/8" | 10" | 6-7/8 - 7-1/4" | 23 | 900.00 |
| PDS-8 1/8 | 11-1/2" | 10-7/8" | 7-3/8 - 8-1/8" | 25 | 988.00 |
| PDS-9 1/8 | 12-1/2" | 11-7/8" | 8-1/4 - 9-1/8" | 27 | 1048.00 |
| PDS-10 1/8 | 13-1/2" | 12-7/8" | 9-1/4 - 10-1/8" | 31 | 1074.00 |
| PDS-12 | 15-3/8" | 14-3/4" | 10-3/4 - 12" | 36 | 1166.00 |
| PDS-14-1/2 | 17-7/8" | 17-1/4" | 13 - 14-1/2" | 45 | 1554.00 |

HEATED SHIELDED TUBE – Field Adjustable



PDH Series

| MODEL | DIMENSIONS (DIA.) | | NOMINAL CHINA RANGE | ELECTRICAL 120 volts - 1 ph. | SHIP WT. (LBS.) | LIST PRICE |
|------------|-------------------|---------|---------------------|------------------------------|-----------------|------------|
| | FLANGE | OPENING | | | | |
| PDH-5 | 8-3/8" | 7-3/4" | 3-1/2 - 5" | 210 W - 1.8 amps. | 17 | 1206.00 |
| PDH-5 3/4 | 9-1/8" | 8-1/2" | 5-1/8 - 5-3/4" | 240 W - 2.0 amps. | 19 | 1252.00 |
| PDH-6 1/2 | 9-7/8" | 9-1/4" | 5-5/8 - 6-1/2" | 270 W - 2.3 amps. | 21 | 1304.00 |
| PDH-7 1/4 | 10-5/8" | 10" | 6-7/8 - 7-1/4" | 300 W - 2.5 amps. | 23 | 1474.00 |
| PDH-8 1/8 | 11-1/2" | 10-7/8" | 7-3/8 - 8-1/8" | 330 W - 2.8 amps. | 25 | 1520.00 |
| PDH-9 1/8 | 12-1/2" | 11-7/8" | 8-1/4 - 9-1/8" | 380 W - 3.2 amps. | 27 | 1590.00 |
| PDH-10 1/8 | 13-1/2" | 12-7/8" | 9-1/4 - 10-1/8" | 420 W - 3.5 amps. | 31 | 1678.00 |
| PDH-12 | 15-3/8" | 14-3/4" | 10-3/4 - 12" | 500 W - 4.2 amps. | 36 | 1846.00 |
| PDH-14-1/2 | 17-7/8" | 17-1/4" | 13 - 14-1/2" | 550W - 4.6 amps. | 45 | 2188.00 |

THERMAL AIR HEATING

| MODEL | DIMENSIONS (DIA.) | | NOMINAL CHINA RANGE | ELECTRICAL 120 volts - 1 ph. | SHIP WT. (LBS.) | LIST PRICE |
|---------------|-------------------|---------|---------------------|------------------------------|-----------------|------------|
| | FLANGE | OPENING | | | | |
| PDH-TA-9-1/8 | 12-1/2" | 11-7/8" | 8-1/4 - 9-1/8" | 535W - 4.5 amps. | 28 | 1990.00 |
| PDH-TA-10-1/8 | 13-1/2" | 12-7/8" | 9-1/4" - 10-1/8" | 535W - 4.5 amps. | 33 | 2104.00 |
| PDH-TA-12 | 15-3/8" | 14-3/4" | 10-3/4 - 12" | 535W - 4.5 amps. | 35 | 2358.00 |
| PDH-TA-14-1/2 | 17-7/8" | 17-1/4" | 13 - 14-1/2" | 535W - 4.5 amps. | 38 | 2568.00 |

NOTE: Under counter clearance is 27-1/2" to 29". Each tube dispenser holds approximately 72 plates or 36 bowls; CAPACITY MAY VARY depending on plate or bowl manufacturer. FREIGHT CLASS – UPS.

ACCESSORIES

| | WT. | PRICE | | WT. | PRICE |
|---|-----|-------|--|-----|--------|
| • Modify tube depth. | - | 10% | • Stainless steel pre-heat tube covers | | |
| • 220/240 volt operation (specify). . . | - | N/C | size 5 to 7-1/4. | 2 | 190.00 |
| • Stainless steel trays to convert | | | size 8-1/8 to 12. | 4 | 226.00 |
| PD-12 to cup dispenser. | 2 | 44.00 | PDOH series units. | 4 | 234.00 |


NOTE: PD-SQ (square) dish tubes are available for larger diameter round plates. **Contact Factory** – sample plate or tracing required.

PLATTER DISPENSERS

Drop-in – Self-Leveling – Oval Plates

UNHEATED OPEN TUBE

Field Adjustable




PDO Series

DIMENSIONS

| MODEL | FLANGE L x W | OPENING L x W | MAXIMUM DISH SIZE | SHIP WT. (LBS.) | LIST PRICE |
|-------------|------------------|------------------|----------------------|--------------------|---------------|
| PDO-8 1/2 | 12 x 10-1/8" | 11 x 9-1/8" | 8-1/2 x 6-5/8" | 25 | 2186.00 |
| PDO-9 7/8 | 13-3/8 x 10-3/4" | 12-3/8 x 9-3/4" | 9-7/8 x 7-1/4" | 27 | 2186.00 |
| PDO-9 7/8L | 13-3/8 x 12-1/4" | 12-3/8 x 11-1/4" | 9-7/8 x 8-3/4" | 28 | 2186.00 |
| PDO-10 1/2 | 14 x 11-7/8" | 13 x 10-7/8" | 10-1/2 x 8-3/8" | 29 | 2342.00 |
| PDO-11 3/4 | 15-1/4 x 12-1/4" | 14-1/4 x 11-1/4" | 11-3/4 x 8-3/4" | 31 | 2342.00 |
| PDO-11 3/4L | 15-1/4 x 13-5/8" | 14-1/4 x 12-5/8" | 11-3/4 x 10-1/8" | 32 | 2342.00 |
| PDO-12 5/8 | 16-1/8 x 13" | 15-1/8 x 12" | 12-5/8 x 9-1/2" | 35 | 2450.00 |
| PDO-12 5/8L | 16-1/8 x 14-3/8" | 15-1/8 x 13-3/8" | 12-5/8 x 10-7/8" | 36 | 2450.00 |
| PDO-13 3/4 | 17-1/4 x 12-3/4" | 16-1/4 x 11-3/4" | 13-3/4 x 9-1/4" | 39 | 2450.00 |
| PDO-13 3/4L | 17-1/4 x 14-1/8" | 16-1/4 x 13-1/8" | 13-3/4 x 10-5/8" | 40 | 2450.00 |
| PDO-14 | 17-1/4 x 13-3/8" | 16-1/4 x 12-3/8" | 14 x 9-7/8" | 43 | 2522.00 |
| PDO-15 | 18-1/2 x 14-1/2" | 17-1/2 x 13-1/2" | 15 x 11" | 45 | 2522.00 |

UNHEATED SHIELDED TUBE

Field Adjustable




PDOS Series

DIMENSIONS

| MODEL | FLANGE L x W | OPENING L x W | MAXIMUM DISH SIZE | SHIP WT. (LBS.) | LIST PRICE |
|--------------|------------------|------------------|----------------------|--------------------|---------------|
| PDOS-8 1/2 | 10-1/8 x 12" | 9-1/8 x 11" | 8-1/2 x 6-5/8" | 30 | 2318.00 |
| PDOS-9 7/8 | 10-3/4 x 13-3/8" | 9-3/4 x 12-3/8" | 9-7/8 x 7-1/4" | 32 | 2318.00 |
| PDOS-9 7/8L | 13-3/8 x 12-1/4" | 12-3/8 x 11-1/4" | 9-7/8 x 8-3/4" | 33 | 2318.00 |
| PDOS-10 1/2 | 14 x 11-7/8" | 13 x 10-7/8" | 10-1/2 x 8-3/8" | 36 | 2470.00 |
| PDOS-11 3/4 | 15-1/4 x 12-1/4" | 14-1/4 x 11-1/4" | 11-3/4 x 8-3/4" | 38 | 2470.00 |
| PDOS-11 3/4L | 15-1/4 x 13-5/8" | 14-1/4 x 12-5/8" | 11-3/4 x 10-1/8" | 39 | 2470.00 |
| PDOS-12 5/8 | 16-1/8 x 13" | 15-1/8 x 12" | 12-5/8 x 9-1/2" | 40 | 2584.00 |
| PDOS-12 5/8L | 16-1/8 x 14-3/8" | 15-1/8 x 13-3/8" | 12-5/8 x 10-7/8" | 41 | 2584.00 |
| PDOS-13 3/4 | 17-1/4 x 12-3/4" | 16-1/4 x 11-3/4" | 13-3/4 x 9-1/4" | 43 | 2584.00 |
| PDOS-13 3/4L | 17-1/4 x 14-1/8" | 16-1/4 x 13-1/8" | 13-3/4 x 10-5/8" | 44 | 2584.00 |
| PDOS-14 | 17-1/4 x 13-3/8" | 16-1/4 x 12-3/8" | 14 x 9-7/8" | 46 | 3162.00 |
| PDOS-15 | 18-1/2 x 14-1/2" | 17-1/2 x 13-1/2" | 15 x 11" | 49 | 3162.00 |

HEATED SHIELDED TUBE

Field Adjustable



PDOH Series

DIMENSIONS

| MODEL | FLANGE L x W | OPENING L x W | MAXIMUM DISH SIZE | ELECTRICAL 120 volts - 1 Ph. | SHIP WT. (LBS.) | LIST PRICE |
|--------------|------------------|------------------|----------------------|---------------------------------|--------------------|---------------|
| PDOH-8 1/2 | 12 x 10-1/8" | 11 x 9-1/8" | 8-1/2 x 6-5/8" | 535 W - 4.5 amps. | 35 | 3348.00 |
| PDOH-9 7/8 | 13-3/8 x 10-3/4" | 12-3/4 x 9-3/4" | 9-7/8 x 7-1/4" | 535 W - 4.5 amps. | 37 | 3348.00 |
| PDOH-9 7/8L | 13-3/8 x 12-1/4" | 12-3/8 x 11-1/4" | 9-7/8 x 8-3/4" | 535 W - 4.5 amps. | 38 | 3348.00 |
| PDOH-10 1/2 | 14 x 11-7/8" | 13" x 10-7/8" | 10-1/2 x 8-3/8" | 535 W - 4.5 amps. | 39 | 3448.00 |
| PDOH-11 3/4 | 15-1/4 x 12-1/4" | 14-1/4 x 11-1/4" | 11-3/4 x 8-3/4" | 535 W - 4.5 amps. | 41 | 3448.00 |
| PDOH-11 3/4L | 15-1/4 x 13-5/8" | 14-1/4 x 12-5/8" | 11-3/4 x 10-1/8" | 535 W - 4.5 amps. | 42 | 3448.00 |
| PDOH-12 5/8 | 16-1/8 x 13" | 15-1/8 x 12" | 12-5/8 x 9-1/2" | 535 W - 4.5 amps. | 43 | 3660.00 |
| PDOH-12 5/8L | 16-1/8 x 14-3/8" | 15-1/8 x 13-3/8" | 12-5/8 x 10-7/8" | 535 W - 4.5 amps. | 44 | 3660.00 |
| PDOH-13 3/4 | 17-1/4 x 12-3/4" | 16-1/4 x 11-3/4" | 13-3/4 x 9-1/4" | 535 W - 4.5 amps. | 47 | 3660.00 |
| PDOH-13 3/4L | 17-1/4 x 14-1/8" | 16-1/4 x 13-1/8" | 13-3/4 x 10-5/8" | 535 W - 4.5 amps. | 48 | 3660.00 |
| PDOH-14 | 17-1/4 x 13-3/8" | 16-1/4 x 12-3/8" | 14 x 9-7/8" | 535 W - 4.5 amps. | 51 | 3868.00 |
| PDOH-15 | 18-1/2 x 14-1/2" | 17-1/2 x 13-1/2" | 15 x 11" | 535 W - 4.5 amps. | 55 | 3868.00 |


NOTE: Under counter clearance is 27-1/2" to 29". Accessories are on page 61. FREIGHT CLASS – UPS.

DISH DISPENSERS

Mobile – Enclosed – Self-Leveling

2-STACK NON-HEATED AND HEATED

Field Adjustable




MEPD2/H Series

| NON-HEATED | | | | | | HEATED | | | | | |
|--------------|---------------------|----|----|---------------------|-----|------------|----------------------------|-------|-----|------------|---------|
| MODEL | DIMENSIONS (INCHES) | | | NOMINAL CHINA RANGE | WT. | LIST PRICE | ELECTRICAL 120 volts 1 Ph. | | | LIST PRICE | |
| | L | W | H | | | | KW | Amps. | WT. | | |
| MEPD2-5 | 24 | 16 | 36 | 3-1/2 - 5" | 110 | 3134.00 | MEPD2H-5 | .42 | 3.5 | 125 | 4490.00 |
| MEPD2-5 3/4 | 24 | 16 | 36 | 5-1/8 - 5-3/4" | 112 | 3228.00 | MEPD2H-5 3/4 | .48 | 4.0 | 127 | 4498.00 |
| MEPD2-6 1/2 | 24 | 16 | 36 | 5-5/8 - 6-1/2" | 117 | 3274.00 | MEPD2H-6 1/2 | .4 | 4.5 | 131 | 4520.00 |
| MEPD2-7 1/4 | 24 | 16 | 36 | 6-7/8 - 7-1/4" | 121 | 3296.00 | MEPD2H-7 1/4 | .6 | 5.0 | 140 | 4548.00 |
| MEPD2-8 1/8 | 30 | 16 | 36 | 7-3/8 - 8-1/8" | 136 | 3482.00 | MEPD2H-8 1/8 | .66 | 5.5 | 152 | 4868.00 |
| MEPD2-9 1/8 | 30 | 16 | 36 | 8-1/4 - 9-1/8" | 138 | 3634.00 | MEPD2H-9 1/8 | .76 | 6.3 | 158 | 4914.00 |
| MEPD2-10 1/8 | 30 | 16 | 36 | 9-1/4 - 10-1/8" | 141 | 3712.00 | MEPD2H-10 1/8 | .84 | 7.0 | 162 | 4920.00 |
| MEPD2-12 | 34 | 18 | 36 | 10-3/4 - 12" | 155 | 3954.00 | MEPD2H-12 | 1.0 | 8.3 | 180 | 5346.00 |

3-STACK NON-HEATED AND HEATED

Field Adjustable




MEPD3/H Series

| NON-HEATED | | | | | | HEATED | | | | | |
|--------------|---------------------|----|----|---------------------|-----|------------|----------------------------|-------|------|------------|---------|
| MODEL | DIMENSIONS (INCHES) | | | NOMINAL CHINA RANGE | WT. | LIST PRICE | ELECTRICAL 120 volts 1 Ph. | | | LIST PRICE | |
| | L | W | H | | | | KW | Amps. | WT. | | |
| MEPD3-5 | 32 | 16 | 36 | 3-1/2 - 5" | 130 | 3836.00 | MEPD3H-5 | .63 | 5.3 | 155 | 5438.00 |
| MEPD3-5 3/4 | 32 | 16 | 36 | 5-1/8 - 5-3/4" | 135 | 4162.00 | MEPD3H-5 3/4 | .72 | 6.0 | 161 | 5660.00 |
| MEPD3-6 1/2 | 36-1/2 | 16 | 36 | 5-5/8 - 6-1/2" | 155 | 4440.00 | MEPD3H-6 1/2 | .81 | 6.8 | 186 | 5766.00 |
| MEPD3-7 1/4 | 36-1/2 | 16 | 36 | 6-7/8 - 7-1/4" | 168 | 4516.00 | MEPD3H-7 1/4 | .9 | 7.5 | 198 | 5778.00 |
| MEPD3-8 1/8 | 42 | 16 | 36 | 7-3/8 - 8-1/8" | 186 | 4674.00 | MEPD3H-8 1/8 | .99 | 8.3 | 217 | 6274.00 |
| MEPD3-9 1/8 | 42 | 16 | 36 | 8-1/4 - 9-1/8" | 192 | 4712.00 | MEPD3H-9 1/8 | 1.14 | 9.5 | 225 | 6340.00 |
| MEPD3-10 1/8 | 46 | 16 | 36 | 9-1/4 - 10-1/8" | 210 | 4830.00 | MEPD3H-10 1/8 | 1.26 | 10.5 | 244 | 6390.00 |
| MEPD3-12 | 51 | 18 | 36 | 10-3/4 - 12" | 225 | 5500.00 | MEPD3H-12 | 1.5 | 12.5 | 265 | 6440.00 |

4-STACK NON-HEATED AND HEATED

Field Adjustable



MEPD4/H Series

| NON-HEATED | | | | | | HEATED | | | | | |
|--------------|---------------------|----|----|---------------------|-----|------------|----------------------------|-------|------|------------|---------|
| MODEL | DIMENSIONS (INCHES) | | | NOMINAL CHINA RANGE | WT. | LIST PRICE | ELECTRICAL 120 volts 1 Ph. | | | LIST PRICE | |
| | L | W | H | | | | KW | Amps. | WT. | | |
| MEPD4-5 | 24 | 24 | 36 | 3-1/2 - 5" | 140 | 4890.00 | MEPD4H-5 | .840 | 7.0 | 165 | 6558.00 |
| MEPD4-5 3/4 | 24 | 24 | 36 | 5-1/8 - 5-3/4" | 145 | 5264.00 | MEPD4H-5 3/4 | .960 | 8.0 | 171 | 6696.00 |
| MEPD4-6 1/2 | 24 | 24 | 36 | 5-5/8 - 6-1/2" | 165 | 5508.00 | MEPD4H-6 1/2 | 1.08 | 9.0 | 196 | 6710.00 |
| MEPD4-7 1/4 | 24 | 24 | 36 | 6-7/8 - 7-1/4" | 178 | 5616.00 | MEPD4H-7 1/4 | 1.2 | 10.0 | 208 | 6816.00 |
| MEPD4-8 1/8 | 30 | 30 | 36 | 7-3/8 - 8-1/8" | 196 | 5998.00 | MEPD4H-8 1/8 | 1.32 | 11.0 | 227 | 7476.00 |
| MEPD4-9 1/8 | 30 | 30 | 36 | 8-1/4 - 9-1/8" | 202 | 6078.00 | MEPD4H-9 1/8 | 1.52 | 12.7 | 235 | 7496.00 |
| MEPD4-10 1/8 | 30 | 30 | 36 | 9-1/4 - 10-1/8" | 220 | 6364.00 | MEPD4H-10 1/8 | 1.68 | 14.0 | 254 | 7938.00 |
| MEPD4-12 | 34 | 34 | 36 | 10-3/4 - 12" | 235 | 7308.00 | MEPD4H-12 | 2.0 | 16.7 | 314 | 8268.00 |

NOTE: All units are provided with 4" dia. swivel casters. Each tube dispenser holds approximately 72 plates or 36 bowls; CAPACITY MAY VARY depending on plate or bowl manufacturer. Dispensers are available for platters and square plates. Contact Factory – sample plate or tracing required. FREIGHT CLASS – 92.5.

ACCESSORIES


| | WT. | PRICE | | WT. | PRICE |
|--|-----|--------|---|-----|--------|
| • Modify height | - | 10% | • Stainless steel pre-heat tube covers | | |
| • 220/240 volt operation (specify) | - | N/C | size 5 to 7-1/4 | 2 | 190.00 |
| • Stainless steel trays to convert | | | size 8-1/8 to 12 | 4 | 226.00 |
| PD-12 to cup dispenser | 2 | 44.00 | • LB - Locking brakes (set of 2) | 5 | 70.00 |
| • Plastic laminate panels (set of 4) | 15 | 400.00 | • WB - Wrap around bumpers | 8 | 394.00 |

DISH DISPENSERS

Mobile – Open – Self-Leveling

2-STACK NON-HEATED AND HEATED

Field Adjustable




MOPD2/H Series

| MODEL | NON-HEATED DIMENSIONS (INCHES) | | | NOMINAL CHINA RANGE | WT. | LIST PRICE | HEATED ELECTRICAL 120 volts 1 Ph. | | | LIST PRICE | |
|--------------|--------------------------------|--------|----|---------------------|-----|------------|-----------------------------------|-------|-----|------------|---------|
| | L | W | H | | | | KW | Amps. | WT. | | |
| MOPD2-5 | 24-5/8 | 15-1/8 | 36 | 3-1/2 - 5" | 80 | 2166.00 | MOPD2H-5 | .42 | 3.5 | 92 | 3190.00 |
| MOPD2-5 3/4 | 24-5/8 | 15-1/8 | 36 | 5-1/8 - 5-3/4" | 86 | 2350.00 | MOPD2H-5 3/4 | .48 | 4.0 | 99 | 3336.00 |
| MOPD2-6 1/2 | 24-5/8 | 15-1/8 | 36 | 5-5/8 - 6-1/2" | 88 | 2392.00 | MOPD2H-6 1/2 | .54 | 4.5 | 100 | 3470.00 |
| MOPD2-7 1/4 | 24-5/8 | 15-1/8 | 36 | 6-7/8 - 7-1/4" | 91 | 2466.00 | MOPD2H-7 1/4 | .6 | 5.0 | 106 | 3598.00 |
| MOPD2-8 1/8 | 30-3/8 | 16-1/8 | 36 | 7-3/8 - 8-1/8" | 105 | 2586.00 | MOPD2H-8 1/8 | .66 | 5.5 | 110 | 3800.00 |
| MOPD2-9 1/8 | 30-3/8 | 16-1/8 | 36 | 8-1/4 - 9-1/8" | 108 | 2684.00 | MOPD2H-9 1/8 | .76 | 6.3 | 113 | 3928.00 |
| MOPD2-10 1/8 | 30-3/8 | 16-1/8 | 36 | 9-1/4 - 10-1/8" | 112 | 2756.00 | MOPD2H-10 1/8 | .84 | 7.0 | 117 | 4094.00 |
| MOPD2-12 | 34-1/8 | 18 | 36 | 10-3/4 - 12" | 120 | 3122.00 | MOPD2H-12 | 1.0 | 8.3 | 225 | 4480.00 |

3-STACK NON-HEATED AND HEATED

Field Adjustable




MOPD3/H Series

| MODEL | NON-HEATED DIMENSIONS (INCHES) | | | NOMINAL CHINA RANGE | WT. | LIST PRICE | HEATED ELECTRICAL 120 volts 1 Ph. | | | LIST PRICE | |
|--------------|--------------------------------|--------|----|---------------------|-----|------------|-----------------------------------|-------|------|------------|---------|
| | L | W | H | | | | KW | Amps. | WT. | | |
| MOPD3-5 | 36 | 15-1/8 | 36 | 3-1/2 - 5" | 105 | 3098.00 | MOPD3H-5 | .63 | 5.3 | 115 | 4410.00 |
| MOPD3-5 3/4 | 36 | 15-1/8 | 36 | 5-1/8 - 5-3/4" | 111 | 3216.00 | MOPD3H-5 3/4 | .72 | 6.0 | 124 | 4642.00 |
| MOPD3-6 1/2 | 36 | 15-1/8 | 36 | 5-5/8 - 6-1/2" | 114 | 3402.00 | MOPD3H-6 1/2 | .81 | 6.8 | 126 | 4920.00 |
| MOPD3-7 1/4 | 36 | 15-1/8 | 36 | 6-7/8 - 7-1/4" | 116 | 3606.00 | MOPD3H-7 1/4 | .9 | 7.5 | 140 | 5108.00 |
| MOPD3-8 1/8 | 44-5/8 | 16-1/8 | 36 | 7-3/8 - 8-1/8" | 138 | 3712.00 | MOPD3H-8 1/8 | .99 | 8.3 | 150 | 5252.00 |
| MOPD3-9 1/8 | 44-5/8 | 16-1/8 | 36 | 8-1/4 - 9-1/8" | 142 | 3798.00 | MOPD3H-9 1/8 | 1.14 | 9.5 | 158 | 5500.00 |
| MOPD3-10 1/8 | 44-5/8 | 16-1/8 | 36 | 9-1/4 - 10-1/8" | 146 | 3966.00 | MOPD3H-10 1/8 | 1.26 | 10.5 | 160 | 5670.00 |
| MOPD3-12 | 50-1/4 | 18 | 36 | 10-3/4 - 12" | 170 | 4594.00 | MOPD3H-12 | 1.5 | 12.5 | 185 | 6316.00 |

4-STACK NON-HEATED AND HEATED

Field Adjustable



MOPD4/H Series

| MODEL | NON-HEATED DIMENSIONS (INCHES) | | | NOMINAL CHINA RANGE | WT. | LIST PRICE | HEATED ELECTRICAL 120 volts 1 Ph. | | | LIST PRICE | |
|--------------|--------------------------------|--------|----|---------------------|-----|------------|-----------------------------------|-------|------|------------|---------|
| | L | W | H | | | | KW | Amps. | WT. | | |
| MOPD4-5 | 24-5/8 | 24-5/8 | 36 | 3-1/2 - 5" | 125 | 3886.00 | MOPD4H-5 | .840 | 7.0 | 151 | 5660.00 |
| MOPD4-5 3/4 | 24-5/8 | 24-5/8 | 36 | 5-1/8 - 5-3/4" | 134 | 3962.00 | MOPD4H-5 3/4 | .960 | 8.0 | 163 | 5914.00 |
| MOPD4-6 1/2 | 24-5/8 | 24-5/8 | 36 | 5-5/8 - 6-1/2" | 143 | 4106.00 | MOPD4H-6 1/2 | 1.08 | 9.0 | 165 | 6260.00 |
| MOPD4-7 1/4 | 24-5/8 | 24-5/8 | 36 | 6-7/8 - 7-1/4" | 145 | 4358.00 | MOPD4H-7 1/4 | 1.2 | 10.0 | 167 | 6540.00 |
| MOPD4-8 1/8 | 30-3/8 | 30-3/8 | 36 | 7-3/8 - 8-1/8" | 175 | 4594.00 | MOPD4H-8 1/8 | 1.32 | 11.0 | 184 | 6936.00 |
| MOPD4-9 1/8 | 30-3/8 | 30-3/8 | 36 | 8-1/4 - 9-1/8" | 180 | 4772.00 | MOPD4H-9 1/8 | 1.52 | 12.7 | 188 | 7188.00 |
| MOPD4-10 1/8 | 30-3/8 | 30-3/8 | 36 | 9-1/4 - 10-1/8" | 188 | 4936.00 | MOPD4H-10 1/8 | 1.68 | 14.0 | 194 | 7440.00 |
| MOPD4-12 | 34-1/8 | 34-1/8 | 36 | 10-3/4 - 12" | 218 | 5860.00 | MOPD4H-12 | 2.0 | 16.7 | 226 | 8248.00 |


NOTE: All units are provided with 4" dia. swivel casters. Each tube dispenser holds approximately 72 plates or 36 bowls; CAPACITY MAY VARY depending on plate or bowl manufacturer. Dispensers are available for platters and square plates. Contact Factory – sample plate or tracing required. FREIGHT CLASS – 92.5.

ACCESSORIES

| | WT. | PRICE | | WT. | PRICE |
|---|-----|-------|---|-----|--------|
| • Modify height. | - | 10% | • Stainless steel pre-heat tube covers | | |
| • 220/240 volt operation (specify). . . | - | N/C | size 5 to -7-1/4. | 2 | 190.00 |
| • Stainless steel trays to convert | | | size 8-1/8 to 12. | 4 | 226.00 |
| PD-12 to cup dispenser. | 2 | 44.00 | • Corner bumpers, 3" dia. (set of 4) | | |
| • LB - Locking brakes (set of 2). | 5 | 70.00 | (non-rotating). | 6 | 76.00 |
| | | | • Rotary bumpers, 4" dia. (set of 4). . . | 8 | 148.00 |

TRAY & RACK DISPENSERS

Mobile – Self-Leveling




MET Series

ENCLOSED TRAY DISPENSER

| MODEL | DIMENSIONS (INCHES) | | | MAXIMUM TRAY SIZE (INCHES) | SHIP WT. (LBS.) | LIST PRICE |
|-----------|---------------------|--------|----|----------------------------|-----------------|------------|
| | L | W | H | | | |
| MET-1216 | 22-1/4 | 18-1/4 | 36 | 12-5/8 x 16-3/8 | 96 | 3494.00 |
| MET-1418 | 24-1/4 | 20-1/4 | 36 | 14-5/8 x 18-3/8 | 98 | 3494.00 |
| MET-1520 | 26-1/4 | 21-1/4 | 36 | 15-5/8 x 20-3/8 | 116 | 3840.00 |
| MET-1622 | 28-1/4 | 22-1/4 | 36 | 16-5/8 x 22-3/8 | 125 | 3840.00 |
| MET2-1014 | 29 | 21 | 36 | (2 ea.) 10-7/8 x 15 | 125 | 3840.00 |

FREIGHT CLASS – 92.5.



MER Series


ENCLOSED RACK DISPENSER

| MODEL | DIMENSIONS (INCHES) | | | MAXIMUM RACK SIZE (INCHES) | SHIP WT. (LBS.) | LIST PRICE |
|-----------|---------------------|--------|----|----------------------------|-----------------|------------|
| | L | W | H | | | |
| MER-1020 | 26-1/4 | 16-1/4 | 36 | 10-1/4 x 20-1/4 | 88 | 3548.00 |
| MER2-1020 | 28 | 26-1/4 | 36 | (2 ea.) 10-1/4 x 20-1/4 | 135 | 3952.00 |
| MER-2020 | 26-1/4 | 26-1/4 | 36 | 20-1/4 x 20-1/4 | 135 | 3634.00 |

FREIGHT CLASS – 92.5.

ACCESSORIES

| | WT. | PRICE | | WT. | PRICE |
|--|-----|--------|---|-----|--------|
| • Modify height. | - | 10% | • Silverware dispenser | | |
| LB - Locking brakes (set of 2). | 5 | 70.00 | SD - 6 hole – with nylon cylinders. | 25 | 740.00 |
| WB - Wrap around bumpers. | 8 | 394.00 | SD - 8 hole – with nylon cylinders. | 25 | 814.00 |
| • Trapezoid tray (per stack). | - | 184.00 | SD - 10 hole – with nylon cylinders. | 30 | 966.00 |
| • Plastic laminate panels (set of 4). | 8 | 390.00 | ND - Napkin dispensers (set of 2). | 5 | 290.00 |




MOT Series

OPEN TRAY DISPENSER

| MODEL | DIMENSIONS (INCHES) | | | MAXIMUM TRAY SIZE (INCHES) | SHIP WT. (LBS.) | LIST PRICE |
|-----------|---------------------|--------|----|----------------------------|-----------------|------------|
| | L | W | H | | | |
| MOT-1216 | 18-1/4 | 17-3/8 | 38 | 12-5/8 x 16-3/8 | 85 | 2998.00 |
| MOT-1418 | 22-1/8 | 19-3/8 | 38 | 14-5/8 x 18-3/8 | 89 | 2998.00 |
| MOT-1520 | 22-1/4 | 20-3/8 | 38 | 15-5/8 x 20-3/8 | 100 | 3046.00 |
| MOT-1622 | 24-1/8 | 21-3/8 | 38 | 16-5/8 x 22-3/8 | 104 | 3046.00 |
| MOT2-1014 | 24-3/8 | 19-3/4 | 38 | (2 ea.) 10-7/8 x 15 | 103 | 3336.00 |

FREIGHT CLASS – 92.5.



MOR Series

OPEN RACK DISPENSER

| MODEL | DIMENSIONS (INCHES) | | | MAXIMUM RACK SIZE (INCHES) | SHIP WT. (LBS.) | LIST PRICE |
|-----------|---------------------|--------|----|----------------------------|-----------------|------------|
| | L | W | H | | | |
| MOR-1020 | 22-1/4 | 15-3/8 | 38 | 10-1/4 x 20-1/4 | 90 | 2786.00 |
| MOR2-1020 | 23-1/2 | 25-3/8 | 38 | (2 ea.) 10-1/4 x 20-1/4 | 97 | 3124.00 |
| MOR-2020 | 22-1/4 | 25-3/8 | 38 | 20-1/4 x 20-1/4 | 96 | 2826.00 |

FREIGHT CLASS – 92.5.


ACCESSORIES

| | WT. | PRICE | | WT. | PRICE |
|--|-----|--------|---|-----|--------|
| • Modify height. | - | 10% | • Silverware dispenser | | |
| LB - Locking brakes (set of 2). | 5 | 70.00 | SD - 6 hole – with nylon cylinders. | 25 | 740.00 |
| WB - Wrap around bumpers. | 8 | 394.00 | SD - 8 hole – with nylon cylinders. | 25 | 814.00 |
| • Trapezoid tray (per stack). | - | 184.00 | SD - 10 hole – with nylon cylinders. | 30 | 966.00 |
| | | | ND - Napkin dispensers (set of 2). | 5 | 290.00 |

TRAY & RACK DISPENSERS

Mobile – Self-Leveling

OPEN MULTI-STACK TRAY DISPENSER




MST2 Series

| MODEL | DIMENSIONS (INCHES) | | | MAXIMUM TRAY SIZE (INCHES) | SHIP WT. (LBS.) | LIST PRICE |
|-----------|---------------------|--------|----|----------------------------|-----------------|------------|
| | L | W | H | | | |
| MST2-1216 | 34-5/8 | 18-1/4 | 38 | 12-5/8 x 16-3/8 | 140 | 4008.00 |
| MST2-1418 | 38-5/8 | 22-1/8 | 38 | 14-5/8 x 18-3/8 | 144 | 4008.00 |
| MST2-1520 | 40-5/8 | 22-1/4 | 38 | 15-5/8 x 20-3/8 | 146 | 4076.00 |
| MST2-1622 | 42-5/8 | 22-1/8 | 38 | 16-5/8 x 22-3/8 | 148 | 4076.00 |
| MST4-1014 | 39-3/8 | 24-3/8 | 38 | (4 ea.) 10-7/8 x 15 | 154 | 4358.00 |

FREIGHT CLASS – 92.5.

OPEN MULTI-STACK RACK DISPENSER



MSR2 Series


| MODEL | DIMENSIONS (INCHES) | | | MAXIMUM RACK SIZE (INCHES) | SHIP WT. (LBS.) | LIST PRICE |
|-----------|---------------------|--------|----|----------------------------|-----------------|------------|
| | L | W | H | | | |
| MSR4-1020 | 50-5/8 | 23-1/2 | 38 | (4 ea.) 10-1/4 x 20-1/4 | 164 | 4474.00 |
| MSR2-2020 | 50-5/8 | 22-1/4 | 38 | 20-1/4 x 20-1/4 | 164 | 4382.00 |

FREIGHT CLASS – 92.5.

ACCESSORIES

| | WT. | PRICE | | WT. | PRICE |
|--|-----|--------|---|-----|--------|
| • Modify height. | - | 10% | • Silverware dispenser | | |
| LB - Locking brakes (set of 2). | 5 | 70.00 | SD - 6 hole – with nylon cylinders. . . | 25 | 740.00 |
| - Wrap around bumpers. | 8 | 394.00 | SD - 8 hole – with nylon cylinders. . . | 25 | 814.00 |
| • Trapezoid tray (per stack). | - | 184.00 | SD - 10 hole – with nylon cylinders. . . | 30 | 966.00 |
| | | | ND - Napkin dispensers (set of 2). . . | 5 | 290.00 |

OPEN TUBULAR FRAME TRAY DISPENSER




TFT Series

| MODEL | DIMENSIONS (INCHES) | | | MAXIMUM TRAY SIZE (INCHES) | SHIP WT. (LBS.) | LIST PRICE |
|-----------|---------------------|--------|--------|----------------------------|-----------------|------------|
| | L | W | H | | | |
| TFT-1216 | 19 | 17-5/8 | 36-3/4 | 12-5/8 x 16-3/8 | 72 | 1968.00 |
| TFT-1418 | 21 | 19-5/8 | 36-3/4 | 14-5/8 x 18-3/8 | 75 | 1968.00 |
| TFT-1520 | 23 | 20-5/8 | 36-3/4 | 15-5/8 x 20-3/8 | 84 | 2116.00 |
| TFT-1622 | 25 | 21-5/8 | 36-3/4 | 16-5/8 x 22-3/8 | 100 | 2116.00 |
| TFT2-1014 | 25 | 20 | 36-3/4 | (2 ea.) 10-7/8 x 15 | 100 | 2442.00 |

FREIGHT CLASS – 92.5.

OPEN TUBULAR FRAME RACK DISPENSER



TFR Series

| MODEL | DIMENSIONS (INCHES) | | | MAXIMUM RACK SIZE (INCHES) | SHIP WT. (LBS.) | LIST PRICE |
|-----------|---------------------|--------|--------|----------------------------|-----------------|------------|
| | L | W | H | | | |
| TFR-1020 | 23 | 15-5/8 | 36-3/4 | 10-1/4 x 20-1/4 | 82 | 1982.00 |
| TFR2-1020 | 24-3/8 | 25-5/8 | 36-3/4 | (2 ea.) 10-1/4 x 20-1/4 | 110 | 2482.00 |
| TFR-2020 | 23 | 25-5/8 | 36-3/4 | 20-1/4 x 20-1/4 | 108 | 2222.00 |

FREIGHT CLASS – 92.5.

ACCESSORIES

| | WT. | PRICE | | WT. | PRICE |
|--|-----|--------|---|-----|--------|
| • Modify height. | - | 10% | • Silverware dispenser | | |
| LB - Locking brakes (set of 2). | 5 | 70.00 | SD - 6 hole – with nylon cylinders. . . | 25 | 740.00 |
| • Trapezoid tray (per stack). | - | 184.00 | SD - 8 hole – with nylon cylinders. . . | 25 | 814.00 |
| | | | SD - 10 hole – with nylon cylinders. . . | 30 | 966.00 |
| | | | ND - Napkin dispensers (set of 2). . . | 5 | 290.00 |

TRAY & RACK DISPENSERS

Self-Leveling

MOBILE CANTILEVER TRAY DISPENSER

Field Adjustable




MCT Series

| MODEL | DIMENSIONS (INCHES) | | | MAXIMUM TRAY SIZE (INCHES) | SHIP WT. (LBS.) | LIST PRICE |
|----------|---------------------|----|----|----------------------------|-----------------|------------|
| | L | W | H | | | |
| MCT-1216 | 22 | 17 | 36 | 12-5/8 x 16-3/8 | 128 | 2914.00 |
| MCT-1418 | 28 | 17 | 36 | 14-5/8 x 18-3/8 | 133 | 2914.00 |
| MCT-1520 | 30 | 17 | 36 | 15-5/8 x 20-3/8 | 140 | 2928.00 |
| MCT-1622 | 32 | 17 | 36 | 16-5/8 x 22-3/8 | 145 | 2928.00 |
| MCT-1014 | 22 | 17 | 36 | 10-7/8 x 15 | 145 | 2928.00 |

FREIGHT CLASS – 92.5.

ACCESSORIES

| | WT. | PRICE | | WT. | PRICE |
|---|-----|--------|---|-----|--------|
| • Modify height. | - | 10% | • Silverware dispenser | | |
| LB - Locking brakes (set of 2). | 5 | 70.00 | SD - 6 hole – with nylon cylinders. . . | 25 | 740.00 |
| WB - Wrap around bumpers. | 8 | 394.00 | SD - 8 hole – with nylon cylinders. . . | 25 | 814.00 |
| ND - Napkin dispensers (set of 2). | 5 | 290.00 | SD - 10 hole – with nylon cylinders. . . | 30 | 966.00 |



MCR Series

MOBILE CANTILEVER RACK DISPENSER

Field Adjustable

| MODEL | DIMENSIONS (INCHES) | | | MAXIMUM RACK SIZE (INCHES) | SHIP WT. (LBS.) | LIST PRICE |
|----------|---------------------|----|----|----------------------------|-----------------|------------|
| | L | W | H | | | |
| MCR-1020 | 20 | 21 | 36 | 10-1/4 x 20-1/4 | 130 | 2834.00 |
| MCR-2020 | 30 | 21 | 36 | 20-1/4 x 20-1/4 | 150 | 2876.00 |


FREIGHT CLASS – 92.5.

ACCESSORIES

| | WT. | PRICE |
|--|-----|--------|
| LB - Locking brakes (set of 2). | 5 | 70.00 |
| WB - Wrap around bumpers. | 8 | 394.00 |

NOTE: MCT & MCR units include (4 ea.) 4" dia. heavy duty swivel casters.

WALL MOUNTED TUBULAR TRAY DISPENSER




WMT Series

| MODEL | DIMENSIONS (INCHES) | | | MAXIMUM TRAY SIZE (INCHES) | SHIP WT. (LBS.) | LIST PRICE |
|-----------|---------------------|----------|--------|----------------------------|-----------------|------------|
| | L | W | H | | | |
| WMT-1418 | 22-3/8 | 19-3/8 | 32-5/8 | 14-5/8 x 18-3/8 | 71 | 2334.00 |
| WMT-1622 | 26-3/8 | 21-3/8 | 32-5/8 | 16-5/8 x 22-3/8 | 100 | 2408.00 |
| WMT2-1014 | 26-3/8 | 19-13/16 | 32-5/8 | (2 ea.) 10-7/8 x 15 | 98 | 2682.00 |

FREIGHT CLASS – 92.5.

ACCESSORIES

| | WT. | PRICE | | WT. | PRICE |
|---|-----|--------|---|-----|--------|
| • Tray dolly. | 25 | 570.00 | • Silverware dispenser | | |
| LB - Locking brakes (set of 2). | 5 | 70.00 | SD - 6 hole – with nylon cylinders. . . | 25 | 740.00 |
| • Trapezoid tray (per stack). | - | 184.00 | SD - 8 hole – with nylon cylinders. . . | 25 | 814.00 |
| ND - Napkin dispensers (set of 2). | 5 | 290.00 | SD - 10 hole – with nylon cylinders. . . | 30 | 966.00 |



WMR Series

WALL MOUNTED TUBULAR RACK DISPENSER

| MODEL | DIMENSIONS (INCHES) | | | MAXIMUM RACK SIZE (INCHES) | SHIP WT. (LBS.) | LIST PRICE |
|-----------|---------------------|--------|--------|----------------------------|-----------------|------------|
| | L | W | H | | | |
| WMR-1020 | 25-3/8 | 15-3/8 | 32-5/8 | 10-1/4 x 20-1/4 | 68 | 2318.00 |
| WMR2-1020 | 25-3/8 | 25-3/8 | 32-5/8 | (2 ea.) 10-1/4 x 20-1/4 | 100 | 2318.00 |

FREIGHT CLASS – 92.5.


ACCESSORIES

| | WT. | PRICE |
|--|-----|--------|
| • Rack dolly. | 25 | 570.00 |
| • RD-2020 Rack dolly W/Handle. | -- | 668.00 |

TRAY & RACK DISPENSERS

Self-Leveling

WALL MOUNTED CANTILEVER TRAY DISPENSER



WMCT Series


| MODEL | DIMENSIONS (INCHES) | | | MAXIMUM TRAY SIZE (INCHES) | SHIP WT. (LBS.) | LIST PRICE |
|-----------|---------------------|----|----|----------------------------|-----------------|------------|
| | L | W | H | | | |
| WMCT-1014 | 20 | 17 | 32 | 10-7/8 x 15 | 82 | 2470.00 |
| WMCT-1216 | 20 | 17 | 32 | 12-5/8 x 16-3/8 | 82 | 2744.00 |
| WMCT-1418 | 26 | 17 | 32 | 14-5/8 x 18-3/8 | 102 | 2542.00 |
| WMCT-1520 | 28 | 17 | 32 | 15-5/8 x 20-3/8 | 106 | 2542.00 |
| WMCT-1622 | 30 | 17 | 32 | 16-5/8 x 22-3/8 | 115 | 2568.00 |

FREIGHT CLASS – 92.5.

ACCESSORIES

| | WT. | PRICE | | WT. | PRICE |
|------------------------------------|-----|--------|-------------------------------------|-----|--------|
| • Tray dolly..... | 25 | 570.00 | • Silverware dispenser | | |
| ND - Napkin dispensers (set of 2). | 5 | 290.00 | SD - 6 hole – with nylon cylinders. | 25 | 740.00 |
| | | | SD - 8 hole – with nylon cylinders. | 25 | 814.00 |
| | | | SD - 10 hole – with nylon cylinders | 30 | 966.00 |

WALL MOUNTED CANTILEVER RACK DISPENSER



WMCR Series


| MODEL | DIMENSIONS (INCHES) | | | MAXIMUM RACK SIZE (INCHES) | SHIP WT. (LBS.) | LIST PRICE |
|-----------|---------------------|----|----|----------------------------|-----------------|------------|
| | L | W | H | | | |
| WMCR-1020 | 18 | 21 | 32 | 10-1/4 x 20-1/4 | 90 | 2256.00 |
| WMCR-2020 | 28 | 21 | 32 | 20-1/4 x 20-1/4 | 102 | 2560.00 |

FREIGHT CLASS – 92.5.

ACCESSORIES

| | WT. | PRICE |
|-------------------|-----|--------|
| • Rack dolly..... | 25 | 570.00 |

DROP-IN TRAY DISPENSER



DIT Series

| MODEL | FLANGE DIMENSIONS (INCHES) | | COUNTER TOP OPENING (INCHES) | MAXIMUM TRAY SIZE (INCHES) | SHIP WT. (LBS.) | LIST PRICE |
|-----------|----------------------------|--------|------------------------------|----------------------------|-----------------|------------|
| | L | W | | | | |
| DIT-1014 | 15-3/4 | 20-1/4 | 11-7/8 x 19-1/4 | 10-7/8 x 15 | 40 | 1590.00 |
| DIT2-1014 | 27-3/4 | 20-1/4 | 23-7/8 x 19-1/4 | (2ea.) 10-7/8 x 15 | 65 | 1940.00 |
| DIT-1216 | 22-1/8 | 17-5/8 | 18-1/4 x 16-5/8 | 12-5/8 x 16-3/8 | 75 | 1592.00 |
| DIT-1418 | 23-5/8 | 19-5/8 | 19-3/4 x 18-5/8 | 14-5/8 x 18-3/8 | 92 | 1592.00 |
| DIT-1520 | 25-5/8 | 20-5/8 | 21-3/4 x 19-5/8 | 15-5/8 x 20-3/8 | 65 | 1694.00 |
| DIT-1622 | 27-5/8 | 21-5/8 | 23-3/4 x 20-5/8 | 16-5/8 x 22-3/8 | 65 | 1694.00 |

NOTE: Under counter clearance is 27-1/2" to 29" FREIGHT CLASS – 92.5.

ACCESSORIES

| | WT. | PRICE | | WT. | PRICE |
|--|-----|--------|--|-----|--------|
| • Modify in counter depth..... | - | 10% | • Silverware dispenser | | |
| • Trapezoid tray (per stack)..... | - | 184.00 | SD - 6 hole – with nylon cylinders. . . | 25 | 740.00 |
| ND - Napkin dispensers (set of 2). . . | 5 | 290.00 | SD - 8 hole – with nylon cylinders. . . | 25 | 814.00 |
| | | | SD - 10 hole – with nylon cylinders. . . | 30 | 966.00 |

DROP-IN RACK DISPENSER



DIR Series

| MODEL | FLANGE DIMENSIONS (INCHES) | | COUNTER TOP OPENING (INCHES) | MAXIMUM RACK SIZE (INCHES) | SHIP WT. (LBS.) | LIST PRICE |
|-----------|----------------------------|--------|------------------------------|----------------------------|-----------------|------------|
| | L | W | | | | |
| DIR-1020 | 15-5/8 | 25-5/8 | 11-3/4 x 24-5/8 | 10-1/4 x 20-1/4 | 48 | 1530.00 |
| DIR2-1020 | 26-5/8 | 25-5/8 | 22-3/4 x 24-5/8 | (2 ea.) 10-1/4 x 20-1/4 | 65 | 2076.00 |
| DIR-2020 | 25-5/8 | 25-5/8 | 21-3/4 x 24-5/8 | 20-1/4 x 20-1/4 | 94 | 1768.00 |

NOTE: Under counter clearance is 27-1/2" to 29" FREIGHT CLASS – 92.5.

TRAY & RACK DISPENSERS

Built-in – Self-Leveling



BIT Series

BUILT-IN TRAY DISPENSER


| MODEL | DIMENSIONS (INCHES) | | | CABINET OPENING (INCHES) | MAXIMUM TRAY SIZE (INCHES) | SHIP WT. (LBS.) | LIST PRICE |
|-----------|------------------------|----------|----|--------------------------------|----------------------------------|--------------------|---------------|
| | L | W | H | | | | |
| BIT-1014 | 15-11/16 | 19-11/16 | 28 | 11-11/16 x 15-11/16 | 10-7/8 x 15 | 98 | 1798.00 |
| BIT2-1014 | 27-11/16 | 19-11/16 | 28 | 23-11/16 x 15-11/16 | (2 ea.) 10-7/8 x 15 | 138 | 1798.00 |
| BIT-1216 | 21-3/16 | 17-3/16 | 28 | 17-3/16 x 13-3/16 | 12-5/8 x 16-3/8 | 106 | 1798.00 |
| BIT-1418 | 23-3/16 | 19-3/16 | 28 | 19-3/16 x 15-3/16 | 14-5/8 x 18-3/8 | 110 | 1798.00 |
| BIT-1520 | 25-3/16 | 20-3/16 | 28 | 21-3/16 x 16-3/16 | 15-5/8 x 20-3/8 | 140 | 1854.00 |
| BIT-1622 | 27-3/16 | 21-3/16 | 28 | 23-3/16 x 17-3/16 | 16-5/8 x 22-3/8 | 144 | 1854.00 |
| BIT-1821 | 26-3/16 | 22-11/16 | 28 | 22-3/16 x 18-11/16 | 18-3/8 x 21-3/8 | 144 | 2010.00 |

FREIGHT CLASS – 92.5.

ACCESSORIES

| | WT. | PRICE | | WT. | PRICE |
|---|-----|--------|--|-----|--------|
| • Top support flange. | 10 | 690.00 | • Silverware dispenser | | |
| • Modify height. | - | 10% | SD - 6 hole – with nylon cylinders. . | 25 | 740.00 |
| • Trapezoid tray (per stack). | - | 184.00 | SD - 8 hole – with nylon cylinders. . | 25 | 814.00 |
| ND - Napkin dispensers (2 ea.). | 5 | 290.00 | SD - 10 hole – with nylon cylinders. . | 30 | 966.00 |

MISCELLANEOUS PRODUCTS



N-4 shown

DROP-IN NAPKIN DISPENSER

| MODEL | MAXIMUM NAPKIN SIZE L x W | FLANGE DIMENSIONS | | COUNTER TOP OPENING L x W | SHIP WT. (LBS.) | LIST PRICE |
|-------|---------------------------------|-------------------|------------------|---------------------------------|--------------------|---------------|
| | | OVER-ALL L x W | OPENING L x W | | | |
| N-1 | 7 x 5-1/8 | 9-1/4 x 7-1/8 | 7-1/8 x 5-1/4 | 8-9/16 x 5-1/2 | 25 | 690.00 |
| N-2 | 5-3/8 x 4 | 7-5/8 x 6 | 5-1/2 x 4-1/8 | 6-15/16 x 4-3/8 | 25 | 690.00 |
| N-3 | 7-1/8 x 4-1/4 | 9-3/8 x 6-1/4 | 7-1/4 x 4-3/8 | 8-11/16 x 4-5/8 | 25 | 690.00 |
| N-4 | 8 x 4-1/4 | 10-1/4 x 6-1/2 | 8-1/8 x 4-5/8 | 9-9/16 x 4-7/8 | 25 | 690.00 |
| N-5 | 8-3/4 x 4-3/4 | 11 x 6-3/4 | 8-7/8 x 4-7/8 | 10-5/16 x 5-1/8 | 25 | 690.00 |
| N-6 | 7-1/8 x 6-7/8 | 9-3/8 x 8-7/8 | 7-1/4 x 7 | 8-11/16 x 7-1/4 | 25 | 690.00 |


FREIGHT CLASS – 92.5.

ACCESSORIES



A. NAPKIN DISPENSER: (STANDARD SIZE)

NOTE: This size napkin dispenser is furnished as standard, constructed of stainless steel with stainless steel mounting bracket. Sold in pairs, one mounted on each side of the silverware holder. Capacity approximately 125 napkins 3-1/2" x 6-3/4", folded.



B. CUSTOM SIZE NAPKIN HOLDER:

Constructed of stainless steel box shaped with open top, for bolting on to the ends of the silverware cylinder or pan holder. Designed to the dimension you desire and sold in pairs.



C. SILVERWARE CYLINDER HOLDERS:

Shall be constructed of stainless steel for plastic drop-in cylinders. Silverware cylinder holder shall be attached to the tray dispenser by 1/2" diameter stainless steel rod. Available to hold 6, 8 or 10 plastic cylinders; specify quantity when ordering. Silverware holders are designated by adding the suffix "S" to the model number along with the size required, i.e. S6, S8, S10.




D. SILVER PAN DISPENSER:

Silverware dispensers shall be of welded stainless steel construction with sloping top fitted with removable silverware pans. Dispensers are available with 3, 4, or 5 pans. Specify 1/3 or 1/4 size pans:

- 3 pans
- 4 pans
- 5 pans

Optional Cover. Plexiglas half cover running full length of dispenser.



E. SILVERWARE CYLINDERS:

Constructed of plastic or stainless steel. When ordering silverware holders, plastic cylinders are furnished. If stainless steel cylinders are required instead of plastic cylinders, specify: Stainless steel cylinders in lieu of plastic.



F. OVERSHELF:

Shall be stainless steel, turned up 1" on all four sides with a 1/4" radius cove. End corners shall be open permitting easy cleaning of the shelf. Overshelf is permanently attached above the unit by a 1/2" diameter stainless steel rod. NOTE: Maximum size, at the price stated below, is 12" x 34." Specify size of shelf when ordering.



G. PLASTIC LAMINATE PANELS:

Plastic laminate side panels are available on most enclosed cabinet models. Prices On Application.




H. PUSH PULL HANDLE:

Constructed of 1" diameter, type 18-8 stainless steel tubing. Push pull handle is mounted on narrowest side of the cabinet.



I. POLYURETHANE CASTERS:

Heavy duty 4" diameter swivel casters with polyurethane tires.



J. STAINLESS STEEL LEGS:

A 6" high, adjustable to 7-3/4," stainless steel leg is available to fit all LEVELMATIC dispensers, in lieu of casters.

| | SHIP WT. (LBS.) | PRICE | | SHIP WT. (LBS.) | PRICE |
|--|--------------------|---------|------------------------------|--------------------|--------|
| A. ND - Napkin dispensers (2 ea.) | 5 | 290.00 | F. Overshelf – specify size. | 15 | 510.00 |
| B. Custom size napkin holder. | - | P.O.A. | G. Plastic laminate panels. | - | P.O.A. |
| C. Silverware cylinder holders | | | H. Push pull handle. | 3 | 368.00 |
| SD - 6 hole dispenser. | 25 | 740.00 | I. Polyurethane casters | | |
| SD - 8 hole dispenser. | 25 | 814.00 | in lieu of standard casters | | |
| SD - 10 hole dispenser. | 30 | 966.00 | 4" diameter (set of 4). | 5 | 252.00 |
| D. Silver pan dispensers | | | 5" diameter (set of 4). | 5 | 290.00 |
| specify 1/3 or 1/4 size | | | J. Stainless steel legs | | |
| 3 pan size. | 30 | 940.00 | in lieu of casters. | - | P.O.A. |
| 4 pan size. | 35 | 1072.00 | | | |
| 5 pan size. | 40 | 1288.00 | | | |
| E. Silverware cylinders | | | | | |
| Plastic cylinders, each. | 1/2 | 16.00 | | | |
| Stainless steel cylinders, each. | 1 | 38.00 | | | |
| Stainless steel cylinders in lieu of plastic, ea.. | 1 | 28.00 | | | |

NOTE: On items marked Price on Application (P.O.A.), contact factory for pricing.

ALL PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.

MODIFICATION PRICE LIST

| | EACH | -2 | -3 | -4 | -5 | -6 |
|--|-----------------|-----------------|-------------------|-------------------|-------------------|--------|
| MODULAR SERVING UNITS: (DS-) (CA-) (BL-) | | | | | | |
| MODIFY HEIGHT - (SS/CA under 30", BL - under 34") ADD | 368.00 | - | - | - | - | - |
| MODIFY HEIGHT - (Designer Series) ADD | 962.00 | - | - | - | - | - |
| BMM - 1000 - (No height modification Available) | - | - | - | - | - | - |
| BL- Units @ 34" high - use 4" Casters | NC | - | - | - | - | - |
| BACKSPLASH, S/S, 6" High - (1# / foot) ADD PER FOOT | 206.00 | - | - | - | - | - |
| OT- OFFSET CART TOP -1-3" | 1286.00 | - | - | - | - | - |
| U-SCT-U-SHAPED CUTOUT IN UNIT | 1014.00 | - | - | - | - | - |
| CLF- CART LEG FILLER - (CA) | 188.00 | - | - | - | - | - |
| MS- MASTER ON/OFF SWITCH - (All Hot Units) | 368.00 | - | - | - | - | - |
| ERS- Modular Unit electrical RACEWAY system | 1,656.00 | - | - | - | - | - |
| OUTLET BOX IN BASE OF UNIT: | | | | | | |
| JBC- 4" X 4" (120 Volt) with cord - Refrig. & Utility Units | 554.00 | - | - | - | - | - |
| JBH- 4" x 4" (120V/240V) with Cord - Hot Units (4-prong) | 922.00 | - | - | - | - | - |
| PCS- 7 to 10 FT. Power Cord | 60.00 | - | - | - | - | - |
| CW- CORD WRAP -Z-BAR | 130.00 | - | - | - | - | - |
| SP- LEVIN SURGE PROTECTOR W/ (6) Outlets, 6-foot cord | 406.00 | - | - | - | - | - |
| LABOR TO INSTALL SPECIAL DROP-IN UNITS: | 554.00 | - | - | - | - | - |
| S/S Sink, Griddle, char. Broiler, Fryer (plus add counter cutouts for Top & Apron) | | | | | | |
| Labor to install customer's food guard | 554.00 | | | | | |
| C-PKG CORRECTION PACKAGE - (PER UNIT) | 504.00 | - | - | - | - | - |
| DIUD- S/S DROP-IN URN DRAIN, 7" WIDE X LENGTH | WU-24 706.00 | WU-30 958.00 | WU-36 1,214.00 | WU-48 1,404.00 | WU-60 1,618.00 | - |
| REPLACEMENT FRONT PANELS | | | | | | |
| CA - Units | 164.00 | 190.00 | 240.00 | 314.00 | 446.00 | 590.00 |
| BL - Units (Plastic Laminate with trim) | 206.00 | 214.00 | 278.00 | 352.00 | 482.00 | 630.00 |
| CUSTOM GRAPHIC PACKAGE- CONTACT FACTORY | | | | | | |
| PLASTIC LAMINATE PANELS- ADDITIONAL COLOR UPCHARGE | | | | | | |
| ALC-2 - (per unit) | 554.00 | - | - | - | - | - |
| ALC-3 - (per unit) | 740.00 | - | - | - | - | - |
| ALC-4 - (per unit) | 988.00 | - | - | - | - | - |
| HINGED DOORS - (Designer Series Units) | | | | | | |
| DS-3254 & DS-3268 - (2) DOORS IN PANEL | 922.00 | - | - | - | - | - |
| DS-3285 - (4) DOORS | 1,766.00 | - | - | - | - | - |
| POLANE PAINTED PANELS- SPECIAL COLORS | | | | | | |
| Color Chip Required - 5 Gallons Minimum | 366.00 | - | - | - | - | - |
| CORIAN FOR MODULAR UNITS - CONTACT FACTORY | | | | | | |
| TRAY SLIDES & WORK SHELVES, ETC.: | | | | | | |
| WORK SHELF (10" W) -same price as 12" SLS OR TS | | | | | | |
| MITERED END/CHAMFERED - EACH | 314.00 | - | - | - | - | - |
| Computer Shelf - S/S bottom | | | | | | |
| Mid. & Comp. Slide out shelf | 2,204.00 | - | - | - | - | - |
| GFI - RECEPTACLE | 528.00 | - | - | - | - | - |
| 4" CLEARANCE FOR FLOOR BOX | 562.00 | - | - | - | - | - |
| FLANGED FEET (4 PER SET) | 350.00 | - | - | - | - | - |
| LEG EXTENSION | 58.00 | - | - | - | - | - |

MODIFICATION PRICE LIST

CONTINUED

SPECIAL SIZE MODULAR UNITS & ACCESSORIES:

| | -7 105" | -8 118-3/4" |
|---|------------|----------------|
| CAFT - UTILITY UNIT | 5,212.00 | 5,958.00 |
| SL - Tray Slide, 11-1/4" wide, S/S, 2-rail | 1,212.00 | 1,368.00 |
| SLS - Tray slide, 11-1/4" wide, S/S, solid, ribbed | 2,154.00 | 2,378.00 |
| SLF - Tray Slide, plastic laminate with S/S runners | 2,206.00 | 2,502.00 |
| SH - Work shelf, 8" wide, S/S | 1,568.00 | 1,750.00 |
| OSDC - Buffet canopy, dual service, w/ fluorescent lights | 3,868.00 | 4,898.00 |
| US - Undershelf, S/S, removable | 1,440.00 | 1,596.00 |
| RPS - Removable sliding doors | 2,070.00 | 2,326.00 |

SPECIAL ACCESSORIES:

| | EACH | -2 | -3 | -4 | -5 | -6 |
|--|--------|----------|----------|----------|----------|----------|
| PRC - Glass Ends Framed in S/S (set of 2) | 740.00 | - | - | - | - | - |
| PRC - SPECIAL - 6" H x 6" W with Glass Front | | 1,084.00 | 1,254.00 | 1,482.00 | 1,862.00 | 2,294.00 |
| DDC - S/S Frame with Glass | 366.00 | - | - | - | - | - |

DROP-IN MODIFICATIONS:

| | | | | | | |
|---|----------|------------|---------|---------|---------|---------|
| WIH - Built-in pan for DS, SS, & BL - Units (per pan) | 1254.00 | - | - | - | - | - |
| WFB - Perforated False Bottom - RAISED - (per leg) | 60.00 | - | - | - | - | - |
| WCM & WIH Units - S/S OUTER CASE for single pan unit | 366.00 | 444.00 | 502.00 | 652.00 | 730.00 | 896.00 |
| Painted Compressor Housing | 226.00 | - | - | - | - | - |
| WIC-7 | 4,290.00 | - | - | - | - | - |
| WICD-7 | 4,634.00 | - | - | - | - | - |
| WCMD-C-7 (NOT UL, HAS NSF CUSTOM LABEL) | 8,666.00 | - | - | - | - | - |
| 12" Wide Flat Overshelf, S/S 12"H On 1"x1" S/S Legs | 296.00 | (per foot) | - | - | - | - |
| Painted Panels | 356.00 | | | | | |
| RMHP-X - Hot/Cold Pan (Less Compressor) | | 6102.00 | 6768.00 | 7534.00 | 8276.00 | 9384.00 |
| WCMHP-X - Hot/Cold Pan - Non NSF-7 (Less Compressor) | | 5632.00 | 6140.00 | 6768.00 | 7466.00 | 8280.00 |

POWDER COATING - FOR MODULAR UNITS & ACCESSORIES:

(Super Durable Polyester Powder Coating Material)

| | | | | | | |
|---|--------|------------|--------|--------|--------|--------|
| CAFT (Utility Units - Stainless top & frame) | - | 234.00 | 284.00 | 324.00 | 382.00 | 462.00 |
| CA (other than utility units) | - | 194.00 | 232.00 | 252.00 | 290.00 | 342.00 |
| PRC - Protector Case | - | 112.00 | 122.00 | 148.00 | 186.00 | 204.00 |
| DD - Double Deck Display | - | 360.00 | 396.00 | 582.00 | 634.00 | 674.00 |
| DDC - Double Deck Display | - | 272.00 | 318.00 | 420.00 | 480.00 | 528.00 |
| DDC - Sneeze Guard Frame only | 128.00 | - | - | - | - | - |
| 12" Wide Flat Overshelf, S/S 14"H On 1"x1" S/S Legs | 308.00 | (per foot) | | | | |
| Powder Coated Frames (All) | 460.00 | | | | | |

REPRESENTATIVE LOCATOR

| TERRITORY | COMPANY / ADDRESS | TERRITORY | COMPANY / ADDRESS |
|---|--|---|---|
| WA, OREGON, IDAHO, ALASKA, CANADA (BC ONLY), HAWAII, MONTANA | SCHULZ ASSOCIATES 711 KIRKLAND AVENUE KIRKLAND, WA 98033 (425) 828-4557 | OHIO, KENTUCKY WEST VIRGINIA WESTERN PENNSYLVANIA (EXCEPT PANHANDLE) | WB MARKETING 5515 PEARL ROAD PARMA, OH 44122 (440) 842-2800 |
| NORTHERN CA, NEVADA (EXCEPT CLARK CO.) | RESTURANT EQUIPMENT PROFESSIONALS 26046 EDEN LANDINGROAD, SUITE #3 HAYWARD, CA 94545 (510) 785-5566 | MICHIGAN, INDIANA (EXCEPT LAKE CO.) | ACOSTA SALES & MARKETING 12625 E. GRAND RIVER BRIGHTON, MI 48116 (810) 225-7755 |
| SOUTHERN CA, NEVADA (CLARK CO. ONLY) | HODAK SALES 18281 GOTHARD STREET, SUITE #112 HUNTINGTON BEACH, CA 92648 (714) 898-1003 | NORTH CAROLINA, SOUTH CAROLINA | CAROLINA MARKETING 130-A WING HILL DRIVE LEXINGTON, SC 29072 (803) 951-2257 |
| COLORADO, UTAH, WYOMING, N.M. EL PASO, TX. ARIZONA | COURTNEY MARKETING 301 W. DEER VALLEY RD, STE 8 PHOENIX, AZ 85027 (623) 434-1113 | MA, RI, CT, NH, ME, VT | B. F. BUTKEVICH ASSOCIATES P.O. BOX 73 AVON, MA 02322 (508) 584-1818 |
| MN, N. DAKOTA, S. DAKOTA | RITTEN ASSOCIATES 4950 LINCOLN DRIVE EDINA, MN 55436 (952) 938-5170 | UPPER NY STATE | LAKE EFFECT SALES & MARKET ING 3840 E. ROBINSON RD, SUITE #314 AMHERST, NY 14228 (716) 731-1736 |
| MISSOURI, KANSAS, IOWA, NEBRASKA, SO. ILLINOIS (INCLUDING ROCK ISLAND CO.) | HEARTLAND REPS 1305 REGENCY DRIVE KEARNEY, MO 64060 (888) 486-1253 EXT 12 | E. PA, SOUTHERN NJ DELAWARE | 4 STAR REPRESENTATIVES 4 NESHAMINY INTERPLEX DRIVE BUILDING FOUR, SUITE #109 TREVOSE, PA 19053 (267) 522-8991 |
| TEXAS, OKLAHOMA, LOUISIANA, ARKANSAS (EXCEPT EL PASO COUNTY) | LMS ASSOCIATES 205 WEST DIVISION, STE A9 ARLINGTON, TX 76012 (817) 548-7575 | METROPOLITAN NY, NORTHERN NJ | CLEMENTS-STELLA-GALLAGHER MARKETING 53 DANES STREET PATCHOGUE, NY 11772 (631) 758-5316 |
| ILLINOIS (NORTH & CENTRAL) (EXCEPT ROCK ISLAND CO) INDIANA (LAKE CO. ONLY) | THE JAY MARK GROUP, LTD 175 LIVELY BLVD. ELK GROVE VILLAGE, IL 60007 (847) 545-1918 | MARYLAND, VIRGINIA, WASH., D.C. WEST VIRGINIA (PANHANDLE) | SQUIER ASSOCIATES, INC 14650-H ROTHGEB DRIVE ROCKVILLE, MD 20850 (301) 762-3710 |
| WISCONSIN | WOOLSEY & ASSOCIATES N8 W 22520 JOHNSON DR. SUITE K WAUKESHA, WI 53186 (262) 436-0102 | INTERNATIONAL | DORIAN AMERICA 2 GANNETT DRIVE, 4 TH FLOOR WHITE PLAINS, NY 10604 (914) 697-9800 |
| GEORGIA, ALABAMA | SOUTH EASTERN MANUFACTURER'S AGENTS 3020-A AMWILER ROAD N.E. ATLANTA, GA 30360 (770) 246-0111 | | |
| TENNESSEE, MISSISSIPPI | HOTTUM & ASSOCIATES 50 AVEBURY CV EADS, TN 38028 (901) 867-1660 | | |
| FLORIDA | PREFERRED MARKETING AGENTS, INC. 1519 SOUTHEAST 8TH STREET DEERFIELD, FL 33441 (954) 943-1661 | | |